




# जिल्ला दररेट निर्धारण समिति

भक्तपुर



ज्याला, ढुवानी तथा निर्माण सामग्रीहरुको दररेट  
आ.व. २०८२/०८३




सि.नं.	श्रमिकहरुको विवरण	एकाई	ज्याला दर प्रतिदिन (रु.) आ.व.			कैफियत
			०८०१/८१	०८११/८२	०८२/८३	
१	अदक्ष श्रमिक (ज्यामी)	जवान	९००	९२०	९३५	
२	दक्ष डकर्मी, सिकर्मी, नकर्मी, चित्रकार, वज्रकर्मी, प्लम्बर, ढुङ्गा र काठ बुट्टा काट्ने साधारण मूर्तिकार, चित्रकार, आर्टिस्ट आदि	"	१२००	१२२५	१२४५	
३	अर्धदक्ष डकर्मी, सिकर्मी, नकर्मी, चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरावाला, जुनियर सुपरभाइजर, नदी निरीक्षक आदि	"	१०००	१०२०	१०४०	
४	ढल सफा गर्ने कामदार	"		१२२५	१२४५	
५	हेभी इन्क्वियन्ट डोजर, एक्व्यामेटर, रोलर, ग्रेडर अपरेटर आदि	"	१३००	१३२५	१३५०	
६	मेकानिक्स, हेभी भेहिकल ड्राइभर, ट्रक ड्राइभर, साधारण मेथिन अपरेटर ल्याब असिस्टेन्ट आदि	"	९५०	९७०	९८५	
७	भरिया (४० के.जी. तौलसम्म)	"	९००	९२०	९३५	
८	साइक्लो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टिङ्ग फोरमेन, सामाजिक परिचालक, खँदेल (खानी सम्बन्धी काम गर्ने कामदार) आदि	"	९००	९२०	९३५	
९	निर्माण कार्यको क्याम्प वर्कर, सुपरभाइजर, ब्लास्टर, ड्रिलर, फोटोग्राफिक्स, फोरमेन, सेक्युरेटी गार्ड, नाइट वाचमेन, रोड लेन्थ वर्कर, हेल्पर मेकानिक्स, अफिस असिस्टेन्ट, सर्भे हेल्पर, वेल्डर सहायक, रनर, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator (न्यूनतम एस.ई.ई. उत्तीर्ण वा सो सरह) आदि	"	८१५	८३०	८४५	
१०	माली, सहायक परिचालक, स्वीपर, मेहत्तर, घोवी, वन हेरालु, चौकिदार आदि	"	७५०	७६५	७८०	
११	काठ ढुंगा झिँगटी लगायत परम्परागत कार्य गर्ने कालिगढ मिस्त्री	"	१८००	१८३५	१८६५	
१२	जोखिमजन्य क्षेत्रमा कार्य कार्य गर्नुपर्ने लेबर	"	१५००	१५३०	१५५५	

नोट :-

माथि उल्लेख नभएको श्रमिकको ज्याला दरको हकमा सेवा दिने/लिने संघ, संस्था, कम्पनी, व्यक्ति आदिको आपसी समझदारीबाट ज्यालादर तय गर्न सकिनेछ ।

माथि उल्लेख नभएका अन्य सबै पद/श्रेणीका ज्यालादारी कर्मचारी/कामदारहरुको हकमा सम्बन्धित पद/श्रेणीको लागी नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तलबमानलाई तीसले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर रकम मान्नु पर्नेछ ।



भारत मणी घाण्डी  
प्रमुख जिल्ला अधिकारी



## २ ढुवानी सम्बन्धी

सि. नं.	ढुवानी सम्बन्धि विवरण	इकाई	ढुवानी दर (रु)			कैफियत
			आ.व.			
			०८०/८१	०८१/८२	०८२/८३	
१.०	सजिलो सामान (जस्तै: सिमेन्ट, बालुवा, रोडा, दाउरा, रासायनिक मल, खाद्यान्न, आदि)					
१.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	३३.६०	३३.६०	३३.६०	
१.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	४६.८३	४६.८३	४६.८३	
१.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	३७.४९	३७.४९	३७.४९	
१.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	५०.७२	५०.७२	५०.७२	
१.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने (२० कि.मी भन्दा बढी)	टन/कि.मी.	१८.२७	१८.२७	१८.२७	
१.६	भरिया बाट (पैदल) सामान ढुवानी ।	प्रतिके.जी. /प्रति कि.मी.	३.५०	३.५०	३.५०	
२	असजिलो सामान (जस्तै: फलामे सामान, जस्तापाता, बुनेको ग्याविन जाली, एच् डि पी पाइप, इन्सुलेटर, औषधि, काठ, कृषिजन्य, फलफूलको विरुवा, आदि)					
२.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	४७.९३	४७.९३	४७.९३	
२.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	५५.१३	५५.१३	५५.१३	
२.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	५५.१३	५५.१३	५५.१३	
२.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	६०.०६	६०.०६	६०.०६	
२.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने (२० कि.मी.भन्दा बढी)	टन/कि.मी.	२७.४६	२७.४६	२७.४६	
२.६	भरियाबाट (पैदल) सामान ढुवानी	के.जी./कि.मी.	४.५०	४.५०	४.५०	

भारत मणी पाण्डे  
 प्रमुख जिल्ला अधिकारी



सि. नं.	दुवानी सम्बन्धि विवरण	गृह मन्त्रालय जिल्ला प्रशासन कार्यालय भक्तपुर कार्यालय	दुवानी दर (रु)			कैफियत
			आ.व.			
			०८०/८१	०८१/८२	०८२/८३	
३	अति असजिलो सामान जस्तै: (जी.आई.पाइप, काँडेतार, फलामे छड, ईलेक्ट्रोमेकानिकल सामान, ३.८ मिटरसम्म लामो स्टील पोल, बिजुलीको पोल, टेलिफोनको पोल, पि.एस.सी.पोल, आदि)					
३.१	ट्रकबाट पिच बाटोमा दुवानी गर्ने	टन/कि.मी.	६७.२५	६७.२५	६७.२५	
३.२	ट्रकबाट कच्ची बाटोमा दुवानी गर्ने	टन/कि.मी.	८१.०१	८१.०१	८१.०१	
३.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा दुवानी गर्ने	टन/कि.मी.	७४.३९	७४.३९	७४.३९	
३.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा दुवानी गर्ने	टन/कि.मी.	८८.२०	८८.२०	८८.२०	
३.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा दुवानी गर्ने ( २० कि.मी. भन्दा बढी)	टन/कि.मी.	३६.५९	३६.५९	३६.५९	
४	लोड (चढाउने)					
४.१	सजिलो सामान	प्रति क्वी.	११.००	११.००	११.००	
४.२	असजिलो सामान	प्रति क्वी.	१३.५०	१३.५०	१३.५०	
४.३	अति-असजिलो सामान	प्रति क्वी.	१६.००	१६.००	१६.००	
५	अनलोड (उतार्ने)	प्रति क्वी.				
५.१	सजिलो सामान	प्रति क्वी.	११.००	११.००	११.००	
५.२	असजिलो सामान	प्रति क्वी.	१३.५०	१३.५०	१३.५०	
५.३	अति-असजिलो सामान	प्रति क्वी.	१६.००	१६.००	१६.००	
६	ट्रकबाट दुवानी भाडादर (पाइप मूल्यको आधारमा)					
६.१	पहिलो १० (दश) कि.मी.सम्म	पाइपको मूल्यको प्रतिशत	८.००	८.००	८.००	
६.२	१० (दश) कि.मी. देखिमाथि २० (बीस) कि.मी.सम्म	पाइपको मूल्यको प्रतिशत	१३.००	१३.००	१३.००	
६.३	२० (बीस) कि.मी.देखि माथि	पाइपको मूल्यको प्रतिशत	१८.००	१८.००	१८.००	

नोट: माथि निर्णय नं. २ मा उल्लेख नभएको दुवानी दरको हकमा सेवा दिने/लिने संघसंस्था, कम्पनी, व्यक्ति आदिको आपसी समझदारीबाट दुवानी दर तय गर्न सकिनेछ।

भारत मणी पाण्डे  
 प्रमुख जिल्ला अधिकारी



३ : मेशिन, औजार तथा उपकरणको भाडादर सम्बन्धी:

मेशिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदि यान्त्रिक उपकरणको भाडादर (रेट) सडक विभाग, हेभी इक्वीपमेन्ट डिभिजनबाट निर्धारण गरिएको प्रतिघण्टाको भाडादर अनुसार नै हुन सिफारिस गरियो । (Website of Heavy Equipment Division - [www.dor.gov.np](http://www.dor.gov.np))

*[Handwritten signatures and initials]*

*[Handwritten signature]*  
भारत मणी थापडे  
प्रमुख जिल्ला अधिकारी



४: घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण दर सम्बन्धमा: पञ्चानन्य

सि.नं.	घरको बनावट विवरण	इकाइ	आ.व.फ.प.र. २०८०/०८१ को दर रु.	आ.व. २०८१/०८२ को दर रु.	आ.व. २०८२/०८३ को दर रु.	कैफियत
१	भवनको निर्माण भित्र काँचो, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, फिंगटी, टायल, एसवेसटस् सिट ।	व.फि.	१५०६१००	१५०६१००	१५०६१००	
२	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, फिंगटी, टायल, एसवेसटस् सिट ।	व.फि.	१९३६१००	१९३६१००	१९३६१००	
३	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, फिंगटी, टायल, एसवेसटस् सिट ।	व.फि.	२१५४१००	२१५४१००	२१५४१००	
४	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी./आर.सि.सि. ।	व.फि.	२२६६१००	२२६६१००	२२६६१००	
५	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई भई छाना जस्ता, फिंगटी, टायल, एसवेसटस् सिट ।	व.फि.	२२९०१००	२२९०१००	२२९०१००	
६	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, फिंगटी, टायल, एसवेसटस् सिट ।	व.फि.	२४०५१००	२४०५१००	२४०५१००	
७	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी./आर.सि.सि. ।	व.फि.	२५०३१००	२५०३१००	२५०३१००	
८	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना जस्ता, फिंगटी, टायल, एसवेसटस् सिट ।	व.फि.	२४२३१००	२४२३१००	२४२३१००	
९	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना आर.वि.सी./आर.सि.सि. ।	व.फि.	२५१०१००	२५१०१००	२५१०१००	
१०	आर.सि.सि.फ्रेम स्टक्चर भवन ।	व.फि.	२६५०१००	२६५०१००	२६५०१००	
११	काठैकाठको भवन भई छाना जस्ता, फिंगटी, टायल, एसवेसटस् सिट ।	व.फि.	२३९९१००	२३९९१००	२३९९१००	

नोट: भवनको बनावट र फिनिसिङ तथा सामान/उपकरण जडान बारे वर्गीकरण

- भवनको भित्र Wall Putty गरी इमल्सन पेन्टिङ गरेको ।
- भवनको बाहिर Weather Coat painting भएको ।
- Lift जडान भएको ।
- विद्युतीकरणको लागि उच्चस्तरीय सामग्रीको प्रयोग भएको ।
- प्यासेज, भन्याङ्गमा मार्बल/पार्केटिङ भएको ।

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*  
भरत मणो पाण्डे  
प्रमुख जिल्ला अधिकारी



सि.नं.	घरको बनावट विवरण	इकाइ	आ.व. २०८०/०८१ को दर रु.	आ.व. २०८१/०८२ को दर रु.	आ.व. २०८२/०८३ को दर रु.	कैफियत
--------	------------------	------	-------------------------------	-------------------------------	-------------------------------	--------

च) शौचालयमा टायल, फिक्सर र सि.पि. फिटिङ्ग उच्चस्तरीय प्रयोग भएको ।

छ) अग्नी नियन्त्रण प्रविधि (Fire Hose Reel / Extinguisher) जडान भएको ।

ज) बेसमेण्टमा (Basement) पार्किङ्ग सुविधा भएको ।

झ) Raft foundation भएको ।

उल्लिखित सबै सुविधा भएको भए 'क' वर्ग, र उल्लेखित मध्ये कम्तीमा ७ गोटा सुविधा भएको 'ख' वर्ग अन्यथा 'ग' वर्ग मानिने छ । यस अनुसार वर्गीकृत गरिएको भवनको हकमा निम्नानुसारको दर कायम हुने छ ।

अ) 'ग' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर मानिने छ ।

आ) 'ख' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २०% थप गरिने छ ।

इ) 'क' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४०% थप गरिने छ ।

घरभाडा मूल्यांकन प्रयोजनको लागि निम्न मुख्य सडकको दायर्रा र वार्या निर्माण भएका घरहरूको हकमा Internal Rate of Return (IRR) १०% र जग्गाको हकमा IRR ५% कायम गर्ने र मुख्य सडकसँग जोडिएका सहायक सडक र सो सहायक सडकबाट हाँगा फाटेका सडकको दायर्रा र वार्या निर्माण भएका घरहरूको हकमा IRR क्रमशः घटाउँदै न्यूनतम ६% सम्म कायम गर्ने तथा जग्गाको हकमा IRR क्रमशः घटाउँदै न्यूनतम ३% कायम गर्ने निर्णय गरियो ।

**मुख्य सडकहरू :**

१) मनोहरा पुल (जडीबुटी)-ठिमी-सूर्यविनायक जगातीसम्म (अरनिको लोकमार्ग) सडक ।

२) सल्लाघारी-सूर्यविनायकसम्म (काठमाण्डौ-नगरकोट) सडक ।

३) सल्लाघारी-भक्तपुर अस्पताल-दरवार स्वायर सडक ।

४) भक्तपुर क्याम्पस-भार्वाचो-तौमडी-सुकुलढोका-दवावय-च्यामासिंह सडक ।

५) जगाती-कमलविनायक सडक ।

६) दक्षिण वाराही मन्दिर-शंखधर चौक-पुरानोवाटो बाहाखा बजार-बोडे चार दोवाटोसम्म सडक ।

७) जडिबुटी - बाहाखा बजार- सल्लाघारी सडक ।

८) दरवार स्वायर-तौमडी-सूर्य विनायक वस स्टप-सूर्य विनायक गणेश थान सडक ।

९) सल्लाघारी-ब्यासी-कमलविनायक सडक ।

दृष्टव्यः आ.व. २०७८/०७९ लाई गत आ.व.को दररेट लिइने र नेपाल सरकार शहरी विकास मन्त्रालय भवन डिभिजन कार्यालयबाट रेट निर्धारण भएको खण्डमा सोही रेटलाई कायम गर्ने निर्णय गरियो ।

*(Handwritten signatures and initials)*

भारत मणी पाण्डे  
प्रमुख जिल्ला अधिकारी



५: वायो-ईन्जिनियरिङ्ग एवं सोसँग सम्बन्धित अन्य मालसामग्रीहरूको दर सम्बन्धमा:

सि.नं.	निर्माण सामग्रीहरूको विवरण	इकाई	मु.अ.कर बाहेकको दररेट			कैफियत
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	
१	हेज ८ इन्च पोली	गोटा	६६.००	६६.००	६६.००	
२	कार्पेट दुबो	व.फि	४०.००	४०.००	४०.००	
३	कार्पेट दुबोको लागि टाप्ने कार्यको ज्याला	व.फि	२६.००	२६.००	२६.००	
४	निगालो (जरा सहित)	गोटा	१४.००	१४.००	१४.००	
५	स्थानीय स्तरमा उत्पादित विरुवा फलफूल बाहेक	गोटा	७.००	७.००	७.००	
६	गोठे मल तयारी	के.जी.	५.००	५.००	५.००	
७	डाले घाँसको विरुवा	गोटा	१४.००	१४.००	१४.००	
८	मोलाटो विरुवा	गोटा	२.००	२.००	२.००	
९	जुटको डोरी	के.जी.	३३०.००	३३०.००	३३०.००	
१०	नरिवल डोरी	के.जी.	१५८.००	१५८.००	१५८.००	
११	नाइलन डोरी	के.जी.	३३०.००	३३०.००	३३०.००	
१२	लौठ सल्ला नेपाली	गोटा	९२.००	९२.००	९२.००	
१३	लौठ सल्ला अमेरिकन	गोटा	१५८.००	१५८.००	१५८.००	
१४	ठूलो साइजको बाँसको विरुवा बीजवाट उत्पादित	गोटा	२६४.००	२६४.००	२६४.००	
	वन कार्यालयबाट सम्पादन गरिने कार्यहरू					
१	पोलिथिन टयुब ४ प्वाल भएको २०० गेजको विभिन्न साइज	के.जी.	४२०.००	४२०.००	४२०.००	
२	ठूला विरुवा रोपन ४ फिटसम्म	प्रति विरुवा	१६८.००	१६८.००	१६८.००	
३	ठूला विरुवा रोपन ४-६ फिटसम्म	प्रति विरुवा	१८६.००	१८६.००	१८६.००	
४	अग्ला विरुवा रोपन ६-८ फिटसम्म	प्रति विरुवा	२८८.००	२८८.००	२८८.००	
५	गोलिया काठ लोड	क्यू.फि.	३६.००	३६.००	३६.००	
६	गोलिया काठ अनलोन	क्यू.फि.	२४.००	२४.००	२४.००	
७	दाउरा संकलन, दुवानी चट्टा निर्माण (२० फि. * ५ फि. ८ ५ फि)	चट्टा				
८	दाउरा लोड	चट्टा	४८००।-	४८००।-	४८००।-	
९	दाउरा अनलोड	चट्टा	२४००।-	२४००।-	२४००।-	
१०	संकलन कटान, मुछान	चट्टा	५४।-	५४।-	५४।-	
१२	अनलोडिङ्ग	चट्टा	१६८।-	१६८।-	१६८।-	
१३	चट्टा निर्माण	चट्टा	२४००।-	२४००।-	२४००।-	
१४	ठुटा उखेली घाटगद्दी स्थल १०० मी. सम्म लैजाने कार्य	गोटा	३४।-	३४।-	३४।-	
१५	वन सुपारी	प्रति विरुवा	३६।-	३६।-	३६।-	
शहरी वृक्षारोपण कार्य						
१	४ फिट सम्मको विरुवा	प्रति विरुवा	१०५६।-	१०५६।-	१०५६।-	
२	५ फिट सम्मको विरुवा	प्रति विरुवा	१५००।-	१५००।-	१५००।-	
३	६ फिट सम्मको विरुवा	प्रति विरुवा	१८४८।-	१८४८।-	१८४८।-	
४	८ फिट सम्मको विरुवा	प्रति विरुवा	२२४४।-	२२४४।-	२२४४।-	
४ फिटसम्मको विरुवाको मुल्य						
१	कपूर, वैस	प्रति विरुवा	९२४.००	९२४.००	९२४.००	
२	रुद्राक्ष	प्रति विरुवा	११४०.००	११४०.००	११४०.००	
३	कल्की बोटल ब्रस	प्रति विरुवा	७९२.००	७९२.००	७९२.००	
४	ज्याकारण्डा गोल्डमोहोर	प्रति विरुवा	७९२.००	७९२.००	७९२.००	
५	असारे	प्रति विरुवा	७९२.००	७९२.००	७९२.००	

Handwritten signatures and initials at the bottom of the page.

भरत शर्मिष्ठ  
प्रमुख जिल्ला अधिकारी



Bhaktapur District Rate for FY 2082/83

५: वायो-इन्जिनियरिङ एवं सोसंग सम्बन्धित कार्य-मालामा लागू सम्बन्धी दर सम्बन्धमा:

सि.नं.	निर्माण सामग्रीहरूको विवरण	इकाई	मु.अ.कर बाहेकको दररेट			कैफियत
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	
६	पैयू	प्रति विरुवा	५२८.००	५२८.००	५२८.००	
७	लप्सी	प्रति विरुवा	५२८.००	५२८.००	५२८.००	
८	धूपी, टिमुर, पारिजात	प्रति विरुवा	५९४.००	५९४.००	५९४.००	
९	बगमवेली	प्रति विरुवा	७९२.००	७९२.००	७९२.००	
१०	काइयो	प्रति विरुवा	७९२.००	७९२.००	७९२.००	
११	रक्तकमल	प्रति विरुवा	१५८४.००	१५८४.००	१५८४.००	
१२	समी	प्रति विरुवा	१३२०.००	१३२०.००	१३२०.००	
१३	घर	प्रति विरुवा	१५८४.००	१५८४.००	१५८४.००	
१४	पिपल	प्रति विरुवा	१५८४.००	१५८४.००	१५८४.००	
१५	५ फिटसम्मको करविर विरुवा	प्रति विरुवा	१४४०.००	१४४०.००	१४४०.००	
१६	५ फिटसम्मको तिकोमा विरुवा	प्रति विरुवा	१४४०.००	१४४०.००	१४४०.००	
१७	५ फिटसम्मको चापको विरुवा	प्रति विरुवा	१५६०.००	१५६०.००	१५६०.००	
वायो इन्जिनियरिङ सम्बन्धी काम						
घाँसको बीउ						
१	जई	कि.ग्रा	९०.००	९०.००	९०.००	
२	भेच	कि.ग्रा	१८०.००	१८०.००	१८०.००	
३	नेपीयर	सेट	४.००	४.००	४.००	
४	वर्सिम	कि.ग्रा	२१०.००	२१०.००	२१०.००	
५	घाँसको विउ र औषधि जिल्लाभिन्न दुवानी गर्दा	कि.ग्रा	१.००	१.००	१.००	
६	घाँसको विउ जिल्ला बाहिरबाट दुवानी गर्दा	कि.ग्रा	१.००	१.००	१.००	
७	माटो भने खाली बोरा	गोटा	१४.००	१४.००	१४.००	
८	बास काटेको सिंगो घाना	घाना	४२०.००	४२०.००	४२०.००	
९	बासको कटिग स्टम्प विरुवा(१५ महिने नर्सरीमा राखेको) १.५ फिट देखि २ फिट लामो	प्रति कटिग	६६.००	६६.००	६६.००	
Vegetation/Shrubs Cuttings/Slip/Plants/etc.						
१	अग्रिसो(राइजोम)	प्रति विरुवा	८.००	८.००	८.००	
२	अलैची गानो	प्रति विरुवा	१३.००	१३.००	१३.००	
३	अलैची विरुवा	प्रति विरुवा	१०.००	१०.००	१०.००	
४	हार्डउड कटिङ्गस् (वेस) पेन्सिल साइज	प्रति विरुवा	६.००	६.००	६.००	
५	नेपीयर कटिङ्गस्	प्रति विरुवा	२.००	२.००	२.००	

भारत सणी घाण्डे
   
 प्रमुख जिल्ला अधिकारी



६. आ.व. २०८२/०८३ को लागि अरनिको लोकमार्गको बायाँ बाँया ३ कि.मी. सम्मको लागि निर्माण सामग्रीहरूको दर (रेट)

**सिभिल कार्यहरू (Civil works)**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT ) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
<b>1</b>	<b>विभिन्न किसिमको ईटा</b>				
	<b>chinese premium</b>	हजार	२४०००.००	२४०००.००	२४०००.००
	क) मेशिनबाट उत्पादित ईटा (छानेको)	हजार	२१०००.००	२१०००.००	२१०००.००
	ख) मेशिनबाट उत्पादित ईटा (१-नं.)	"	१७५००.००	१७५००.००	१७५००.००
	ग) मेशिनबाट उत्पादित ईटा (२-नं.)	"	१५०००.००	१५०००.००	१५०००.००
	घ) मेशिनबाट उत्पादित ईटा (कालो .)	"	१२०००.००	१२०००.००	१२०००.००
	<b>BBT Brick</b>	"	१६५००.००	१६५००.००	१६५००.००
	ग) चिमनी भट्टाको ईटा	"	१४५००.००	१४५००.००	१४५००.००
	घ) तराई को १ नं.ईटा	"	१७९६०.००	१७९६०.००	१७९६०.००
	(ङ) सिमेन्ट को ईटा				
	BK108N	"	१५४५०.००	१५४५०.००	१५४५०.००
	BK118As	"	१६२७४.००	१६२७४.००	१६२७४.००
	च) टुक्रा ईटा	घ. मि.	२६२५.००	२६२५.००	२६२५.००
	छ) <b>Concrete block</b>				
	size ( 40*15*20 ) cm	गोटा	४२.००	४२.००	४२.००
	size ( 40*10*20 ) cm	गोटा	३६.७५	३६.७५	३६.७५
	Cellular light weight concrete(CLC) block				
	Size 24**8**4"	गोटा	१७४.००	१७४.००	१७४.००
	Size 24**8**6"	"	३२२.००	३२२.००	३२२.००
<b>2</b>	<b>क्ले टायलहरू</b>				
2.1	<b>छानामा छाउने</b>				
	क) मेशिनबाट उत्पादित टायल	गोटा	२१.००	२१.००	२१.००
	ख) चिमनी भट्टाको टायल	"	१८.९०	१८.९०	१८.९०
	ग) मेशिनबाट उत्पादित धुरी	"	३६.७५	३६.७५	३६.७५
	घ) चिमनी भट्टाको धुरी	"	२९.४०	२९.४०	२९.४०
2.2	<b>भुईमा/ कौसीमा छाप्ने टायल:</b>				
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	१२.६०	१२.६०	१२.६०
	ख) चिमनी भट्टाको क्ले टायल	"	१२.६०	१२.६०	१२.६०
<b>3</b>	<b>ढुंगाको काम (Stone work )</b>				
3.1	<b>Rubble Stone</b>				
	(क) ठुलो साइजको खानीको ढुंगा (Quarry stone)	घ.फि.	७९.३१	७९.३१	७९.३१
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	"	७९.३१	७९.३१	७९.३१
	(ग) स्थानीय ढुङ्गा (Av. Lead 500 m. सम्मको)	"	७२.१०	७२.१०	७२.१०
	(घ) कौसी खोला (चेहेरे) को एकनासे गोलो ढुङ्गा ( River round Pavel)	"	११३.३०	११३.३०	११३.३०

भारत मण्डल प्रमुख  
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
3.2	छापने ढुङ्गा (Flag stone)				
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.फि.	८५.००	८५.००	८५.००
	ख) १ 1/2" सम्म बाक्लो " "	"	१००.००	१००.००	१००.००
	ग) २" सम्म बाक्लो ढुङ्गा " "	व.फि.	११७.००	११७.००	११७.००
	घ) २ 1/2" सम्म बाक्लो ढुङ्गा " "	"	१२७.००	१२७.००	१२७.००
	ङ) २ 3/4" - ३" सम्म बाक्लो ढुङ्गा " "	"	१५५.००	१५५.००	१५५.००
	च) २ 1/2" - ३" सम्म बाक्लो ढुङ्गा मेसिनले काटेको	"	३२०.००	३२०.००	३२०.००
4	विभिन्न प्रकारको बालुवा				
	(क) बालुवा (Washing plant)	घ.फि.	९०.६४	९०.६४	९०.६४
	(ख) खानीकोबालुवा (Quarry sand)	घ.फि.	८८.००	८८.००	८८.००
	(ग) खोला/नदीको बालुवा (River sand)	घ.फि.	८८.५८	८८.५८	८८.५८
	(घ) भवनको भूईं कोठामा पुन, सोलिङको Void filling गर्न प्रयोग गरिने बालुवा	घ.फि.	६९.०१	६९.०१	६९.०१
5	क्रसरबाट उत्पादित रोडा				
	(क) ६-१० मी. मी. साइजका	घ.फि.	९७.५२	९७.५२	९७.५२
	(ख) १०-२० मी. मी. साइजका	घ.फि.	१०४.९४	१०४.९४	१०४.९४
	(ग) २०-४० मी. मी. साइजको	घ.फि.	१०१.७६	१०१.७६	१०१.७६
	(घ) ६ मि.मि. down	घ.फि.	८९.०४	८९.०४	८९.०४
6	फुटालेको ढुङ्गाको गिट्टी				
	क) सबै साइजको गिट्टी	"	९५.४०	९५.४०	९५.४०
7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री				
	क) महादेव वेसीको खोलाको ग्राभेल	घ.फि.	७२.०८	७२.०८	७२.०८
	ख) मेलम्ची खोलाको ग्राभेल	"	६६.७८	६६.७८	६६.७८
	ग) टिकाभैरव को ग्राभेल	"	६७.८४	६७.८४	६७.८४
	घ) भकुण्डेवेसी, रोशी खोलाको ग्राभेल	"	७५.२६	७५.२६	७५.२६
	(ङ) खोला/खानीको स्थानीय ग्राभेल	"	५७.२४	५७.२४	५७.२४
	(च) Granular sub base material (Crusher run material size 63mm down ) ग्राभेल	"	७९.४५	७९.४५	७९.४५
	(छ) Base-course को लागि मिक्स सोलिङ (WBM) गर्ने कार्य ।	घ.फि.	८७.९८	८७.९८	८७.९८
	(ज) ढुगाको धुलो (Stone dust)	घ.फि.	४३.४६	४३.४६	४३.४६
8	विभिन्न साइजका खोलाको Screening गरेको River pebbles				
	क) ४०- ८० मी.मी	घ.फि.	१०५.००	१०५.००	१०५.००
	ख) २०- ४० मी.मी	"	१०५.००	१०५.००	१०५.००
	ग) १०- २० मी.मी	"	१०५.००	१०५.००	१०५.००
	घ) ५- १० मी.मी	"	१०५.००	१०५.००	१०५.००
9	सडक कालो पत्रे गर्ने कामको सामग्रीहरू				

10
   
 भारत सिपि विभाडे
   
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	८०/१०० ग्रेडको विटुमीन	के.जी	११५.००	११५.००	११५.००
	VG-10	के.जी	११५.००	११५.००	१०८.५०
	VG-30	के.जी	११९.००	११९.००	११०.७०
	CRMB-DIGO 55 Bitumen	"	८९.००	८९.००	८९.००
	Packed bitumen emulsion को काम				
	छिटो जम्ने (RS 60%)	"	८६.५०	९३.२०	९७.३०
	छिटो जम्ने (RS 65%)	"	९१.६०	९८.६०	१०२.९०
	छिटो जम्ने (RS 70%)	"	९६.८०	१०३.९०	१०८.५०
	मध्यम जम्ने (MS 60%)	"	८७.५०	९४.३०	९८.५०
	मध्यम जम्ने (MS 65%)	"	९१.६०	९८.१०	१०२.५०
	ढीलो जम्ने (SS60%)	"	८८.५०	९५.९०	१००.१०
	Slurry Seal with 60% bitumen	"	९५.७०	१००.००	१०४.५०
	Hi - seal Redymix	"	११२.००	११२.००	११२.००
	Polymer Bitumen	"	१२५.००	१२५.००	१२५.००
	iv) सडक कालोपत्रे गर्दा विटुमीन नउफ्कीनको लागी प्रयोग गर्ने सामान Anti stripping agent	"	३७०.००	३७०.००	३७०.००
	v) कालोपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	"	३५.००	३५.००	३५.००
	vi) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री				
	a) B.S. Grade	के.जि	१९८.००	१९८.००	१९८.००
	b) Most Grade	"	२१९.००	२१९.००	२१९.००
	c) Glass beads	"	१८०.००	१८०.००	१८०.००
<b>10</b>	<b>विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरू</b>				
10.1	नेपालबाट उत्पादित विभिन्न Brand ओ.पि.सि. सिमेन्ट NS #49 (प्रति बोरा ५० के.जी.)	ब्याग	७००.००	७००.००	७००.००
10.2	नेपालबाट उत्पादित विभिन्न Brand पि.पि.सि. सिमेन्ट NS #385 (प्रति बोरा ५० के.जी.)	"	६००.००	६००.००	६००.००
10.3	सिमेन्ट (५० केजी) OPC	"	७००.००	७००.००	७००.००
10.4	सेतो सिमेन्ट (40kg/bag)	"	१२३०.००	१२३०.००	१२३०.००
10.50	लोड अनलोड चार्ज	"	१३.००	१३.००	१३.००
<b>11</b>	<b>Ready made Premix Concrete (Supplying laying all complete work)</b>				
11.1					
	M 10	घ. मि	१३६५०.००	१३६५०.००	१३६५०.००
	M 15	घ. मि	१४७००.००	१४७००.००	१४७००.००
	M 20	"	१५२२५.००	१५२२५.००	१५२२५.००
	M 25	"	१६२७५.००	१६२७५.००	१६२७५.००
	M 30	"	१७११५.००	१७११५.००	१७११५.००
	M 35	"	१८३८२.००	१८३८२.००	१८३८२.००

भारत/कोशी, मापण्डे
   
 प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	M 40	"	१९९५०.००	१९९५०.००	१९९५०.००
	M 45	"	२१४५०.००	२१४५०.००	२१४५०.००
<b>12</b>	<b>फलामको डण्डीहरू :</b>				
	(क) विभिन्न साइजका TMT Bar				
	a) 8 mm dia	क.जी	१००.००	१००.००	१००.००
	b) 10-20 mm dia	"	९९.००	९९.००	९९.००
	c) 25-28 mm dia	"	१००.००	१००.००	१००.००
	(d) 32 mm dia	"	१००.००	१००.००	१००.००
	(ख) विभिन्न साइजको TOR Steel				
	a) 8 mm dia	"	९४.००	९४.००	९४.००
	b) 10-20 mm dia	"	९१.००	९१.००	९१.००
	c) 25-28 mm dia	"	९१.००	९१.००	९१.००
	(d) 32 mm dia	"	९४.००	९४.००	९४.००
	(ग) विभिन्न साइजका TOR Steel				
	a) 4.75, 7 mm dia	"	१०१.००	१०१.००	१०१.००
	(घ) Binding Wire (डण्डी बाँध्नेतार)	"	१०६.००	१०६.००	१०६.००
<b>13</b>	<b>विभिन्न किसिमका काठहरू</b>				
13.1	काठ				
	(क) ३' देखि ८' सम्मको सालकाठ	घ. फि	६०९०.००	६०९०.००	६०९०.००
	(ख) ८' देखि १२' सम्मको सालकाठ	"	६५६२.००	६५६२.००	६५६२.००
	(ग) १२ फिट देखि माथिको साल काठ	"	६९३०.००	६९३०.००	६९३०.००
	(घ) साज काठ	"	३५१८.८४	३५१८.८४	३५१८.८४
	(ङ) जामुन काठ	"	२२५८.३६	२२५८.३६	२२५८.३६
	(च) सल्लाको काठ	"	१६२८.१२	१६२८.१२	१६२८.१२
	(छ) सिसौ काठ	"	३६७६.४०	३६७६.४०	३६७६.४०
	(ज) जंगली सिसौ काठ	"	५५३५.६१	५५३५.६१	५५३५.६१
	झ) उतीस को काठ	"	६५६.५०	६५६.५०	६५६.५०
	(ञ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	घ. फि			
	(ट) काठ दाउरा	क.जी	१९.००	१९.००	१९.००
13.2	कुदिएको काठको काम तयारी				
	i) भन्याङ्को रेलिङ तथा वार्दली आदिमा कुदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	१०९०.८०	१०९०.८०	१०९०.८०
	ii) भन्याङ्को रेलिङ तथा वार्दली आदिमा कुदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	"	१३२३.५०	१३२३.५०	१३२३.५०
	iii) भन्याङ्को रेलिङ तथा वार्दली आदिमा कुदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	७१४.२७	७१४.२७	७१४.२७
	iv) भन्याङ्को रेलिङको घुम्ने ठाउँमा कुदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	२३६३.४०	२३६३.४०	२३६३.४०
	v) देवी देवताको मुर्ति कुदिएको ४' देखि ५' लामो (३"x८") साल काठमा टुंडाल बनाउने काम	"	१३६३५.००	१३६३५.००	१३६३५.००
	vi) देवी देवताको मुर्ति कुदिएको ६' देखि ७' लामो (३"x८") साल काठमा टुंडाल बनाउने काम	"	२२७२५.००	२२७२५.००	२२७२५.००

12
   
 भारत नगरपालिका
   
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	vii) विभिन्न वुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म )	व.फि.	३१८१.५०	३१८१.५०	३१८१.५०
	viii) घोडाको आकृति गरि कुँदिएको ४"X ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	७३५२.८०	७३५२.८०	७३५२.८०
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँधी भ्याल तयारी	व.फि.	१३६३.५०	१३६३.५०	१३६३.५०
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँधी भ्याल तयारी	"	१६३६.२०	१६३६.२०	१६३६.२०
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँधी भ्याल तयारी लक सहीत	"	२२७२.५०	२२७२.५०	२२७२.५०
	विशेष प्रकारको कुँदिएको सालको काठको आँधी भ्याल तयारी लक नभएको	"	१९९९.८०	१९९९.८०	१९९९.८०
	xii) ३"X १.५" साइजको सालको काठको कुँदिएको पत्ती तयारी गर्ने काम	र.फि.	३६३.६०	३६३.६०	३६३.६०
	xiii) कुँदिएको विभिन्न वुट्टा राखी बनाएको साल काठको ४"X ५"को कार्नेस विम आदि तयारी गर्ने कार्य	"	१६३६.२०	१६३६.२०	१६३६.२०
	xiv) ४"X ५"को साल काठको नाग वुट्टा कुँदि तयारी गरी जडान गर्ने कार्य	"	१७२७.१०	१७२७.१०	१७२७.१०
<b>14</b>	<b>Wooden Parquet Flooring</b>				
	i)Shisam wood 150mm*30mm*8mm	व.फि.	२२०.००	२२०.००	२२०.००
	ii)Wall panelling ( with wood frame) sisam wood. (75mm*16mm)	"	५९९.००	५९९.००	५९९.००
<b>15</b>	<b>विभिन्न मोटाईको प्लाइवुडहरू</b>				
<b>15.1</b>	<b>Commercial</b>				
	(क) ३ मी.मी	व.फि.	३६.००	३६.००	३६.००
	३.५ मी.मी.	"	२६.००	२६.००	२६.००
	(ख) ४ मी.मी	"	२६.००	२६.००	२६.००
	(ग) ६ मी.मी	"	५३.००	५३.००	५३.००
	(घ) ८ मी.मी	"	५७.००	५७.००	५७.००
	(ङ) १२ मी.मी	"	८०.००	८०.००	८०.००
	(च) १९ मी.मी B/B	"	१०७.००	११२.००	११२.००
	छ) १८ मी.मी PLY	"	११०.००	११५.००	११५.००
<b>15.2</b>	<b>P/F. Water Proof</b>				
	क) ४ मी.मी	व.फि.	५२.००	५२.००	५२.००
	ख) ६ मी.मी	व.फि.	६५.००	६५.००	६५.००
	ग) ८ मी.मी.	"	६७.००	६७.००	६७.००
	घ) ९ मी.मी.	"	८९.००	८९.००	८९.००
	(ङ)१२ मी.मी	"	९९.००	९९.००	९९.००
	च) १९ मी.मी PLY	"	११३.००	११३.००	११३.००
	छ) १९ मी.मी B/B	"	१३९.००	१३९.००	१३९.००
<b>15.3</b>	<b>Natural Teak Plywood</b>				
	<b>One side lamination</b>				

13

असु मणी थापडे  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	(क) ३ मी .मी	व.फि	५१.००	५१.००	५१.००
	(ख) ४ मी. मी (Group Match of in 5 pcs)	"	७४.००	७४.००	७४.००
	४ मी. मी (Regular)	"	६४.००	६४.००	६४.००
	४ मी. मी (Crown)	"	४६.००	४६.००	४६.००
	४ मी. मी (Beri)	"	५२.००	५२.००	५२.००
	४ मी. मी (Whitest line)	"	४२.००	४२.००	४२.००
	४ मी. मी (Beach)	"	४९.००	४९.००	४९.००
	४ मी. मी (Recon 18 No.)	"	३९.००	३९.००	३९.००
	(ग) ६ मी.मी	"			
<b>15.4</b>	<b>DECORATIVE (THICKER)</b>				
	6 OST	व.फि	१३५.००	१३५.००	१३५.००
	6 BST	"	१७२.००	१७२.००	१७२.००
	9 OST	"	१५०.००	१५०.००	१५०.००
	9 BST	"	१८६.००	१८६.००	१८६.००
	12 OST	"	१६४.००	१६४.००	१६४.००
	12 BST	"	२०१.००	२०१.००	२०१.००
	19 B/B OST	"	१७७.००	१७७.००	१७७.००
	19 B/B BST	"	२१५.००	२१५.००	२१५.००
	18 OST	"	२०१.००	२०१.००	२०१.००
	18 BST	व.फि	२३८.००	२३८.००	२३८.००
<b>16</b>	<b>Ready made Door</b>				
	<b>38 mm th. Readymade solid core door shutter</b>				
16.1	Plain	व.फि	२४४.००	२४४.००	२४४.००
	One side teak	"	२७५.००	२७५.००	२७५.००
	Both side teak	"	३०८.००	३०८.००	३०८.००
	One side teak waterProof	"	३००.००	३००.००	३००.००
	Both side teak waterProof	"	३३२.००	३३२.००	३३२.००
16.2	<b>30 to 32 mm th. Readymade solid core door shutter</b>				
	Plain	व.फि	१९९.००	१९९.००	१९९.००
	One side teak	"	२२३.००	२२३.००	२२३.००
	Both side teak	"	२५०.००	२५०.००	२५०.००
	One side teak waterProof	"	२४४.००	२४४.००	२४४.००
	Both side teak waterProof	"	२७०.००	२७०.००	२७०.००
16.3	<b>Ready made Teak wood Doors (Seasoned and Poisoned treated )</b> ( excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	१९०.००	१९०.००	१९०.००
	Readymade door shutter Recon, Special (1 side teak)	"	२५७.००	२५७.००	२५७.००
	<b>Oneside water proof ply fitting</b>				
	Readymade door shutter Recon, ordinary (1 side teak)	"	२१७.००	२१७.००	२१७.००
	Readymade door shutter Recon, Special (1 side teak)	"	२९२.००	२९२.००	२९२.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*  
14

*[Handwritten signature]*

*[Handwritten signature]*

भक्तपुर जिल्ला प्रशासन कार्यालय  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	वि.फि.	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
16.4	<b>Wooden Listry</b>				
	1/2" wide	र.फि.	१५.००	१५.००	१५.००
	3/4" wide	"	१८.००	१८.००	१८.००
	1.5" wide	"	२९.००	२९.००	२९.००
	Decorative	"	४०.००	४०.००	४०.००
16.5	<b>Infill Material Thai Gypsum, Shera or equivalent</b>				
	Frame C - Studs( 0.55mm*0.75mm*3m)	गोटा	४३१.००	४३१.००	४३१.००
	Frame U - Studs( 0.55mm*0.75mm*3m)	"	४३१.००	४३१.००	४३१.००
	Board 9 mm	"	२५२४.००	२५२४.००	२५२४.००
	Roofing Board 6mm (1.5mX.6m)	"	६९५.००	६९५.००	६९५.००
	Fiber mess tape (for 90mm/roll)	"	३४०.००	३४०.००	३४०.००
	PU sasuage rod	"	२०३९.००	२०३९.००	२०३९.००
17	<b>Prelaminated Particle Board</b>				
17.1	<b>Plain Particle Board (Exteriors Grade)</b>				
	(क) ९ मी .मी	व.फि	३९.००	३९.००	३९.००
	(ख) १२ मी. मी.	"	४४.००	४४.००	४४.००
	(ग) १८ मी.मी.	"	५६.००	५६.००	५६.००
	(घ) २५ मी.मी	"	७६.००	७६.००	७६.००
17.2	<b>One side lamination Melamined faced (Exteriors Grade)</b>				
	(क) ९ मी .मी	व.फि	८०.००	८०.००	८०.००
	(ख) १२ मी. मी.	"	८८.००	८८.००	८८.००
	(ग) १८ मी.मी.	"	१०४.००	१०४.००	१०४.००
	(घ) २५ मी.मी	"	१४०.००	१४०.००	१४०.००
17.3	<b>Both side lamination Melamined faced (Exteriors Grade)</b>				
	(क) ९ मी .मी	व.फि	८८.००	८८.००	८८.००
	(ख) १२ मी. मी.	"	१०२.००	१०२.००	१०२.००
	(ग) १८ मी.मी.	"	११६.००	११६.००	११६.००
	(घ) २५ मी.मी	"	१५०.००	१५०.००	१५०.००
17.4	<b>Plain Particle Board (Interiors Grade)</b>				
	(क) ९ मी .मी	व.फि	२९.००	२९.००	२९.००
	(ख) १२ मी. मी.	"	३३.००	३३.००	३३.००
	(ग) १८ मी.मी.	"	४९.००	४९.००	४९.००
	(घ) २५ मी.मी	"	६३.००	६३.००	६३.००
17.5	<b>One side lamination Melamined faced (Interiors Grade)</b>				
	(क) ३ मी .मी	व.फि	४३.००	४३.००	४३.००
	(ख) ६ मी .मी	"	६०.००	६०.००	६०.००
	(ग) ९ मी .मी	"	७०.००	७०.००	७०.००
	(घ) १२ मी. मी.	"	७८.००	७८.००	७८.००

प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण नेपाल सरकार भक्तपुर जिल्ला प्रशासन कार्यालय भक्तपुर	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	(ड) १८ मी.मी.	"	९१.००	९१.००	९१.००
	(च) २५ मी.मी	"	११४.००	११४.००	११४.००
17.6	<b>Both side lamination Melaminated faced (Interiors Grade)</b>				
	(क) ३ मी .मी	व.फि	४८.००	४८.००	४८.००
	(ख) ६ मी .मी	"	६४.००	६४.००	६४.००
	(ग) ९ मी .मी	"	७७.००	७७.००	७७.००
17.7	<b>One side lamination Melaminated faced (Interiors Grade)MDF</b>				
	(क) ३ मी .मी	व.फि	४८.००	४८.००	४८.००
	(ख) ४ मी .मी	"	५५.००	५५.००	५५.००
	(ग) ६ मी .मी	"	६८.००	६८.००	६८.००
	(घ) ९ मी .मी	"	८८.००	८८.००	८८.००
	(ड.) १२ मी .मी	"	९९.००	९९.००	९९.००
	(च) १८ मी .मी	"	१२७.००	१२७.००	१२७.००
	(छ) २५ मी .मी	"	१७६.००	१७६.००	१७६.००
17.8	<b>Both side lamination Melaminated faced (Interiors Grade)MDF Century &amp; equivalent</b>				
	(क) ३ मी .मी	व.फि	५५.००	५५.००	५५.००
	(ख) ४ मी .मी	"	६२.००	६२.००	६२.००
	(ग) ६ मी .मी	"	७६.००	७६.००	७६.००
	(घ) ९ मी .मी	"	९५.००	९५.००	९५.००
	(ड.) १२ मी .मी	"	१०५.००	१०५.००	१०५.००
	(च) १८ मी .मी	"	१३३.००	१३३.००	१३३.००
	(छ) २५ मी .मी	"	१८०.००	१८०.००	१८०.००
17.9	<b>Alstone Hybrid Board (WPC Board) Century &amp; equivalent</b>				
	(क) ६ मी .मी ( १२२० X २४४० )	व.फि	१७५.००	१७५.००	१७५.००
	(ख) १२ मी .मी	"	२८०.००	२८०.००	२८०.००
	(ग) १८ मी .मी	"	४२३.००	४२३.००	४२३.००
18	<b>Other HardBoard/ Sunmica &amp; Formaica)</b>				
18.1	(क) सनमाईका (4' x 8')	पाता	५००.००	५००.००	५००.००
	(ख) फोरमाईका	व.फि	८०.००	८०.००	८०.००
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	४८.००	४८.००	४८.००
18.2	<b>Alstone Hybrid Board</b>				
	(क) ६ मी .मी size ( 1220*2440) mm	व.फि	१७०.००	१७०.००	१७०.००
	(ख) १२ मी .मी size ( 1221*2440) mm	"	३१५.००	३१५.००	३१५.००
	(ग) १८ मी .मी size ( 1222*2440) mm	"	४३५.००	४३५.००	४३५.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*  
भरत मणी पाण्डे  
प्रमुख जिल्ला अधिकारी



भक्तपुर जिल्ला प्रशासन कार्यालय  
जिल्ला प्रशासन कार्यालय  
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
<b>19</b>	<b>Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate</b>				
	i) Iron Square Pipe	के.जी	८०.२१	८०.२१	८०.२१
	ii) विभिन्न साइजको MS Angle	"	९२.००	९२.००	९२.००
	iii) विभिन्न साइजको Channel	"	९४.००	९४.००	९४.००
	iv) विभिन्न साइजको I-Beam	"	९६.००	९६.००	९६.००
	v) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	८८.००	८८.००	८८.००
<b>20</b>	<b>G.I. Wire</b>				
	i) 8 gauge				
	a) light class	के.जी	१०२.००	१०२.००	१०२.००
	b) medium class	"	१११.००	१११.००	१११.००
	c) heavy duty	"	११२.००	११२.००	११२.००
	d) Comercial wire	"	१०२.००	१०२.००	१०२.००
	ii) 10 gauge				
	a) light class	के.जी	१०२.००	१०२.००	१०२.००
	b) medium class	"	१०५.००	१०५.००	१०५.००
	c) heavy duty	"	११२.००	११२.००	११२.००
	d) Comercial wire	"	१०२.००	१०२.००	१०२.००
	iii) 12 gauge				
	a) light class	के.जी	१०३.००	१०३.००	१०३.००
	b) medium class	"	१०७.००	१०७.००	१०७.००
	c) heavy duty	"	११४.००	११४.००	११४.००
	d) Comercial wire	"	१०३.००	१०३.००	१०३.००
<b>21</b>	<b>मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेवियन वाकस तयारी</b>				
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferi Box Gabion)	m2			
	१.५x१x०.५/०	गोटा	१६३९.००	१६३९.००	१६३९.००
	२x१x०.५/०	"	२२३५.००	२२३५.००	२२३५.००
	३x१x०.५/०	"	३२७८.००	३२७८.००	३२७८.००
	४x१x०.५/०	"	४३२१.००	४३२१.००	४३२१.००
	१.५x१x१/०	"	२३८४.००	२३८४.००	२३८४.००
	२x१x१/१	"	३२७८.००	३२७८.००	३२७८.००
	३x१x१/२	"	४७६८.००	४७६८.००	४७६८.००
	४x१x१/३	"	६२५८.००	६२५८.००	६२५८.००
	ख) MBG/10x12/2.7/3.4/2.2/ZN	m2			
	१.५x१x०.५०	गोटा	१३८१.००	१३८१.००	१३८१.००
	२x१x०.५०	"	१८८३.००	१८८३.००	१८८३.००
	३x१x०.५०	"	२७६१.००	२७६१.००	२७६१.००

भारत प्रमुख प्राङ्गण  
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण मौजिल सारकारी विह्वरण-मन्त्रालय मौजिला प्रशासन कार्यालय भक्तपुर	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	४x१x.५०	"	३६४०.००	३६४०.००	३६४०.००
	१.५x१x१	"	२००८.००	२००८.००	२००८.००
	२x१x१	"	२७६१.००	२७६१.००	२७६१.००
	३x१x१	"	४०१६.००	४०१६.००	४०१६.००
	४x१x१	"	५२७१.००	५२७१.००	५२७१.००
	ग) MJG/10x12/3.0/3.9/2.4/ZN				
	३x२x०.५०	गोटा	५६६२.००	५६६२.००	५६६२.००
	४x२x०.५०	"	७४५०.००	७४५०.००	७४५०.००
	५x२x०.५०	"	९२३८.००	९२३८.००	९२३८.००
	६x२x०.५०	"	११०२६.००	११०२६.००	११०२६.००
	३x२x१	"	७७४८.००	७७४८.००	७७४८.००
	४x२x१	"	१०१३२.००	१०१३२.००	१०१३२.००
	५x२x१	"	१२५१६.००	१२५१६.००	१२५१६.००
	६x२x१	"	१४९००.००	१४९००.००	१४९००.००
	घ) MJG/10x12/2.7/3.4/2.2/ZN				
	३x२x०.५०	गोटा	४७६९.००	४७६९.००	४७६९.००
	४x२x०.५०	"	६२७५.००	६२७५.००	६२७५.००
	५x२x०.५०	"	७७८१.००	७७८१.००	७७८१.००
	६x२x०.५०	"	९२८७.००	९२८७.००	९२८७.००
	३x२x१	"	६५२६.००	६५२६.००	६५२६.००
	४x२x१	"	८५३४.००	८५३४.००	८५३४.००
	५x२x१	"	१०५४२.००	१०५४२.००	१०५४२.००
	६x२x१	"	१२५५०.००	१२५५०.००	१२५५०.००
	ङ) MRM/6x8/2.2/2.7/2.2/ZN	m2			
	३x२x०.१७	गोटा	४०१२.००	४०१२.००	४०१२.००
	४x२x०.१७	"	५१९८.००	५१९८.००	५१९८.००
	५x२x०.१७	"	६३६२.००	६३६२.००	६३६२.००
	६x२x०.१७	"	७५६८.००	७५६८.००	७५६८.००
	३x२x०.२३	"	४३६६.००	४३६६.००	४३६६.००
	४x२x०.२३	"	५६५५.००	५६५५.००	५६५५.००
	५x२x०.२३	"	६९८६.००	६९८६.००	६९८६.००
	६x२x०.२३	"	८२९२.००	८२९२.००	८२९२.००
	३x२x०.३०	"	४७४१.००	४७४१.००	४७४१.००
	४x२x०.३०	"	६११२.००	६११२.००	६११२.००
	५x२x०.३०	"	७५४६.००	७५४६.००	७५४६.००
	६x२x०.३०	"	८९४०.००	८९४०.००	८९४०.००
	Note:				
	BG= Box Gabion				
	JG= Jumbo Gabion				
	RM= Reno Mattress				

भारत सिटी कार्डि
   
 प्रमुख जिल्ला अधिकारी



नेपाल सरकार  
सं. मन्त्रालय  
जिल्ला प्रशासन कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण त्कपुर	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia. mm/Selvedge wire dia.mm/Lacing wire dia.mm/Type of coating				
	ZN = Heavy galvanized				
	PVC = PVC coated				
<b>22</b>	<b>Barbed Wire (काँढितार)</b>				
	12 guage commercial, Medium duty	के.जी	१०७.००	१०७.००	१०७.००
	U-hook for barbed wire fencing	गोटा	०.८२	०.८२	०.८२
	<b>Fabrication of chain link mesh of size</b>				
	1"x1" 12 guage	वर्ग मी.	८११.००	८११.००	८११.००
	1.5"x1.5" 12 guage	"	७५९.००	७५९.००	७५९.००
	2"x2" 10 guage	"	६०२.००	६०२.००	६०२.००
	3"x3" 10 guage	"	४९२.००	४९२.००	४९२.००
	4"x4" 10 guage	"	३९१.००	३९१.००	३९१.००
<b>23</b>	<b>सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)</b>				
	(क) सेतो सादा जस्तापाता (G P Sheet)				
	0.2 mm (30 guage light)	वण्डल	४७८१.००	४७८१.००	४७८१.००
	0.22 mm (30 guage Medium)	"	५२३९.००	५२३९.००	५२३९.००
	0.24 mm (30 guage Heavy)	"	५५९२.००	५५९२.००	५५९२.००
	0.26 mm (28 guage light)	"	५८९०.००	५८९०.००	५८९०.००
	0.28 mm (28 guage Medium)	"	६२७७.००	६२७७.००	६२७७.००
	0.31 mm (28 guage Heavy)	"	६८६०.००	६८६०.००	६८६०.००
	0.35 mm (26 guage light)	"	७६०३.००	७६०३.००	७६०३.००
	0.38 mm (26 guage Medium)	"	७९७९.००	७९७९.००	७९७९.००
	0.41 mm (26 guage Heavy)	"	८७४३.००	८७४३.००	८७४३.००
	0.45 mm (24 guage light)	"	९४८५.००	९४८५.००	९४८५.००
	0.50 mm (24 guage Medium)	"	१०४६९.००	१०४६९.००	१०४६९.००
	0.52 mm (24 guage Heavy)	"	१०८४१.००	१०८४१.००	१०८४१.००
	0.75 mm	"	१५५१३.००	१५५१३.००	१५५१३.००
	(ख) रंगिन जस्तापाता				
	0.2 mm (30 guage light)	वण्डल	६०८५.००	६०८५.००	६०८५.००
	0.22 mm (30 guage Medium)	"	६५०४.००	६५०४.००	६५०४.००
	0.24 mm (30 guage Heavy)	"	६९१३.००	६९१३.००	६९१३.००
	0.26 mm (28 guage light)	"	७३२१.००	७३२१.००	७३२१.००
	0.28 mm (28 guage Medium)	"	७७०२.००	७७०२.००	७७०२.००
	0.31 mm (28 guage Heavy)	"	८३५३.००	८३५३.००	८३५३.००
	0.35 mm (26 guage light)	"	९२६४.००	९२६४.००	९२६४.००
	0.38 mm (26 guage Medium)	"	९७२८.००	९७२८.००	९७२८.००
	0.41 mm (26 guage Heavy)	"	१०६५१.००	१०६५१.००	१०६५१.००

Handwritten signatures and initials at the bottom of the page, including a date '19'.

भक्तपुर जिल्ला प्रशासन कार्यालय  
प्रमुख जिल्ला अधिकारी



सि. नं.	निर्माण सामग्रीहरूको विवरण सर कार जिल्ला प्रशासन कार्यालय काठमाडौं	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	0.45 mm (24 guage light) भक्तपुर	"	११४२७.००	११४२७.००	११४२७.००
	0.50 mm (24 guage Medium)	"	१२४२१.००	१२४२१.००	१२४२१.००
	0.52 mm (24 guage Heavy)	"	१२८४३.००	१२८४३.००	१२८४३.००
	0.55 mm (24 guage Medium)	"	१३८२२.००	१३८२२.००	१३८२२.००
	0.75 mm	"	१८०२६.००	१८०२६.००	१८०२६.००
	(ग) ग्याल्मानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)				
	0.2 mm (30 guage light)	वण्डल	४७८१.००	४७८१.००	४७८१.००
	0.22 mm (30 guage Medium)	"	५१८१.००	५१८१.००	५१८१.००
	0.24 mm (30 guage Heavy)	"	५५३६.००	५५३६.००	५५३६.००
	0.26 mm (28 guage light)	"	५८२१.००	५८२१.००	५८२१.००
	0.28 mm (28 guage Medium)	"	६२०९.००	६२०९.००	६२०९.००
	0.31 mm (28 guage Heavy)	"	६७९२.००	६७९२.००	६७९२.००
	0.35 mm (26 guage light)	"	७५४५.००	७५४५.००	७५४५.००
	0.38 mm (26 guage Medium)	"	७९२१.००	७९२१.००	७९२१.००
	0.41 mm (26 guage Heavy)	"	८६७५.००	८६७५.००	८६७५.००
	0.45 mm (24 guage light)	"	९४१७.००	९४१७.००	९४१७.००
	0.50 mm (24 guage Medium)	"	१०३६४.००	१०३६४.००	१०३६४.००
	0.52 mm (24 guage Heavy)	"	१०७३१.००	१०७३१.००	१०७३१.००
	0.75 mm	"	१५५०२.००	१५५०२.००	१५५०२.००
	घ) जस्ता पाता को घुरी (Ridge Cover) Specified thickness are thickness of base metal.				
	0.20 mm	वण्डल	१६३२.००	१६३२.००	१६३२.००
	0.22 mm	"	१७७९.००	१७७९.००	१७७९.००
	0.24 mm	"	१८९३.००	१८९३.००	१८९३.००
	0.26 mm	"	१९८५.००	१९८५.००	१९८५.००
	0.28 mm	"	२१२२.००	२१२२.००	२१२२.००
	0.31 mm	"	२३०५.००	२३०५.००	२३०५.००
	0.35 mm	"	२५५६.००	२५५६.००	२५५६.००
	0.38 mm	"	२६८१.००	२६८१.००	२६८१.००
	0.41 mm	"	२९३३.००	२९३३.००	२९३३.००
	ड) ४ फिट * ८ फिट को जि.आई. प्लेन सिट				
	1.1 mm	पिस	३३१०.००	३३१०.००	३३१०.००
	0.90 mm	"	२७३९.००	२७३९.००	२७३९.००
	0.80 mm	"	२४७६.००	२४७६.००	२४७६.००
	0.75 mm	"	२३२७.००	२३२७.००	२३२७.००
	0.70 mm	"	२१६७.००	२१६७.००	२१६७.००
	0.62 mm	"	१९३९.००	१९३९.००	१९३९.००
	0.55 mm	"	१७४५.००	१७४५.००	१७४५.००

प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	0.50 mm	"	१५८६.००	१५८६.००	१५८६.००
	0.48 mm	"	१५२८.००	१५२८.००	१५२८.००
	0.45 mm	"	१४४८.००	१४४८.००	१४४८.००
	0.40 mm	"	१२९९.००	१२९९.००	१२९९.००
	0.37 mm	"	१२०९.००	१२०९.००	१२०९.००
	0.35 mm	"	११५२.००	११५२.००	११५२.००
	0.30 mm	"	१०१५.००	१०१५.००	१०१५.००
	0.28 mm	"	९५७.००	९५७.००	९५७.००
	च) ४ फिट * ८ फिट को रजिन प्लेन सिट				
	0.90 mm	पिस	३०१२.००	३०१२.००	३०१२.००
	0.80 mm	"	२७२७.००	२७२७.००	२७२७.००
	0.75 mm	"	२६०१.००	२६०१.००	२६०१.००
	0.70 mm	"	२४७६.००	२४७६.००	२४७६.००
	0.62 mm	"	२२२५.००	२२२५.००	२२२५.००
	0.55 mm	"	२००८.००	२००८.००	२००८.००
	0.50 mm	"	१८४७.००	१८४७.००	१८४७.००
	0.48 mm	"	१७५७.००	१७५७.००	१७५७.००
	0.45 mm	"	१७००.००	१७००.००	१७००.००
	0.40 mm	"	१५५१.००	१५५१.००	१५५१.००
	0.37 mm	"	१४३७.००	१४३७.००	१४३७.००
	0.35 mm	"	१३७९.००	१३७९.००	१३७९.००
	0.30 mm	"	१२२०.००	१२२०.००	१२२०.००
	0.28 mm	"	११६१.००	११६१.००	११६१.००
	<b>GI EXPANDED METAL MESH</b>				
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	१५९.००	१५९.००	१५९.००
	1.20 mm मोटाई र 4' चौडाई भएको जाली	"	२१२.००	२१२.००	२१२.००
	1.00 mm मोटाई र 3' चौडाई भएको जाली	"	१३३.००	१३३.००	१३३.००
	1.00 mm मोटाई र 4' चौडाई भएको जाली	"	१७७.००	१७७.००	१७७.००
	0.90 mm मोटाई र 3' चौडाई भएको जाली	"	१२४.००	१२४.००	१२४.००
	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	१६६.००	१६६.००	१६६.००
24	<b>UPVC Roofing Sheet (3mm thick)</b>				
24.1	UPVC Roofing Sheet with PMMA coating & Mesh ( Regular )	व.मि.	१५८१.००	१५८१.००	१५८१.००
24.2	UPVC Roofing Sheet with PMMA coating & Mesh ( Tile )	"	१२६०.००	१२६०.००	१२६०.००
24.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	२०२१.००	२०२१.००	२०२१.००
24.4	Ridge cover Tile Profile 0.78 R.m.	"	२०२१.००	२०२१.००	२०२१.००
24.5	UPVC Clip	गोटा	२७.००	२७.००	२७.००
24.6	self tapping screw 3"	"	३२.००	३२.००	३२.००
24.7	self tapping screw 2.5"	"	२१.००	२१.००	२१.००

भारत नगरी बाण्डे
   
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	काठमाडौं	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
24.8	self tapping screw 2"	"	११.००	११.००	११.००
24.9	self tapping screw 1.5"	"	९.००	९.००	९.००
25	एल्युमिनियम प्लेन सिट				
	(क) २६ गेज	व.फि.	३०.००	३०.००	३०.००
	(ख) ३० गेज	"	२८.००	२८.००	२८.००
26	विभिन्न प्रकारको जालीहरू (Netting)				
	(क) मसिनो खालको Mosquito proof जाली	व.मी	१३५.००	१३५.००	१३५.००
	(ख) बालुवा चाल्ने जाली	"	१४०.००	१४०.००	१४०.००
	(ग) कुखुरे जाली (Chicken wire mesh)	"	८६.००	८६.००	८६.००
	(घ) ब्रास क्रसिङ्ग जाली	"	२१५.००	२१५.००	२१५.००
	(ङ) स्टील जाली (crossing)	"	१७५.००	१७५.००	१७५.००
	(च) मसिनो खालको steel Mosquito proof जाली	"	३०५.००	३०५.००	३०५.००
27	फलामबाट निर्मित सामानहरू				
a	M.S. Grill बनाई जडान गर्ने काम	के.जी	१४५.००	१४५.००	१४५.००
b	कोल्याप्सीवल गेट बनाई जडान गर्ने	व.फि.	५७५.००	५७५.००	५७५.००
c	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	४००.००	४००.००	४००.००
d	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्ट्रिप सटर प्वाल भएको	"	३१५.००	३१५.००	३१५.००
e	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	"	५७५.००	५७५.००	५७५.००
f	१६ गेज पातावाट कम्पाउण्ड बालको गेट बनाई जडान गर्ने (५० X ५० X ५ mm) को फ्रेम समेत)	"	७५०.००	७५०.००	७५०.००
g	३"-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडफिला सहितको घुम्ने भन्ड्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्ड्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	३४००.००	३४००.००	३४००.००
h	फलामे सामग्रीको फेब्रिक्ेशन तथा जडान कार्य	के.जी.	५०.००	५०.००	५०.००
i	All type of general MS structural works	व.फी.	१८७.००	१८७.००	१८७.००
j	Truss & roofing works Plain sheet 26 gauge	"	२२०.००	२२०.००	२२०.००
k	Truss & roofing works colour sheet 26 gauge	"	१८१.००	१८१.००	१८१.००
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	१५४.००	१५४.००	१५४.००
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	२०३७.००	२०३७.००	२०३७.००
n	Steel Structural (Light gauge) frame work for building ( as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges ) all complete work Panchakanya or equivalent	व.फि.	८४७.००	८४७.००	८४७.००

22
   
 भारत सभा
   
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मन्त्रालय	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
28	<b>Glass सीसा</b>				
28.1	<b>Plain सादा (सेतो)</b>				
	(क) ३ मी.मी.	व.फि.	५२.००	५२.००	५२.००
	(ख) ३.५ मी.मी.	व.फि.	५९.००	५९.००	५९.००
	(ग) ४ मी.मी.	व.फि.	६९.००	६९.००	६९.००
	(घ) ५ मी.मी. "	व.फि.	७९.००	७९.००	७९.००
	(ङ) ६ मी.मी. "	व.फि.	१०६.००	१०६.००	१०६.००
	(च) ८ मी.मी. "	व.फि.	१५९.००	१५९.००	१५९.००
28.2	<b>Printed Glass (बुट्टेदार सिसा)</b>				
	(क) ३ मी.मी.	व.फि.	५४.००	५४.००	५४.००
	(ख) ४ मी.मी. " "	व.फि.	६०.००	६०.००	६०.००
28.3	<b>Poly Fibre Glass</b>				
	(क) ६ मी.मी.	"	१६४.००	१६४.००	१६४.००
28.4	<b>Black Color Glass</b>				
	(क) ३ मी.मी.	व.फि.	१०२.००	१०२.००	१०२.००
	(ख) ४ मी.मी.	"	१०९.००	१०९.००	१०९.००
	(ग) ५ मी.मी.	"	१२७.००	१२७.००	१२७.००
	(घ) ६ मी.मी.	"	१७९.००	१७९.००	१७९.००
	(ङ) ८ मी.मी.	"	२६९.००	२६९.००	२६९.००
	(च) १० मी.मी.	"	३७३.००	३७३.००	३७३.००
	(छ) १२ मी.मी.	"	४२६.००	४२६.००	४२६.००
28.5	<b>Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने</b>				
	(क) ५ मि.मि वाक्लो	व.फि.	१२३.००	१२३.००	१२३.००
28.6	<b>छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture</b>				
	(क) ४ मी.मी. वाक्लो	व.मि.	६६१०.००	६६१०.००	६६१०.००
28.7	<b>विभिन्न रंगको Reflector Glass (शिशा)</b>				
	५ मी.मी मोटो	व.फि.	१९६.००	१९६.००	१९६.००
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % थप रकम लाग्ने छ।				
29	<b>Corrugated/Plain Fiber Glass Sheet</b>				
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	१३५.९६	१३५.९६	१३५.९६
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	१४९.३५	१४९.३५	१४९.३५
	(ख) १.२ मी.मी. मोटो प्लेन	"	१४९.३५	१४९.३५	१४९.३५
	१.२ मी.मी. मोटो कोरोगेटेड	"	१६७.८९	१६७.८९	१६७.८९
	(ग) २ मी.मी. मोटो प्लेन	"	२३८.९६	२३८.९६	२३८.९६
	२ मी.मी. मोटो कोरोगेटेड	"	२७८.१०	२७८.१०	२७८.१०
	(घ) ३ मी. मी. मोटो प्लेन	"	३१६.२१	३१६.२१	३१६.२१
	३ मी. मी. मोटो कोरोगेटेड	"	४०६.८५	४०६.८५	४०६.८५

23
   
 भारत मुना पाण्डे
   
 प्रमुख जिल्ला अधिकारी



नेपाल सरकार

गृह मन्त्रालय  
जिल्ला प्रशासन कार्यालय  
भक्तपुर एकाई

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	(ड) Fiber Glass छानाका लागि Alumunium strip (25 mm x 1.5 mm)	Rm	७४.१६	७४.१६	७४.१६
	(च) Fiber Glass छानाका लागि Ribet nut	no.	८.२४	८.२४	८.२४
30	भ्याल ढोकामा लाग्ने Fixture हरु				
	<b>Iron</b> बाट बनेका				
	<b>Hinge</b> (कब्जा)				
	(क) ३" साइज	गोटा	१६.५०	१६.५०	१६.५०
	(ख) ४" साइज	"	३०.८०	३०.८०	३०.८०
	(ग) ५" साइज	"	४७.३०	४७.३०	४७.३०
	(घ) ६" साइज	"	६१.६०	६१.६०	६१.६०
	<b>Locking Set (L-drop)</b>				
	300 mm	गोटा	२८६.००	२८६.००	२८६.००
	225 mm	"	२४९.७०	२४९.७०	२४९.७०
	150 mm	"	२१४.५०	२१४.५०	२१४.५०
	<b>Aluminum</b> बाट बनेका				
	<b>Towerbolt</b> (छेस्कीनी)				
	(क) ३" लामो	गोटा	२२.००	२२.००	२२.००
	(ख) ४" लामो	"	४४.००	४४.००	४४.००
	(ग) ६" लामो	"	७३.७०	७३.७०	७३.७०
	(घ) ८" लामो	"	८८.००	८८.००	८८.००
	(ड) १०" लामो	"	१०३.४०	१०३.४०	१०३.४०
	(च) १२" लामो	"	११७.७०	११७.७०	११७.७०
	<b>Handle</b> (हतकल)				
	Ordinary	गोटा	३५.२०	३५.२०	३५.२०
	Special	"	५१.७०	५१.७०	५१.७०
	<b>Brass</b> बाट बनेका				
	<b>Hinge</b> (कब्जा)				
	2" x 1/2"	गोटा	६९.३०	६९.३०	६९.३०
	2 1/2 x 3/4"	"	७८.१०	७८.१०	७८.१०
	3" x 3/4"	"	९५.७०	९५.७०	९५.७०
	2" x 3/4"	"	७८.१०	७८.१०	७८.१०
	2 1/2" x 3/4"	"	८६.९०	८६.९०	८६.९०
	3" x 3/4"	"	९५.७०	९५.७०	९५.७०
	3" x 1"	"	२०७.९०	२०७.९०	२०७.९०
	4" x 1"	"	३१२.४०	३१२.४०	३१२.४०
	5" x 1"	"	४१६.९०	४१६.९०	४१६.९०
	6" x 1"	"	५०३.८०	५०३.८०	५०३.८०
	<b>Towerbolt</b> (छेस्कीनी)				
	(क) ३" लामो	गोटा	१५६.२०	१५६.२०	१५६.२०
	(ख) ४" लामो	"	२०७.९०	२०७.९०	२०७.९०
	(ग) ६" लामो	"	३१२.४०	३१२.४०	३१२.४०

Handwritten signatures and initials at the bottom of the page.

भक्तपुर जिल्ला प्रशासन कार्यालय  
जिल्ला प्रशासन कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	(घ) ८" लामो	"	४१६.९०	४१६.९०	४१६.९०
	(ड) १०" लामो	"	५२०.३०	५२०.३०	५२०.३०
	(च) १२" लामो	"	६२४.८०	६२४.८०	६२४.८०
	<b>Handle (हतकल)</b>				
	6" Brass handle	गोटा	१६५.००	१६५.००	१६५.००
	8" Brass handle	"	५०३.८०	५०३.८०	५०३.८०
	10" Brass handle	"	१०४१.७०	१०४१.७०	१०४१.७०
	<b>Locking Set (L-drop)</b>				
	(क) ८" लामो	गोटा	१०४१.७०	१०४१.७०	१०४१.७०
	(ख) १०" लामो	"	१७८८.२०	१७८८.२०	१७८८.२०
	(ग) १२" लामो	"	१९०८.५०	१९०८.५०	१९०८.५०
	<b>Special Fittings</b>				
	एल ड्रप :-				
	८" लामो .....	गोटा	११६८.२०	११६८.२०	११६८.२०
	१०" लामो .....	"	१३१८.९०	१३१८.९०	१३१८.९०
	१२" लामो .....	"	१३७३.९०	१३७३.९०	१३७३.९०
	ह्याण्डल :-				
	८" लामो .....	"	१३७३.९०	१३७३.९०	१३७३.९०
	टावर बोल्ट :-				
	६" लामो .....	"	२४७.५०	२४७.५०	२४७.५०
	८" लामो .....	"	३३०.००	३३०.००	३३०.००
	१०" लामो .....	"	४१२.५०	४१२.५०	४१२.५०
	<b>डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)</b>				
	एल ड्रप :-				
	८" लामो .....	गोटा	९८१.२०	९८१.२०	९८१.२०
	१०" लामो .....	"	१२४३.००	१२४३.००	१२४३.००
	१२" लामो .....	"	१३७३.९०	१३७३.९०	१३७३.९०
	ह्याण्डल :-				
	६" लामो .....	"	२७५.००	२७५.००	२७५.००
	८" लामो .....	"	४१२.५०	४१२.५०	४१२.५०
	<b>Mortice Lock</b>				
	Ordinary	गोटा	६८७.५०	६८७.५०	६८७.५०
	Chinese	"	४५७.६०	४५७.६०	४५७.६०
	Indian Godrej Company	"	२८१२.७०	२८१२.७०	२८१२.७०
	Brass	"	१२४३.००	१२४३.००	१२४३.००
	<b>Door Spring (Door Closer)</b>				
	Ordinary	गोटा	१९५.८०	१९५.८०	१९५.८०
	hydraulic	"	२०६१.४०	२०६१.४०	२०६१.४०
	Other Door/Windows fixtures				
	Window I-hook	गोटा	१९.८०	१९.८०	१९.८०

*[Handwritten signature]*

*[Handwritten signature]*

25

*[Handwritten signature]*

*[Handwritten signature]*

भरत शर्मा प्रमुख  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण नेपाल सरकार मन्त्रालय प्रशासन कार्यालय भक्तपुर	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	<b>Gate Hook</b>				
	4" Gate hook	गोटा	३४.१०	३४.१०	३४.१०
	5" Gate hook	"	३८.५०	३८.५०	३८.५०
	6" Gate hook	"	४६.२०	४६.२०	४६.२०
	Brass Gate hook		८२.५०	८२.५०	८२.५०
	<b>Door stopper</b>				
	Butterfly	"	१६२.८०	१६२.८०	१६२.८०
	Bell catch 2" size	"	२१५.६०	२१५.६०	२१५.६०
	C.P. handle	"	४६७.५०	४६७.५०	४६७.५०
	Power coated handle	"	४४६.६०	४४६.६०	४४६.६०
	Brass coated handle	"	९६१.४०	९६१.४०	९६१.४०
	Door stopper, single brass stopper	सेट	११०.००	११०.००	११०.००
	Door stopper double brass stopper	"	१९५.८०	१९५.८०	१९५.८०
<b>31</b>	<b>विविध सामग्रीहरू</b>				
	Hold fast different sizes (7 nos./Kg.)	के.जी.	१४६.००	१४६.००	१४६.००
	Nails (different sizes)	के.जी.	१३०.००	१३०.००	१३०.००
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	७९३.१०	७९३.१०	७९३.१०
	कवाडी फलामे सामानहरू(बन्धरो,घन,छिना आदि फलामे सामान)	के.जी.	२८.६०	२८.६०	२८.६०
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीलीड मेसीन,डीलीड विट)	के.जी.	२३.१०	२३.१०	२३.१०
	Nut and Bolts (different sizes)	के.जी.	१९२.००	१९२.००	१९२.००
	Sandpaper (बाम्सी)	गोटा	६.६०	६.६०	६.६०
	विभिन्न साइजको जे-हुक, यु-हुक	के.जी.	१५०.७०	१५०.७०	१५०.७०
	२" साइज रुफिङ्ग नेल्स	गोटा	७.७०	७.७०	७.७०
	३" साइज रुफिङ्ग नेल्स	"	११.००	११.००	११.००
	<b>Screw Brass</b>				
	20mm	गोटा	२.२०	२.२०	२.२०
	25mm	"	३.३०	३.३०	३.३०
	35mm	"	४.४०	४.४०	४.४०
	50mm	"	१३.२०	१३.२०	१३.२०
	75mm	"	१६.५०	१६.५०	१६.५०
	<b>Screw Steel</b>				
	20mm	"	१.१०	१.१०	१.१०
	25mm	"	२.२०	२.२०	२.२०
	35mm	"	२.२०	२.२०	२.२०
	50mm	"	७.७०	७.७०	७.७०
	75mm	"	८.८०	८.८०	८.८०
	विटुमीन वासर	गोटा	३.३०	३.३०	३.३०
	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	१०२.३०	१०२.३०	१०२.३०

26
   
 भारत सणी प्रमुख
   
 प्रमुख जिल्ला अधिकारी



नेपाल सरकार  
मन्त्रालय  
जिल्ला प्रशासन कार्यालय  
बिज्ञापन

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	५०० गेज प्लाष्टिक सिट	व.मी.	३४.१०	३४.१०	३४.१०
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	२७१९.२०	२७१९.२०	२७१९.२०
	Plasticfelt (२०मी. × १मी.)	"	२५४९.८०	२५४९.८०	२५४९.८०
	१८-२० फिट लामो बाँस	गोटा	२२४.४०	२२४.४०	२२४.४०
	मैन पालिस	के.जि.	२२६.६०	२२६.६०	२२६.६०
	अकालिक एसिड	"	१२९.८०	१२९.८०	१२९.८०
	जुट वा पोलिथिनको खाली चोरा	गोटा	१९.८०	१९.८०	१९.८०
	माटो (ढुवानि बाहेक )	घ.मि.	२९४.८०	२९४.८०	२९४.८०
	सवग्रेडमा राख्ने माटो(In Capping layer Granular soil)	घ.मि.	५१०.४०	५१०.४०	५१०.४०
	भुस	के.जि.	५.५०	५.५०	५.५०
	गोवर	"	५.५०	५.५०	५.५०
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	१०२.३०	१०२.३०	१०२.३०
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	१०७.८०	१०७.८०	१०७.८०
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	९.९०	९.९०	९.९०
	Water (पानी)				
	३ कि.मी. सम्म को दुरीमा	लिट्र	०.२९	०.२९	०.२९
	३ कि.मी. देखि माथीको दुरीमा	लिट्र	०.३४	०.३४	०.३४
32	स्टेनलेस स्टील पाइप (257/kg)				
	३/४" व्यास भएको १६ गेज मोटाई	मी.	२२७.००	२२७.००	२२७.००
	१" व्यास भएको १६ गेज मोटाई	"	२८५.००	२८५.००	२८५.००
	१ १/४" व्यास भएको १६ गेज मोटाई	"	३६३.००	३६३.००	३६३.००
	१ १/२" व्यास भएको १६ गेज मोटाई	"	४४२.००	४४२.००	४४२.००
	२" व्यास भएको १६ गेज मोटाई	"	५९५.००	५९५.००	५९५.००
	स्टील रेलीड. steel Raling को वार लगाउने कार्य(२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe )	र.फी.	११६८.००	११६८.००	११६८.००
33	मार्बल चिप्स				
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति चोरा)	चोरा	१७८.००	१७८.००	१७८.००
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति चोरा	"	१७८.००	१७८.००	१७८.००
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति चोरा)	"	१९०.००	१९०.००	१९०.००
	(घ) मार्बल पाउडर (२५ के.जि. प्रति चोरा)	"	१६०.००	१६०.००	१६०.००
34	मार्बल (Marble)				
34.1	राजस्थानी मार्बल				
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	१७७.००	१७७.००	१७७.००
	१६ मी.मी बाक्लो राजस्थानी	"	१९४.००	१९४.००	१९४.००
34.2	ग्रेनाइट				
	१२ मी.मी बाक्लो ग्रेनाइट	"	२७५.००	२७५.००	२७५.००
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	३६८.००	३६८.००	३६८.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

भरत मण्डल  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	व.फि.	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	१९ मी.मी बाक्लो ग्रेनाइट	व.फि.	४१३.००	४१३.००	४१३.००
34.3	<b>Kota Stone</b>				
	1" thick	व.फि.	१५७.००	१५७.००	१५७.००
	3/4" thick	व.फि.	१४४.००	१४४.००	१४४.००
34.4	Sand stone ( for rubbing Marble )	गोटा	७९.००	७९.००	७९.००
35	<b>Porcelain Glazed/Terrazo Mosaic Tiles</b>				
35.1	<b>Porcelain Glazed Tiles</b>				
	Porcelain Glazed Tiles	"	९०.००	९०.००	९०.००
	Ordinary floor and wall Tile	"	५७.००	५७.००	५७.००
	Border Tile ( २ " X ८ " )	र.फि.	४५.००	४५.००	४५.००
	Ceramic Wall Tile (31*45cm)	"	१९१.००	१९१.००	१९१.००
	Ceramic Border Tile (31*45cm)	"	१९१.००	१९१.००	१९१.००
	Ceramic Floor Tile (31*45cm)	"	१५५.००	१५५.००	१५५.००
	<b>Flooring tile GVT</b>				
	24"X24" GVT	व.फु.	१६५.००	१६५.००	१६५.००
	24"X24" GRES Virtified (Digital floor )	"	१५३.००	१५३.००	१५३.००
	12"X12" GRES homogeous Virtified parking tile	"	१०१.००	१०१.००	१०१.००
	24"X24" Virtified	"	११८.००	११८.००	११८.००
	<b>Flooring tile</b>				
	16"X16 "	व.फु.	१०४.००	१०४.००	१०४.००
	12"X12"	"	९३.००	९३.००	९३.००
	12"X12" (White/Ivery)	"	८२.००	८२.००	८२.००
	12"X24" (Wall)	"	१११.००	१११.००	१११.००
35.2	12"X18" (Wall)	"	१३३.००	१३३.००	१३३.००
	<b>Floors Tiles</b>				
	Fittings for Tiles	"	१५.९०	१५.९०	१५.९०
	Fittings for Tiles on stairs	"	१८.०२	१८.०२	१८.०२
	Dendrite for tiles	लि.	४२४.००	४२४.००	४२४.००
36.3	<b>FLOORING COATING</b>				
	FINISH FLOORING (INCLUDED ALL FINISH )	व.फि.	३८२.६६	३८२.६६	३८२.६६
	HEAT FLOORING (INCLUDED ALL FINISH )	"	३८२.६६	३८२.६६	३८२.६६
	FLOORING(INCLUDED ALL FINISH)	"	४०५.९८	४०५.९८	४०५.९८
	ACOUSTIC FLOORING	"	४५२.६२	४५२.६२	४५२.६२
	SCRATCH FABRIC FALSE CEILING	"	२४५.९२	२४५.९२	२४५.९२
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	६५.७२	६५.७२	६५.७२
	flooring 2mm thick all fitting work	"	४२७.१८	४२७.१८	४२७.१८

प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	विवरण	मु.अ.क. (VAT) बाहेक (र.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	१९ मी.मी बाक्लो ग्रेनाइट	व.फि.	४१३.००	४१३.००	४१३.००
34.3	<b>Kota Stone</b>				
	1" thick	व.फि.	१५७.००	१५७.००	१५७.००
	3/4" thick	व.फि.	१४४.००	१४४.००	१४४.००
34.4	Sand stone ( for rubbing Marble )	गोटा	७९.००	७९.००	७९.००
35	<b>Porcelain Glazed/Terrazo Mosaic Tiles</b>				
35.1	<b>Porcelain Glazed Tiles</b>				
	Porcelain Glazed Tiles	"	९०.००	९०.००	९०.००
	Ordinary floor and wall Tile	"	५७.००	५७.००	५७.००
	Border Tile ( २ " X ८ " )	र.फि.	४५.००	४५.००	४५.००
	Ceramic Wall Tile (31*45cm)	"	१९१.००	१९१.००	१९१.००
	Ceramic Border Tile (31*45cm)	"	१९१.००	१९१.००	१९१.००
	Ceramic Floor Tile (31*45cm)	"	१५५.००	१५५.००	१५५.००
	<b>Flooring tile GVT</b>				
	24"X24" GVT	व.फु.	१६५.००	१६५.००	१६५.००
	24"X24" GRES Virtified (Digital floor )	"	१५३.००	१५३.००	१५३.००
	12"X12" GRES homogeous Virtified parking tile	"	१०१.००	१०१.००	१०१.००
	24"X24" Virtified	"	११८.००	११८.००	११८.००
	<b>Flooring tile</b>				
	16"X16 "	व.फु.	१०४.००	१०४.००	१०४.००
	12"X12"	"	९३.००	९३.००	९३.००
	12"X12" (White/Ivery)	"	८२.००	८२.००	८२.००
	12"X24" (Wall)	"	१११.००	१११.००	१११.००
35.2	12"X18" (Wall)	"	१३३.००	१३३.००	१३३.००
	<b>Floors Tiles</b>				
	Fittings for Tiles	"	१५.९०	१५.९०	१५.९०
	Fittings for Tiles on stairs	"	१८.०२	१८.०२	१८.०२
	Dendrite for tiles	लि.	४२४.००	४२४.००	४२४.००
36.3	<b>FLOORING COATING</b>				
	FINISH FLOORING (INCLUDED ALL FINISH )	व.फि.	३८२.६६	३८२.६६	३८२.६६
	HEAT FLOORING (INCLUDED ALL FINISH )	"	३८२.६६	३८२.६६	३८२.६६
	FLOORING(INCLUDED ALL FINISH)	"	४०५.९८	४०५.९८	४०५.९८
	ACOUSTIC FLOORING	"	४५२.६२	४५२.६२	४५२.६२
	SCRATCH FABRIC FALSE CEILING	"	२४५.९२	२४५.९२	२४५.९२
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	६५.७२	६५.७२	६५.७२
	flooring 2mm thick all fitting work	"	४२७.१८	४२७.१८	४२७.१८

*(Handwritten signatures and initials)*

भक्तपुर जिल्ला प्रमुख अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)		
		२०८०/८१	२०८१/८२	२०८२/८३
37	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.			
	a) POP Molding 1" to 1½"	र.मि	२५३.००	२५३.००
	b) Up to 5" wide	र.मि	३०३.००	३०३.००
	c) Up to 8" wide	र.मि	४१९.००	४१९.००
	d) Above 8" wide	र.मि	१७१.००	१७१.००
37.1	रंगरोगनका सामानहरू			
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	३७.१०	३७.१०
	(ख) विभिन्न प्रकारको रंगिन चुन	"	४२.४०	४२.४०
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	४२.४०	४२.४०
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	७४.००	७४.००
	(ङ) सिमेन्ट प्राइमर सेतो	लिटर	२८८.००	२८८.००
	छ) उड प्राइमर (Wood Primer)	लिटर	३८९.००	३८९.००
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	५४२.००	५४२.००
	(ज) कोरुगेटेड रुफ Paint	"	४९२.००	४९२.००
	(झ) तयारी अल्मुनियम पेन्ट	"	५६५.००	५६५.००
	(ञ) तयारी वार्नेस	"	४५५.००	४५५.००
	(ट) तयारी वार्नेर सेन्थेटिक	"	३५१.००	३५१.००
	(ठ) भारतीय थिनर	"	२३८.००	२३८.००
	ड) उड एण्ड ग्लास पुटिन	के.जी	१३६.००	१३६.००
	ढ) मेटल पुटिन	"	१६०.००	१६०.००
	ण) चुना पेन्ट गर्न राख्ने गम	"	२१०.००	२१०.००
	त) नेपाली थिनर	लिटर	२२४.००	२२४.००
	(द) तारपिन तेल	"	२२१.००	२२१.००
	(ध) रेड अकसाइड पेन्ट (Red oxide Paint)	"	२७०.००	२७०.००
	(न) उड प्रिजरभेटिव पेन्ट	"	२३६.००	२३६.००
	(प) Black Japan Paint	"	४९६.००	४९६.००
	(फ) राम तिलक	के.जि.	५७.००	५७.००
	(ब) गेरु रंग	के.जि.	१४१.००	१४१.००
	(भ) चप्रा पालिस	के.जि.	१३६४.००	१३६४.००
	(म) तयारी वासेवल डिस्टेम्पर (Asian, Berger or equivalent)	लि.	२३१.००	२३१.००
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	५४४.००	५४४.००
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	६५२.००	६५२.००
	(र) Road Marking Paint	"	५९९.००	५९९.००
	(ल) लिनसिड आयल (linsed Oil)	"	२०३.००	२०३.००
	(व) स्थानीय स्पीट	लि.	१२१.००	१२१.००
	(स) मोधिकल/फोधिकल	के.जि.	२७१.००	२७१.००

29
   
 भारत माफी पाण्डे
   
 प्रमुख निर्यात अधिकारी
   
 २०८२/८३



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	(घ) Tata Red Oxide Paint	"	३०२.५०	३०२.५०	३०२.५०
	(ह) गट्टा चुन (ईण्डीयन)	"	३८.५०	३८.५०	३८.५०
	(क्ष) Wall putty equivalent	के.जि.	४०.००	४०.००	४०.००
	(त्र) Plaster of Parish (POP)	के.जि.	२३.००	२३.००	२३.००
	wood keeper (chapara type )	लि.	६६०.००	६६०.००	६६०.००
	Redoxide zink cromate primer For Bridge	लि.	४७९.००	४७९.००	४७९.००
	Silk Breathless easy	लि.	१३१९.००	१३१९.००	१३१९.००
	Road divider ( polythene )	गोटा	१७८०.००	१७८०.००	१७८०.००
	Dust bin ( polythene ) 165 ltr	गोटा	३३८२.००	३३८२.००	३३८२.००
	Wall putty Epoxy flooring				
	wall plast wall putty (40kg)	Bag	१३८४.३६	१३८४.३६	१३८४.३६
	2mm Epoxy Floor coating with Ultrafresh -OPD ( 4layer & 5 component	व.मी.	२२०६.९२	२२०६.९२	२२०६.९२
	2mm Epoxy Antistatic Floor coating for OT( ( 4 layer & 9 component	"	३९०९.२८	३९०९.२८	३९०९.२८
37.2	Epoxy Paint for Operation theater	"	१२१९९.५४	१२१९९.५४	१२१९९.५४
A	Decorative Painting Material				
	Specialized paints				
1	Anti bacterial Hospital Paint	लिट्र	११५०.००	११५०.००	११५०.००
2	Anti carbonisation paint	"	८००.००	८००.००	८००.००
B	Texture paints				
1	Mediterrano	के.वि	१८०.००	१८०.००	१८०.००
2	Stucco Veneziano	"	१६३९.००	१६३९.००	१६३९.००
3	Velvetino	"	४३०५.००	४३०५.००	४३०५.००
4	Travertino	"	४१२.००	४१२.००	४१२.००
5	Gtone plaster	"	१२१.००	१२१.००	१२१.००
6	Colorato (Multi color)	"	९२१.००	९२१.००	९२१.००
7	Pearl skin texture	"	१४९.००	१४९.००	१४९.००
8	TS 52 Spray white	"	१९९.००	१९९.००	१९९.००
9	Rustic	"	१५९.००	१५९.००	१५९.००
10	Rockart	लिट्र	१५९.००	१५९.००	१५९.००
11	Manhattan	के.वि	२३८.००	२३८.००	२३८.००
12	Sabbia	"	२३८.००	२३८.००	२३८.००
13	Sandy Stone	"	१७४.००	१७४.००	१७४.००
14	Insulplast	"	२३७.००	२३७.००	२३७.००
15	Poly Under White	"	२६४.००	२६४.००	२६४.००
16	Antica (Top coat)	"	१२६७.००	१२६७.००	१२६७.००
17	T.C 100 (Top coat)	"	७२८.००	७२८.००	७२८.००
18	Dekorica White	"	२६३१.००	२६३१.००	२६३१.००
19	Poly Plaster	"	१०७.००	१०७.००	१०७.००
20	Granite tone	"	१६५.००	१६५.००	१६५.००
21	Graffiato	"	१५९.००	१५९.००	१५९.००
22	Elligance stone	"	१८९.००	१८९.००	१८९.००
23	Marmorino Base	के.वि	४१२.००	४१२.००	४१२.००

भक्तपुर जिल्ला प्रमुख अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	भन्दापुनः एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
24	Acro fine	लिट्र	१८१.००	१८१.००	१८१.००
25	Marmocastro base	के.वि	१३९.००	१३९.००	१३९.००
26	Selva Granite	"	२१५.००	२१५.००	२१५.००
27	Romart	"	२३९.००	२३९.००	२३९.००
<b>C Weathercoat paints</b>					
1	Guard	लिट्र	५१०.००	५१०.००	५१०.००
2	Guard -3x	"	६००.००	६००.००	६००.००
3	Shield	"	३३५.००	३३५.००	३३५.००
4	Acrotex matt	"	५१५.००	५१५.००	५१५.००
5	Ext wall Primer	"	२४५.००	२४५.००	२४५.००
<b>D Emulsion Paints</b>					
1	Silk Emulsion paints	"	५४०.००	५४०.००	५४०.००
2	Aqualin Int.Emulsion	"	२९०.००	२९०.००	२९०.००
3	Pearl Emulsion paints	"	८००.००	८००.००	८००.००
E	Int. wall Primer	"	१७५.००	१७५.००	१७५.००
F	Acrylic Washable Distemper	"	१४५.००	१४५.००	१४५.००
G	Acro gold Enamel	"	५२५.००	५२५.००	५२५.००
H	Universal primer ( wood primer)	"	३२५.००	३२५.००	३२५.००
I	Red oxide metal primer	"	२८५.००	२८५.००	२८५.००
<b>J Construction Chemical / waterproof coating system</b>					
	crack sill	"	४००.००	४००.००	४००.००
	crack fill A+B	"	१७५.००	१७५.००	१७५.००
<b>K Silicon Bases water repellent impregnation</b>					
	Acropreg	"	४८०.००	४८०.००	४८०.००
	Acropreg W	"	६४०.००	६४०.००	६४०.००
37.3	Wall putty	के.वि	४०.००	४०.००	४०.००
1	Acro Texture ISO certified 9001-2008 ( Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works				
1.1	Acro Spanezia maestro finishes texture				
1.2	Mediterrano texture	ब.फि	१२८.००	१२८.००	१२८.००
1.3	Travertino texture	"	१९५.००	१९५.००	१९५.००
1.4	Velvetino texture	"	१६७.००	१६७.००	१६७.००
1.5	Gtone plaster and Colorato texture(Multicolour texture)	"	१३३.००	१३३.००	१३३.००
1.6	Stucco veneziano texture	"	१४०.००	१४०.००	१४०.००
1.7	Pearl skin texture	"	१२०.००	१२०.००	१२०.००
2	Marmorino texture	"	१५६.००	१५६.००	१५६.००
2.1	Acro texture				
2.2	Acro spray flat/Acro spray dews texture	ब.फि	७५.००	७५.००	७५.००

भारत मणी पाण्डे ११/८  
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
2.3	Featherglow/Royal touch/Superfine/Ceratex texture	"	७४.००	७४.००	७४.००
2.4	Rustic texture	"	९९.००	९९.००	९९.००
2.5	Rockart texture	"	९३.००	९३.००	९३.००
2.6	Graffiato texture	"	१०३.००	१०३.००	१०३.००
2.7	Marmocastro texture	"	९०.००	९०.००	९०.००
2.8	Marmoplast texture	"	९०.००	९०.००	९०.००
2.9	Sabbia texture	"	११२.००	११२.००	११२.००
2.10	Manhattan texture	"	११२.००	११२.००	११२.००
2.11	Sandy stone texture	"	१५४.००	१५४.००	१५४.००
2.12	Selva Granite texture	"	११६.००	११६.००	११६.००
2.13	Elligance stone texture	"	१०७.००	१०७.००	१०७.००
2.14	Granite tone texture	"	९८.००	९८.००	९८.००
2.15	Romaart texture	"	१२४.००	१२४.००	१२४.००
3	Insulplast texture	"	१३५.००	१३५.००	१३५.००
4	Acro Bio-guard (Hospital Paint)	"	५४.००	५४.००	५४.००
1	Acro Ellastocarb(anti carbonisation paint)	"	३८.००	३८.००	३८.००
	<b>EXTERIOR SURFACE WEATHERCOAT PAINTS</b>				
	3. ACROSHIELD	"	१७.००	१७.००	१७.००
	<b>INTERIOR SURFACE EMULSION PAINTS</b>				
	1. EMULSION PAINTS	"	१६.००	१६.००	१६.००
	2. WASHABLE DISTEMPER	"	११.००	११.००	११.००
	3. ENAMEL PAINTS	"	१८.००	१८.००	१८.००
1	<b>Expansion joint</b>				
2	Horizontal Area fixing clips affixed aluminium joint covers	RM	१५४५०.००	१५४५०.००	१५४५०.००
3	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers	RM	१२८७५.००	१२८७५.००	१२८७५.००
4	Extruded Aluminium Joint Covers	RM	१४९३५.००	१४९३५.००	१४९३५.००
5	Folded Joint Covers	RM	१८०२५.००	१८०२५.००	१८०२५.००
6	Vertical Joints Standard and Seismic interior use	RM	२५७५०.००	२५७५०.००	२५७५०.००
7	Vertical Joints Exterior use	RM	१३३९०.००	१३३९०.००	१३३९०.००
8	Vertical Joints	RM	२८८४०.००	२८८४०.००	२८८४०.००
9	Suspended Ceiling Joints	RM	१२३६०.००	१२३६०.००	१२३६०.००
10	Floor Joint	RM	२१११५.००	२१११५.००	२१११५.००
11	CAR Park Joint	RM	१६४८०.००	१६४८०.००	१६४८०.००
12	CAR Park Joint standard loads (40 to70mm)	RM	३१९३०.००	३१९३०.००	३१९३०.००
13	BED Affixed Control Joints	RM	९२७०.००	९२७०.००	९२७०.००
14	Adhesive Affixed Control Joints	RM	१५४५.००	१५४५.००	१५४५.००
	Stair Nosing	RM	९७८५.००	९७८५.००	९७८५.००
38	<b>Wall Paper</b>				
	Wall paper (10m.x 0.53m)	रोल	१२३६.००	१२३६.००	१२३६.००
	Fittings for wall paper	व.फि	७.००	७.००	७.००

*[Handwritten signature]*

*[Handwritten signature]*

32

*[Handwritten signature]*

*[Handwritten signature]*

भक्तपुर जिल्ला प्रशासन कार्यालय  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)			
			२०८०/८१	२०८१/८२	२०८२/८३
	White glue for wall paper	लि.	१०८.००	१०८.००	१०८.००
<b>39</b>	<b>Gypsum board</b>				
39.1	Supplying and fixing of Thai gypsum board application work				
	i)Wall partition	"	११९.००	११९.००	११९.००
	ii)Wall paneling	"	७९.००	७९.००	७९.००
	iii)Metalized polited laminated Board ( MPL) board	"	७६.००	७६.००	७६.००
	iv) 12.5mm thick Gypsum Board False ceiling including all necessary material	"	७०.००	७०.००	७०.००
<b>40</b>	<b>Solid Infill wall</b>				
40.1	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	३७९३.००	३७९३.००	३७९३.००
	Solid Infill wall				
40.2	Solid infill wall 3"	व.मी.	१७७०.००	१७७०.००	१७७०.००
	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+-2 kg /cu mtr				
	Solid infill wall 50mm	व.मी.	३२८८.००	३२८८.००	३२८८.००
<b>41</b>	<b>Interlocking Cement Concrete Block( Not less than M20 RCC Block )</b>				
	(a) Curb stone M15		१०००.००	१०००.००	१०००.००
	b) Curb stone ( M 20 )	र.मि.	१२००.००	१२००.००	१२००.००
	<b>25 mm thick C.C. Tile (Grey color)</b>				
	Burfi , Round , Boby Checker	Sqft	४४.१०	४४.१०	४४.१०
	<b>25 mm thick C.C. Tile (Red color)</b>				
	Burfi , Round , Boby Checker	Sqft	४६.२०	४६.२०	४६.२०
	<b>50 mm thick CC Block (Grey color)</b>				
	Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock	Sqft	४३.४४	४३.४४	४३.४४
	<b>50 mm thick CC Block (Red color)</b>				
	Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock	Sqft	४४.६०	४४.६०	४४.६०
	<b>60 mm thick CC Block (Grey color)</b>				
	Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	४४.६४	४४.६४	४४.६४
	<b>60 mm thick CC Block (Red color)</b>				
	Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	४७.७४	४७.७४	४७.७४
	<b>70 mm thick CC Block (Red color)</b>				
	Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock	Sqft	६४.०४	६४.०४	६४.०४
	<b>60 mm thick CC Block ( Ocm or equivalent )</b>				
	Brick type (23*11*6cm)non colour	Nos	१०.४०	१०.४०	१०.४०

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

**भारत माफि पाण्डे**  
**प्रमुख जिल्ला अधिकारी**



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Hexagon (22*22 cm) non colour	..	२४.१५	२४.१५	२४.१५
	Hexagon (22*22 cm) colour	..	२६.२५	२६.२५	२६.२५
	Squire paver (30*30*4.5cm)non colour	..	३३.६०	३३.६०	३३.६०
	Squire paver (30*30*4.5cm)colour	..	३५.७०	३५.७०	३५.७०
	inter block(24*13*6cm)	..	१४.७०	१४.७०	१४.७०
	Isave paver (20*16*6cm)	..	१६.८०	१६.८०	१६.८०
	<b>supply of concrete Block different items</b>				
	Hollow Block ( 16"*8"*6")	Nos	८१.९०	८१.९०	८१.९०
	Hollow Block ( 16"*8"*4")	..	७२.४५	७२.४५	७२.४५
	Corner Hollow Block ( 16"*8"*6")	..	९३.४५	९३.४५	९३.४५
	Lintel Block ( 16"*8"*6")	..	९३.४५	९३.४५	९३.४५
	Pavers Block ( fish or other shape ) 60mm thick	..	२१.००	२१.००	२१.००
	concrete Brick ( 9"*4"*2.5")	..	१३.६५	१३.६५	१३.६५
	<b>CONCRETE PAVING BLOCKS (M25 Grade)</b>				
	Behaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness.	व.मी.	२३९१.००	२३९१.००	२३९१.००
	Behatone Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी.	२९६८.००	२९६८.००	२९६८.००
	Behaton Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी.	३६३९.००	३६३९.००	३६३९.००
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	१७६८.००	१७६८.००	१७६८.००
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	२२२३.००	२२२३.००	२२२३.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	२७०१.००	२७०१.००	२७०१.००
	Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	१९२०.००	१९२०.००	१९२०.००
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	२४३९.००	२४३९.००	२४३९.००
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	२९५८.००	२९५८.००	२९५८.००
	Half Battered Kerb Stone with Compressive Strength M25 or Above	व.मी.	१६६८.००	१६६८.००	१६६८.००
	Bull Nose Kerb Stone with Compressive Strength M25 or Above	व.मी.	१९४४.००	१९४४.००	१९४४.००
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी.	११३६.००	११३६.००	११३६.००
	Matrix Slab (Single Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी.	१३६२.००	१३६२.००	१३६२.००
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी.	१७६८.००	१७६८.००	१७६८.००
	<b>CONCRETE PAVING BLOCKS</b>				

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*  
 भरत मण्डल/प्रमुख  
 प्रमुख निस्सा अधिकारी



निकास विभाग  
निकास विभाग  
निकास विभाग

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Behaton Interlock I Pavers (Grey Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	२०८०.००	२०८०.००	२०८०.००
	Behaton Interlock I Pavers (Single Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	२३२५.००	२३२५.००	२३२५.००
	Behaton Interlock I Pavers (Multi Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	२४२८.००	२४२८.००	२४२८.००
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.	१६५६.४५	१६५६.४५	१६५६.४५
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.	१९८७.७४	१९८७.७४	१९८७.७४
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.	२०९८.१७	२०९८.१७	२०९८.१७
	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.	२०८०.००	२०८०.००	२०८०.००
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.	२३२५.००	२३२५.००	२३२५.००
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.	२४२८.००	२४२८.००	२४२८.००
	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.	१३३६.३९	१३३६.३९	१३३६.३९
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.	१६०३.६७	१६०३.६७	१६०३.६७
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.	१६९२.७६	१६९२.७६	१६९२.७६
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	१८४८.००	१८४८.००	१८४८.००
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	२०१४.००	२०१४.००	२०१४.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	२०९७.००	२०९७.००	२०९७.००
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१३२४.००	१३२४.००	१३२४.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१४९०.००	१४९०.००	१४९०.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१५७२.००	१५७२.००	१५७२.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	१९३०.३४	१९३०.३४	१९३०.३४

35
   
 भक्तपुर जिल्ला प्रमुख कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	२१३८.२३	२१३८.२३	२१३८.२३
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	२२२७.३२	२२२७.३२	२२२७.३२
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	१०७६.००	१०७६.००	१०७६.००
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	१२९६.००	१२९६.००	१२९६.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	१३७९.००	१३७९.००	१३७९.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	१८४८.००	१८४८.००	१८४८.००
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	२०१४.००	२०१४.००	२०१४.००
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	२०९७.००	२०९७.००	२०९७.००
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	२०५५.००	२०५५.००	२०५५.००
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	२३४९.००	२३४९.००	२३४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	२४५९.००	२४५९.००	२४५९.००
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	३७६६.००	३७६६.००	३७६६.००
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	४०५१.००	४०५१.००	४०५१.००
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	४३३२.००	४३३२.००	४३३२.००
	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	५६४८.४९	५६४८.४९	५६४८.४९
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	६०४३.४९	६०४३.४९	६०४३.४९
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	६४७७.९९	६४७७.९९	६४७७.९९
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	१७८४.००	१७८४.००	१७८४.००
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	२२७५.००	२२७५.००	२२७५.००
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	२८१४.००	२८१४.००	२८१४.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

भक्तपुर जिल्ला प्रमुख  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	व.मी.	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	३९२१.००	३९२१.००	३९२१.००
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	४२९७.००	४२९७.००	४२९७.००
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	४६१८.००	४६१८.००	४६१८.००
	Romba 3D Pavers(Grey Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	१६१८.००	१६१८.००	१६१८.००
	Romba 3D Pavers (Single Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	१७८२.००	१७८२.००	१७८२.००
	Romba 3D Pavers (Multi Blended Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	१८३७.००	१८३७.००	१८३७.००
	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60	व.मी.	१६१८.००	१६१८.००	१६१८.००
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60	व.मी.	१७८२.००	१७८२.००	१७८२.००
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60	व.मी.	१८३७.००	१८३७.००	१८३७.००
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१४८०.००	१४८०.००	१४८०.००
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१७०६.००	१७०६.००	१७०६.००
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१८०२.००	१८०२.००	१८०२.००
	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	१७७४.६८	१७७४.६८	१७७४.६८
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	२२४९.५९	२२४९.५९	२२४९.५९
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	२७९९.४९	२७९९.४९	२७९९.४९
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१७४९.००	१७४९.००	१७४९.००
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	२०६०.००	२०६०.००	२०६०.००
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	२३३२.००	२३३२.००	२३३२.००
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	१७१०.००	१७१०.००	१७१०.००
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	२०२२.००	२०२२.००	२०२२.००

37
   
 भारत मणी चौण्डे
   
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरणल सरकारी गृह मन्त्रालय जिल्ला प्रशासन कार्यालय	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	२३३३.००	२३३३.००	२३३३.००
	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१६१०.००	१६१०.००	१६१०.००
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१७८३.००	१७८३.००	१७८३.००
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१८५८.००	१८५८.००	१८५८.००
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१५७९.००	१५७९.००	१५७९.००
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१७४१.००	१७४१.००	१७४१.००
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१८३४.००	१८३४.००	१८३४.००
	<b>CONCRETE PAVING TILES</b>				
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१३६१.००	१३६१.००	१३६१.००
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१५०७.००	१५०७.००	१५०७.००
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१७०१.००	१७०१.००	१७०१.००
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२६२५.६६	२६२५.६६	२६२५.६६
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२९३८.२३	२९३८.२३	२९३८.२३
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	३२८२.०७	३२८२.०७	३२८२.०७
	<b>CONCRETE ENGINEERED BRICKS AND HOLLOW-BLOCKS</b>				
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२०.००	२०.००	२०.००

38
   
 भासु मण्डल
   
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	गोटा	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२२.००	२२.००	२२.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा	१५२.००	१५२.००	१५२.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा	१८०.००	१८०.००	१८०.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा	१०९.००	१०९.००	१०९.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा	१२५.००	१२५.००	१२५.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	९२.००	९२.००	९२.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	१०४.००	१०४.००	१०४.००
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	१८.००	१८.००	१८.००
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	१९.००	१९.००	१९.००
	<b>CONCRETE PAVING BLOCKS</b>				
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१५४५.००	१५४५.००	१५४५.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१७३८.००	१७३८.००	१७३८.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१८२१.००	१८२१.००	१८२१.००
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१३३३.००	१३३३.००	१३३३.००

भारत भोजी प्रमुख  
 प्रमुख जिम्सा अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण भक्तपुर	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१५९०.००	१५९०.००	१५९०.००
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१६७५.००	१६७५.००	१६७५.००
	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२०५५.००	२०५५.००	२०५५.००
	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२३४९.००	२३४९.००	२३४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२४५९.००	२४५९.००	२४५९.००
	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२५०१.००	२५०१.००	२५०१.००
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२७६९.००	२७६९.००	२७६९.००
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२८५८.००	२८५८.००	२८५८.००
	Glass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:400x600x80mm, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१७४१.००	१७४१.००	१७४१.००
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm	व.मी.	१७४१.००	१७४१.००	१७४१.००
	<b>CONCRETE PAVING TILES</b>				
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१४८१.००	१४८१.००	१४८१.००
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१६१८.००	१६१८.००	१६१८.००

Handwritten signature and initials.

Handwritten signature and initials.

Handwritten signature and initials.



सि.नं.	निर्माण सामग्रीहरूको विवरण	मू.अ.क. (VAT) बाहेक (र.)	मू.अ.क. (VAT) बाहेक (र.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१८०३.००	१८०३.००	१८०३.००
	<b>CONCRETE KERB-STONES</b>				
	Half Battered Kerb Stone with Compressive Strength M15. 200mm Thickness-Grey Color Dimension: 300mmx200mmx350mm	र.फि.	३५०.००	३५०.००	३५०.००
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	३६३.००	३६३.००	३६३.००
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	४०१.००	४०१.००	४०१.००
	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 165mm, Dimension:300*165*325, Tolerance/others:±1.5 mm Variance in height)	र.फि.	२७८.००	२७८.००	२७८.००
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH)	र.फि.	२९७.००	२९७.००	२९७.००
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH)	र.फि.	३३०.००	३३०.००	३३०.००
	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.	३५०.००	३५०.००	३५०.००
	Half battered Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.	३६३.००	३६३.००	३६३.००
	Half battered Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.	४०१.००	४०१.००	४०१.००
	Half battered Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	४४९.००	४४९.००	४४९.००
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	४६५.००	४६५.००	४६५.००
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	५१३.००	५१३.००	५१३.००
	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	४१७.००	४१७.००	४१७.००
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	४४७.००	४४७.००	४४७.००
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	४७७.००	४७७.००	४७७.००
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.	३९१.००	३९१.००	३९१.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*  
भारत मणी यादव  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल्य	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Bullnose Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.	४१९.००	४१९.००	४१९.००
	Bullnose Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.	४४८.००	४४८.००	४४८.००
	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	र.मी.	१७७५.००	१७७५.००	१७७५.००
	<b>EPS-C(Expanded polystyreneconcrete) Block</b>				
१	EPS-C Blocks 24"x4"x8" (LxBxH)	गोटा	१४६.००	१४६.००	१४६.००
२	EPS-C Blocks 24"x6"x8" (LxBxH)	गोटा	२१९.००	२१९.००	२१९.००
३	EPS-C Blocks 24"x8"x8" (LxBxH)	गोटा	२९२.००	२९२.००	२९२.००
42	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य				
	१.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १" बाक्लो प्लास्टरमा रुफिड टाइलको बुझा काट्ने सामान सहित	व.मि.	६६४.००	६६४.००	६६४.००
	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि खट राखि वर्षाको पानी पट्टी बनाउने काम	र.मी	७९.००	७९.००	७९.००
43	<b>Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting</b>				
	i) Heritage granular	व.फि	१००.००	१००.००	१००.००
	ii) Heritage flakes	"	१२४.००	१२४.००	१२४.००
	iii) Heritage granite finish	"	१०८.००	१०८.००	१०८.००
	iv) Heritage Top coat (plastic lamination)	"	२९.००	२९.००	२९.००
44	<b>UPVC Profile Door and Window/ Wall partition</b>				
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.				
	<b>UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरू</b>				
	<b>i) Single glazing</b>				
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	७२१५.००	७५७५.००	७५७५.००
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	"	६६६४.००	६९९७.००	६९९७.००
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	७४९३.००	७८६७.००	७८६७.००
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	७४९३.००	७८६७.००	७८६७.००
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)		८२१४.००	८६२४.००	८६२४.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

भरत मणी सुपुड्डे, १०१  
प्रमुख चिस्सो अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)		८३२८.००	८७४४.००	८७४४.००
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)		८८८४.००	९३२८.००	९३२८.००
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)		८८८४.००	९३२८.००	९३२८.००
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)		८६०६.००	९०३६.००	९०३६.००
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)		९९९९.००	१०४९०.००	१०४९०.००
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannel	Sqm	८६२६.००	९०५७.००	९०५७.००
11	UPVC 60x64mm white colour casement window with 5mm glass pannele		९७९६.००	१०२८५.००	१०२८५.००
12	UPVC 110x64mm x9mmthick board and 5mm thick glass pannel white colour		१०३५३.००	१०७६७.००	१०७६७.००
12	UPVC 60x60mm x9mmthick white colour partition board with 5mm glass		१०७९७.००	१११४५.००	१११४५.००
13	UPVC 60x60mm white colour swing door with 5mm glass pannel		६७२७.००	७०६३.००	७०६३.००
<b>ii) Double glazing</b>					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	९४३५.००	९९०६.००	९९०६.००
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)		८९३५.००	९३८१.००	९३८१.००
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)		९७९८.००	१०२०३.००	१०२०३.००
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)		९७९८.००	१०२०३.००	१०२०३.००
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)		१०४३९.००	१०८५६.००	१०८५६.००
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)		१०५४७.००	१०९६८.००	१०९६८.००
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)		१११०३.००	११५४७.००	११५४७.००
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)		१०८२५.००	१०८२५.००	१०८२५.००
9	Supply & fixing of 80*50 mm white colour casement window		९६९९.००	९६९९.००	९६९९.००
<b>45</b>	<b>Prefab Panel for wall Partition solid wall panel</b>				
45.1	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum, everst solid wall panel non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in <b>partation wall</b> all complete				
	a) 50 mm thick		२३९.००	२३९.००	२३९.००
	b) 75 mm thick	Sq .m.	३०२.००	३०२.००	३०२.००
45.2	<b>False ceiling/ partition/ external cladding</b>				
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	९३.००	९३.००	९३.००

43
   
 43
   
 Jan-23
   
 भारत मण्डल प्रमुख
   
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल्य	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with cement board	Sqft	२७९.००	२७९.००	२७९.००
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with cement board	Sqft	२४४.००	२४४.००	२४४.००
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with cement board	Sqft	३११.००	३११.००	३११.००
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm sliding board	Sqft	२७४.००	२७४.००	२७४.००
	Supplying, making, fixing of 50mm thick full height of partirion with wall panels	Sqft	२१७.००	२१७.००	२१७.००
	Supplying, making, fixing of 75mm thick full height of partirion with wall panels	Sqft	२८८.००	२८८.००	२८८.००
45.3	Cement board				
	6 mm thick	Sqft	३४.००	३४.००	३४.००
	8 mm thick	Sqft	४२.००	४२.००	४२.००
	10 mm thick	Sqft	५३.००	५३.००	५३.००
	12 mm thick	Sqft	६४.००	६४.००	६४.००
45.4	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire				
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	३९३.००	३९३.००	३९३.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	४२४.००	४२४.००	४२४.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	५२४.००	५२४.००	५२४.००
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm ( conform to IS 4862 : 2000 ) all complete work Everest or equivalent	Sqft	११२.००	११२.००	११२.००
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 ( density more than 1200kg /m3) Everest or equivalent				
	50 mm thick	Sqft	२६३.००	२६३.००	२६३.००
	75 mm thick	Sqft	३४७.००	३४७.००	३४७.००
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	२८२.००	२८२.००	२८२.००

भारत सणी प्राण्ड
   
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२८६.००	२८६.००	२८६.००
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२५०.००	२५०.००	२५०.००
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	३१९.००	३१९.००	३१९.००
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	Sqft	३५९.००	३५९.००	३५९.००
46	<b>Aluminium &amp; Steel Door &amp; Window</b>				
46.1	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.				
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	५२९.३९	५२९.३९	५२९.३९
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	"	५६८.६४	५६८.६४	५६८.६४
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	"	५५४.८५	५५४.८५	५५४.८५
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	५९५.१६	५९५.१६	५९५.१६
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	६८४.२८	६८४.२८	६८४.२८
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	"	४२७.५४	४२७.५४	४२७.५४
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	"	४२७.५४	४२७.५४	४२७.५४

45
   
 भारत माता प्रपुडे
   
 प्रमुख जिल्ला बाधिारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) चाहेक (रु.)		
		२०८०/८१	२०८१/८२	२०८२/८३
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	५२९.३९	५२९.३९	५२९.३९
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	४७४.२२	४७४.२२	४७४.२२
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	६४८.२१	६४८.२१	६४८.२१
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	६४८.२१	६४८.२१	६४८.२१
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	३७८.७४	३७८.७४	३७८.७४
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	५०२.८७	५०२.८७	५०२.८७
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	५०२.८७	५०२.८७	५०२.८७
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	५०२.८७	५०२.८७	५०२.८७
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	४७६.३४	४७६.३४	४७६.३४
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल ( ८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	५२१.९६	५२१.९६	५२१.९६
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल ( ८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	५७५.०१	५७५.०१	५७५.०१
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टिलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	५७५.०१	५७५.०१	५७५.०१
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टिलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	५२१.९६	५२१.९६	५२१.९६
	<b>102 series windows</b>			
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	५५२.७३	५५२.७३	५५२.७३

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

भक्तपुर जिल्ला प्रमुख  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)		
		२०८०/८१	२०८१/८२	२०८२/८३
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	६३१.२४	६३१.२४	६३१.२४
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	४६४.६७	४६४.६७	४६४.६७
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6" )	१४८.५३	१४८.५३	१४८.५३
	90 series windows			०.००
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	५१९.८४	५१९.८४	५१९.८४
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	५४८.४९	५४८.४९	५४८.४९
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	४३६.०३	४३६.०३	४३६.०३
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'*4'6")	१४८.५३	१४८.५३	१४८.५३
	78 series windows			
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*4'6" or avg area 27 sqft per window)	४५६.९९	४५६.९९	४५६.९९
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	४८६.९५	४८६.९५	४८६.९५
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	४०८.४५	४०८.४५	४०८.४५
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'*4'6")	१३४.७३	१३४.७३	१३४.७३

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

भक्तपुर जिल्ला प्रशासन कार्यालय  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)		
		२०८०/८१	२०८१/८२	२०८२/८३
	<b>Casement window and doors</b>			
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	५३४.६९	५३४.६९	५३४.६९
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	५८०.३१	५८०.३१	५८०.३१
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	७३८.३९	७३८.३९	७३८.३९
	<b>Partation work</b>			
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	३४९.०४	३४९.०४	३४९.०४
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	३७१.३२	३७१.३२	३७१.३२
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	३९९.९६	३९९.९६	३९९.९६
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	४९७.५६	४९७.५६	४९७.५६
	<b>Structure glazing</b>			
	glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	५५६.९७	५५६.९७	५५६.९७
	glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	६४६.०९	६४६.०९	६४६.०९
	glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	७८५.०७	७८५.०७	७८५.०७
<b>47</b>	<b>Aluminium composite panel</b>			
47.1	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing			
	3 mm , .20 mm black core	३७१.३२	३७१.३२	३७१.३२
	3 mm , .25 mm black core	३८०.८६	३८०.८६	३८०.८६
	3 mm , .30 mm black core	३९४.६५	३९४.६५	३९४.६५
	4 mm , .25 mm black core	४०४.२०	४०४.२०	४०४.२०
	4 mm , .30 mm black core	३९४.६५	३९४.६५	३९४.६५

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*  
 भारत सजी पाण्डे  
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल्यांकन एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	4 mm , .50 mm black core	"	४१७.९९	४१७.९९	४१७.९९
	4 mm , .25 mm Vergin core	"	४२७.५४	४२७.५४	४२७.५४
	4 mm , .30 mm vergin core	"	३९४.६५	३९४.६५	३९४.६५
	4 mm , .50 mm vergin core	"	४२७.५४	४२७.५४	४२७.५४
<b>48</b>	<b>Water proofing (chemicals &amp; Tretment)works</b>				
<b>1</b>	<b>CONCRETE ADMIXTURES (Chemical)</b>				
1.1	Water Reducing Admixture Concrete & Mortar [ Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by.wt. cement	Kg.	१५९.००	१५९.००	१५९.००
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	२६६.००	२६६.००	२६६.००
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	४७९.००	४७९.००	४७९.००
1.4	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	३१९.००	३१९.००	३१९.००
1.5	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	१०६६.००	१०६६.००	१०६६.००
1.6	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	१०६६.००	१०६६.००	१०६६.००
1.7	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	१३३२.००	१३३२.००	१३३२.००
1.8	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	१९९.००	१९९.००	१९९.००
1.9	Accelerator & Spray Shotcrete / Concrete Plasticizer [ Silicate Based]	Kg.	२६६.००	२६६.००	२६६.००
1.10	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [ Alkali Free]	Kg.	३७३.००	३७३.००	३७३.००
1.11	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [ Alkali Free]	Kg.	३७३.००	३७३.००	३७३.००

भारत मन्त्री/पाण्डे
   
 प्रमुख जिल्ला कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	जिल्ला भक्तपुर	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
1.12	Retarding Superplasticizer for Concrete [Naphthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	२६६.००	२६६.००	२६६.००
1.13	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	४७९.००	४७९.००	४७९.००
1.14	Resin ,Multi /polycarboxylate ether choiride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	७५५.००	७५५.००	७५५.००
2	<b>CONCRETE ADMIXTURES (Mineral)</b>				
2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	३५१.००	३५१.००	३५१.००
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	९०.००	९०.००	९०.००
3	<b>JOINT SEALANTS &amp; SYSTEMS</b>				
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	१९१९.००	१९१९.००	१९१९.००
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	१९१९.००	१९१९.००	१९१९.००
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	३१९८.००	३१९८.००	३१९८.००
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	२१३२.००	२१३२.००	२१३२.००
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg.	३१९८.००	३१९८.००	३१९८.००
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	१२७९.००	१२७९.००	१२७९.००
3.7	Butyl Tape for various Applications	RM	१३३.००	१३३.००	१३३.००
3.8	Waterproofing Joint Tape [ 120 mm]	RM	५८६.००	५८६.००	५८६.००
3.9	Waterproofing Joint Tape [ 200 mm]	RM	७९९.००	७९९.००	७९९.००
3.10	NBR based Waterproofing Joint Tape [ 200 mm]	RM	४२६४.००	४२६४.००	४२६४.००
3.11	Joint Tape Epoxy Adhesive	Kg.	३१९८.००	३१९८.००	३१९८.००
3.12	Glass Fiber Joint Tape	RM.	२९३.००	२९३.००	२९३.००
3.13	Waterproofing / Expansion Joint Tape [100 mm]	RM.	१५९९.००	१५९९.००	१५९९.००
3.14	Waterproofing / Expansion Joint Tape [200 mm]	RM.	२८७८.००	२८७८.००	२८७८.००
3.15	Construction Joint Tape [ 100 mm]	RM.	८५२.००	८५२.००	८५२.००
3.16	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	२६१२.००	२६१२.००	२६१२.००
3.17	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	५१७१.००	५१७१.००	५१७१.००
3.18	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	८५२.००	८५२.००	८५२.००
3.19	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	१५९९.००	१५९९.००	१५९९.००
4	<b>INDUSTRIAL FLOORING SOLUTIONS</b>				
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [ Metallic]	Kg.	१२७.००	१२७.००	१२७.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

भक्तपुर जिल्ला प्रशासनिक कार्यालय  
भक्तपुर



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (र.)	मु.अ.क. (VAT) बाहेक (र.)	
			२०८१/८२	२०८२/८३
4.2	Liquid Concrete Hardener & Dust Proofer	Kg.	४७९.००	४७९.००
4.3	Anti Bacterial Floor & Wall Coating [ Epoxy]	Kg.	२६६५.००	२६६५.००
4.4	Anti Bacterial Floor & Wall Coating [ Polyurethane]	Kg.	३१९८.००	३१९८.००
4.5	Anti bacterial Floor & Wall Coating [ Acrylic]	Kg.	२१३२.००	२१३२.००
4.6	Self Levelling Flooring System [ Epoxy]	Kg.	१४६६.००	१४६६.००
4.7	Self Levelling Flooring System [ Polyurethane]	Kg.	२२१२.००	२२१२.००
4.8	Self Levelling Cementitious Flooring System	Kg.	४४६.००	४४६.००
5	<b>ENGINEERING GROUTS</b>			
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [ M40]	Kg.	११७.००	११७.००
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	१३३.००	१३३.००
5.3	Hard wearing cementitious tile grout	Kg.	१७०.००	१७०.००
5.4	Hard wearing epoxy based tile grout	Kg.	१०६६.००	१०६६.००
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	५३३.००	५३३.००
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg.	२६६५.००	२६६५.००
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [ 400 MI Cartridge]	MI	४७९७.००	४७९७.००
5.8	Low Viscosity Injection Epoxy Grout	Kg.	७९९६.००	७९९६.००
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg.	१३३२७.००	१३३२७.००
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg.	९०६२.००	९०६२.००
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg.	१४९२६.००	१४९२६.००
6	<b>BONDING ADHESIVES (Polymer &amp; Epoxy Resin)</b>			
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg.	७५०.००	७५०.००
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	९५०.००	९५०.००
6.3	High Performanance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	Kg.	१२००.००	१२००.००
6.4	Two Component Epoxy Resin Bonding Agent [ For bonding new to old concrete]	Kg.	१८००.००	१८००.००
7	<b>FIBERS (Steel &amp; Polypropylene)</b>			
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg.	१२००.००	१२००.००
7.2	FIBERMESH FB [Collated PP Fibers]	Kg.	१५००.००	१५००.००
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg.	२०००.००	२०००.००
7.4	Loose steel Fibers	Kg.	२५०.००	२५०.००
7.5	Glued Steel Fibers	Kg.	३५०.००	३५०.००
7.6	Crimped Steel Fibers	Kg.	२५०.००	२५०.००
8	<b>SURFACE TREATMENT</b>			
8.1	Protective, Decorative Anti Carbonation Coating	Kg.	१२००.००	१२००.००

Handwritten signatures and initials at the bottom of the page.

भक्तपुर जिल्ला प्रमुख कार्यालय  
भक्तपुर जिल्ला अधिकारी



नेपाल सरकार  
मन्त्रालय  
निर्माण विभाग  
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	१३५०.००	१३५०.००	१३५०.००
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	४५००.००	४५००.००	४५००.००
8.4	Protective Acrylic Sealer	Kg.	१५००.००	१५००.००	१५००.००
8.5	Protective Polyurethane Sealer	Kg.	१८००.००	१८००.००	१८००.००
8.6	Water Based Fire Retardant Coating	Kg.	१५००.००	१५००.००	१५००.००
8.7	High Performance Water Repellent Paint	Ltr.	१००९८.००	१००९८.००	१००९८.००
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	५००.००	५००.००	५००.००
8.9	Ready to use Chemical Mould Release Agent	Ltr.	५००.००	५००.००	५००.००
8.10	Concrete Curing Aid	Kg.	४५०.००	४५०.००	४५०.००
8.11	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	७५५.००	७५५.००	७५५.००
<b>CONCRETE REPAIRS</b>					
9	Rust Remover & Passivator	Ltr.	१०००.००	१०००.००	१०००.००
9.1	Corrosion Inhibitor	Kg.	१२००.००	१२००.००	१२००.००
9.2	Micro Concrete [ M55] for Permanant Repairs	Kg.	१५०.००	१५०.००	१५०.००
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	१७५.००	१७५.००	१७५.००
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	२५०.००	२५०.००	२५०.००
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	२००.००	२००.००	२००.००
9.6	Acrylic Based Crack Filling Putty	Kg.	१२००.००	१२००.००	१२००.००
9.7	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	७५५.००	७५५.००	७५५.००
<b>PREPACKED MORTARS</b>					
10	Tile, Mabrble, Granite etc. Adhesive	Kg.	८५.००	८५.००	८५.००
10.1	Marble & Granite etc. Adhesive	Kg.	३५०.००	३५०.००	३५०.००
10.2	Coarse and water resistant Readymix plastering Mortar	Kg.	८५.००	८५.००	८५.००
10.3	High Performance Polymer Based Wall Putty (Skim Coat)	Kg.	८५.००	८५.००	८५.००
10.4	High Performance Polymer Based Insulating Wall Putty (Skim Coat)	Kg.	९०.००	९०.००	९०.००
10.5	<b>WATERPROOFING SYSTEMS</b>				
11	<b>INTEGRAL</b>				
	Integral Waterproofing Additive for Concrete & Plaster	Kg.	२७५.००	२७५.००	२७५.००
11.1	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	३२९.००	३२९.००	३२९.००
11.2	<b>LIQUID APPLIED</b>				
	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	७००.००	७००.००	७००.००
11.3	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	५००.००	५००.००	५००.००
11.4	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	७५०.००	७५०.००	७५०.००

52
   
 प्रमुख जिल्ला अधिकारी



नेपाल सरकार  
पहि मन्त्रालय  
जिल्ला प्रशासन कार्यालय  
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
11.5	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	८५०.००	८५०.००	८५०.००
11.6	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	७५०.००	७५०.००	७५०.००
11.5	Crystalline Based Waterproofing Systems	Kg.	३५०.००	३५०.००	३५०.००
11.6	Fast Setting Plugging Compound for stopping running water	Kg.	४००.००	४००.००	४००.००
11.7	Polyurethane based Waterproofing Coating System	Kg.	१६५०.००	१६५०.००	१६५०.००
11.8	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	१२५०.००	१२५०.००	१२५०.००
11.9	Epoxy Resin based Waterproofing Coating System	Kg.	१६८३.००	१६८३.००	१६८३.००
11.10	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	६००.००	६००.००	६००.००
	<b>PREFORMED</b>				
	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	१८००.००	१८००.००	१८००.००
11.12	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	२०००.००	२०००.००	२०००.००
11.13	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	१०५०.००	१०५०.००	१०५०.००
11.14	Polymer Modified Self Adhesive Bituminous Membranes [ 2mm]	Sq. M.	१५००.००	१५००.००	१५००.००
11.15	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	१५००.००	१५००.००	१५००.००
11.16	1.2 mm High Polymer PVC Membranes	Sq. M.	२०००.००	२०००.००	२०००.००
11.17	PVC Adhesive	Kg.	२५००.००	२५००.००	२५००.००
11.18	1.2 mm EPDM Membranes	Sq. M.	२५००.००	२५००.००	२५००.००
11.19	EPDM Adhesive	Kg.	२५००.००	२५००.००	२५००.००
11.2	EPDM Primer	Kg.	३०००.००	३०००.००	३०००.००
11.21	2mm TPO Membranes	Sq. M.	३५००.००	३५००.००	३५००.००
11.22	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	८००.००	८००.००	८००.००
11.23	100% Synthetic Rubber Roof Coating	Kg.	४५००.००	४५००.००	४५००.००
11.24	<b>SPECIALTY</b>				
12	Antistripping Agent for Bitumen	Kg.	५५०.००	५५०.००	५५०.००
12.1	Anti Termite [ Imidacloprid 30.5% ]	Kg.	१२०००.००	१२०००.००	१२०००.००
12.2	Expanding Concrete Joint WATERSTOP	RM.	२५००.००	२५००.००	२५००.००
12.3	WB ADHESIVE Primer for Expanding Waterstop	2500	७५००.००	७५००.००	७५००.००
12.4	Swellable WATERSTOP	RM.	२५००.००	२५००.००	२५००.००
12.5	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	२५००.००	२५००.००	२५००.००
12.6	Nodular Drain with Geotextile Roof Garden	Sq. M.	२५००.००	२५००.००	२५००.००
12.7	SEALGUARD GEOTEX [P] -Polyester Geotextile	Sq. M.	११०.००	११०.००	११०.००
12.8	THERMOSEAL XPS - Extruded Polystyrene Boards [ 25 mm]	Sq. M.	१८००.००	१८००.००	१८००.००
	THERMOSEAL XPS - Extruded Polystyrene Boards [ 40 mm]	Sq. M.	३०००.००	३०००.००	३०००.००
13	<b>STRUCTURAL STRENGTHENING &amp; SEISMIC RETROFITTING</b>				

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*  
भक्तपुर जिल्ला प्रशासन कार्यालय  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मात्रा	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	८७००.००	८७००.००	८७००.००
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	१०२००.००	१०२००.००	१०२००.००
13.3	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	८०००.००	८०००.००	८०००.००
13.4	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	१२०००.००	१२०००.००	१२०००.००
13.5	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	१६०००.००	१६०००.००	१६०००.००
13.6	FRP [ Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	१२३००.००	१२३००.००	१२३००.००
13.7	EPOXY PRIMER	Kg.	३६००.००	३६००.००	३६००.००
13.8	SATURANT	Kg.	३६००.००	३६००.००	३६००.००
13.9	LAMINATE ADHESIVE	Kg.	२५५०.००	२५५०.००	२५५०.००
13.11	EPOXY TOPCOAT	Kg.	३६००.००	३६००.००	३६००.००
13.12	POLYURETHANE TOPCOAT	Kg.	४६००.००	४६००.००	४६००.००
13.13	Glass Fiber anchor system 5to 10 mm	R. M.	२५७५.००	२५७५.००	२५७५.००
	Carbon Fiber anchor system 5to 10 mm	R. M.	३६००.००	३६००.००	३६००.००
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	१०२००.००	१०२००.००	१०२००.००
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	१२२००.००	१२२००.००	१२२००.००
14	Soil Stabiliser / Admixture				
14.1	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	६८३.००	६८३.००	६८३.००
15	Concrete curing compound				
15.10	Concrete Curing Aid	Kg.	४५३.००	४५३.००	४५३.००
15.20	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m <sup>2</sup>	kg	७२१.००	७२१.००	७२१.००
49	परम्परागत निर्माण सामग्रीहरू :-				
	१) दचि अपा ठूलो ८"×२-३/८"×५"	गोटा	२८.००	२८.००	२८.००
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	"	३०.००	३०.००	३०.००
	३) दचिअपा ठूलोको कुं	"	३९.००	३९.००	३९.००
	४) दचिअपा सानोको कुं अपा	"	४१.००	४१.००	४१.००
	५) माँ अपा ठूलो ८-७/८"×२-१/४"×५-३/४"	"	२३.००	२३.००	२३.००
	६) माँ अपा ठूलो 241x60x158 mm	"	२६.००	२६.००	२६.००
	७) मा अपा सानो ८-३/८"×२"×५"	"	२३.००	२३.००	२३.००
	८) धुरी चाङ्ग ठूलो ९-३/८"×१-१/२"×३/४	"	८५.५०	८५.५०	८५.५०
	९) धुरी 230x295x25 mm	"			०.००
	१०) धुरी चाँङ्ग सानो	"	२६.००	२६.००	२६.००
	११) फिगटी नयाँ ८-३/४"×४"	गोटा	१२.५०	१२.५०	१२.५०
	१२) फिगटी पुरानो	गोटा	८.००	८.००	८.००
	१३) ढुक्कु	गोटा	८८.००	८८.००	८८.००
	१४) Snake body brick traditional	गोटा	३०.००	३०.००	३०.००
	१५) Snake neck brick ,,	गोटा	७५.००	७५.००	७५.००
	१६) Snake head brick ,,	गोटा	१४०.००	१४०.००	१४०.००

*(Handwritten signatures and initials)*

17/11/20  
भक्तपुर जिल्ला प्रमुख अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	भर्तुपूर्वकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	क)साना	"	११९.००	११९.००	११९.००
	ख)ठुलो	"	२३८.००	२३८.००	२३८.००
	१७) पेटीकोलागि ढुङ्गा				
	क) १८"X१०"X४"	"	१५१३.८४	१५१३.८४	१५१३.८४
	१८) नागोल ईटा	गोटा	३१.००	३१.००	३१.००
	१९)९"X ९"X १८ इन्च कुना ढुङ्गा	१ मि.	२३९.००	२३९.००	२३९.००
	२०) फ:ल्होह अपा ठुलो 375x225x100mm	गोटा	१७९.००	१७९.००	१७९.००
	२१) फ:ल्होह अपा सानो 254x229x102mm	"	१४९.००	१४९.००	१४९.००
	२२) तीनकुनै तेलिया ईटा (९"X९"X२-१/४"	"	१५.००	१५.००	१५.००
	२३) तीनकुनै तेलिया ईटा (६"X६"X२-१/४"	"	२४.००	२४.००	२४.००
	२४) चारकुनै तेलिया ईटा (८"X८"	"	३७.००	३७.००	३७.००
	२५) तेलिया ईटा (६"X६"	"	२४.५०	२४.५०	२४.५०
	२६) बुट्टेदारी कर्निश इटा (काशीमोहरु)	"	२९.००	२९.००	२९.००
	२७) बुट्टेदारी कर्निश इटा कुना	"	४५.००	४५.००	४५.००
	२८) बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm	"	१८२.००	१८२.००	१८२.००
	२९) भ्याल माथिको कर्निश ईटा बुट्टेदारी	"	३७.००	३७.००	३७.००
	३०) काठको कर्निश माथिको इटा ११"X६"X२.५"	"	६१.५०	६१.५०	६१.५०
	३१) कर्नर स्टोन : १०"X१०"X१४"	"	१९५०.००	१९५०.००	१९५०.००
	३२) क) विचको न्याहाकल्ह १०"X७"X१४"	"	११७५.००	११७५.००	११७५.००
	३३) नागोल ढुङ्गा १८"X१०"X५	"	८५०.००	८५०.००	८५०.००
	३४) भौ प्वा	गोटा	२५०.००	२५०.००	२५०.००
	३५) तामा पाता.( नेपाली)	केजी	११७५.००	११७५.००	११७५.००
	तामा पाता (Indian)	केजी	१३७५.००	१३७५.००	१३७५.००
	३६) पित्तल पाता	केजी	११५०.००	११५०.००	११५०.००
	३७) पारो	ग्राम	१८०.००	१८०.००	१८०.००
	३८) सूकि इटा कुटि धुलो बनाएको ।	टन	१४५०.००	१४५०.००	१४५०.००
	३९) Wind bell हवा घण्टी ४"	गोटा	५००.००	५००.००	५००.००
	४०) न्हकंलो वीचको	१ गोटा	१८००.००	१८००.००	१८००.००
	४१) पेटीढुङ्गा ४"	१ मि.	३३५०.००	३३५०.००	३३५०.००
	४२)पेटीढुङ्गा ५"	१ मि.	२६००.००	२६००.००	२६००.००
	४५)श्री गणेश	गोटा	१२५०.००	१२५०.००	१२५०.००
	४६)कुमार	गोटा	१२५०.००	१२५०.००	१२५०.००
	४७)ढुङ्गे धारा	गोटा	१२५०.००	१२५०.००	१२५०.००
	४८)ल्हाकै सेट	गोटा	२६००.००	२६००.००	२६००.००
	४९)नागवेली बूटा	गोटा	२९.००	२९.००	२९.००
	५०)नागवेली बूटा कुना	गोटा	४२.००	४२.००	४२.००
	५१)स्वा बूटा	गोटा	२९.००	२९.००	२९.००
	५२)चीर बूटा	गोटा	२९.००	२९.००	२९.००

प्रमुख जिल्ला अधिकारी



नेपाल सरकार

जिल्ला निर्माण सामग्रीहरूको विवरण

सि.नं.	निर्माण सामग्रीहरूको विवरण	गठ मन्त्रालय संस्थापक भक्तपुर	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	५३) कार्नेसफयो	गोटा	२५.००	२५.००	२५.००
	५४) कार्नेस गजूर पली	गोटा	३७.५०	३७.५०	३७.५०
	५५) ठूलो कलश	गोटा	१८२.००	१८२.००	१८२.००
	५६) मसीनो सुर्कि	केजि	१५.००	१५.००	१५.००
	५७) खसो सुर्कि	केजि	१०.००	१०.००	१०.००
	५८) गड्डा चुन	के.जि.	२९.००	२९.००	२९.००
59	मा अपा (साइज 200x50x130)	गोटा	१८.००	१८.००	१८.००
60	दधि अपा (साइज 200x55x100)	"	२०.००	२०.००	२०.००
61	त्वा अपा (साइज 110x55x180)	"	३३.००	३३.००	३३.००
62	गोल अपा (साइज 120x55x80)	"	२०.००	२०.००	२०.००
63	गणेश अपा (साइज 200x250x35)	"	३६०.००	३६०.००	३६०.००
64	कुमार अपा (साइज 200x250x35)	"	३६०.००	३६०.००	३६०.००
65	तारा अपा (साइज 200x250x55)	"	३६०.००	३६०.००	३६०.००
66	पञ्च बुद्ध अपा (साइज 170x230x55)	"	३६०.००	३६०.००	३६०.००
67	कलस अपा (साइज 100x140x40)	"	६०.००	६०.००	६०.००
68	नागोल अपा (साइज 140x52x120)	"	२१.००	२१.००	२१.००
69	कसिमो अपा (साइज 230x55x100)	"	३०.००	३०.००	३०.००
70	सकली अपा (साइज 140x55x115)	"	२८.००	२८.००	२८.००
71	पानबुट्टा अपा (साइज 140x55x115)	"	२८.००	२८.००	२८.००
72	सानो फ बुट्टा अपा (साइज 180x55x30)	"	३०.००	३०.००	३०.००
73	ठूलो फ बुट्टा अपा (साइज 230x55x110)	"	३०.००	३०.००	३०.००
74	नयाँ फ बुट्टा अपा (साइज 230x55x110)	"	३०.००	३०.००	३०.००
75	साना ग बुट्टा अपा (साइज 140x50x110)	"	२८.००	२८.००	२८.००
76	ठूलो ग बुट्टा अपा (साइज 230x55x90)	"	३०.००	३०.००	३०.००
77	पुम्हा बुट्टा अपा (साइज 180x55x70)	"	३०.००	३०.००	३०.००
78	तिनकुने स्वाँ अपा (साइज 200x550x30)	"	३०.००	३०.००	३०.००
79	तिनकुने पलि अपा (साइज 200x550x90)	"	३०.००	३०.००	३०.००
80	साना स्वाँ अपा (साइज 140x50x110)	"	२८.००	२८.००	२८.००
81	ठूलो स्वाँ अपा (साइज 230x55x90)	"	३०.००	३०.००	३०.००
82	नाग टाउको दायाँवायाँ (साइज 100x150x50)	"	१४९.००	१४९.००	१४९.००
83	नाग घटी दायाँवायाँ (साइज 140x60x70)	"	७८.००	७८.००	७८.००
84	नाग जीउ (साइज 140x60x70)	"	२८.००	२८.००	२८.००
85	नाग कन्या/पुरुष (साइज 180x380x55)	"	६००.००	६००.००	६००.००
86	खाल नागोल (साइज 130x55x120)	"	२८.००	२८.००	२८.००
87	खाल फयो (साइज 130x55x135)	"	२८.००	२८.००	२८.००
88	लहरा बुट्टा (साइज 125x45x140)	"	२८.००	२८.००	२८.००
89	नग वेली (साइज 140x55x120)	"	२९.००	२९.००	२९.००
90	मिखाफुसी (साइज 140x55x120)	"	३७.००	३७.००	३७.००
91	पलियो दायाँ/वायाँ (साइज 130x55x120)	"	२८.००	२८.००	२८.००
92	नयाँ पलिफो (साइज 185x52x80)	"	३२.००	३२.००	३२.००
93	सिघा पलिफो (साइज 190x55x90)	"	३२.००	३२.००	३२.००

Handwritten signatures and initials at the bottom of the page.

भक्तपुर जिल्ला प्रमुख  
प्रमुख जिल्ला आधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	म.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
94	२" सिंह (साइज 95x5010)	"	३६.००	३६.००	३६.००
95	२"गरुड (साइज 95x50x100)	"	३६.००	३६.००	३६.००
96	धलिख्वा (साइज 95x50x100)	"	३६.००	३६.००	३६.००
97	श्रीयन्त्र (साइज 70x700x80)	"	४८.००	४८.००	४८.००
98	त्वा फयो (साइज 140x55x120)	"	२३.००	२३.००	२३.००
99	तारा बुद्ध पुरानो (साइज 180x55x80)	"	२८.००	२८.००	२८.००
100	तारा बुद्ध नयाँ (साइज 230x70x90)	"	३२.००	३२.००	३२.००
101	स्वांफो तारा (साइज 220x55x90)	"	३२.००	३२.००	३२.००
102	सिक्री बुद्ध (साइज 220x55x80)	"	३२.००	३२.००	३२.००
103	न्हाय बुद्ध सानो (साइज 140x65x130)	"	३२.००	३२.००	३२.००
104	न्हाय बुद्ध ठूलो (साइज 140x100x130)	"	३२.००	३२.००	३२.००
105	नगोल नगोल (साइज 2000x55x90)	"	२३.००	२३.००	२३.००
106	ठी बुद्ध (साइज 210x55x75)	"	३२.००	३२.००	३२.००
<b>50</b>	<b>Security System</b>				
	<b>Steel Security Gate supply</b>				
	Metal detector	गोटा	१६९९५.००	१६९९५.००	१६९९५.००
	Access Controller	गोटा	१३९०५.००	१३९०५.००	१३९०५.००
	<b>Steel Security Door</b>				
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	८६८३.००	८६८३.००	८६८३.००
	Half leaf :- 50 mm, 70 mm, 100mm	Sqm	९९३०.००	९९३०.००	९९३०.००
	Double leaf :- 50 mm, 70 mm, 100mm	Sqm	१०४१९.००	१०४१९.००	१०४१९.००
	<b>Security System</b>				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller-2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	३४३३३.००	३४३३३.००	३४३३३.००
	ii) Access Controller with record using Card and Pin ( with 10 piece RFID Card.)	गोटा	२०६००.००	२०६००.००	२०६००.००
	iii) Access Controller without record using Card and Pin ( with 5 piece RFID Card.)	गोटा	१२८७५.००	१२८७५.००	१२८७५.००
	iv) Finger print access system with software	गोटा	३६०५०.००	३६०५०.००	३६०५०.००
	v) Security from Panic Alarm	गोटा	३६०५०.००	३६०५०.००	३६०५०.००
	vi) GPS (Global Positioning System) Device with software	गोटा	२५७४९.००	२५७४९.००	२५७४९.००
	vii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रूपमा on/off हुने प्रणाली)				
	Up to 1/2 H.P.	गोटा	४३२६.००	४३२६.००	४३२६.००
	1.0 H.P.	गोटा	५९४८.००	५९४८.००	५९४८.००
	5 H.P.	गोटा	९७३४.००	९७३४.००	९७३४.००
<b>51</b>	<b>Bridge Materials</b>				
	<b>Elastomeric Bearing Pad</b>				
	Free Type	NOS	२४०३१.२८	२४०३१.२८	२४०३१.२८
	Fix end Dowel Type	"	५०९९३.२८	५०९९३.२८	५०९९३.२८

Handwritten signatures and initials at the bottom of the page.

भारत सभा पाण्डे  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मू.अ.क. (VAT) बाहेक (रु.)	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	<b>Expansion Joint Works</b>				
	Single strip seal	Rm	१०१३२.००	१०१३२.००	१०१३२.००
	Slab seal(320*50)	"	२००००.००	२००००.००	२००००.००
	Tendon sheath	"	३८८.००	३८८.००	३८८.००
	Tendon wire	ton	१५७५००.००	१५७५००.००	१५७५००.००
	Anchorage block with cap	nos	१०५००.००	१०५००.००	१०५००.००
	High tensile friction grip nut bolts	kg	३८८.००	३८८.००	३८८.००
	Bolts, nuts & washers(hold up friction grip)	kg	४०९.००	४०९.००	४०९.००
	W- beam metal crash barrier, 3 mm thick corrugated sheet,ISMB series channel	Rm	६३००.००	६३००.००	६३००.००
	<b>Thimbles</b>				
	iv) Φ 13 mm thimble	Pc	७९.००	७९.००	७९.००
	v) Φ 26 mm thimble	Pc	४०१.००	४०१.००	४०१.००
	vi) Φ 32 mm thimble	Pc	६८७.००	६८७.००	६८७.००
	vii) Φ 36 mm thimble	Pc	१३७३.००	१३७३.००	१३७३.००
	viii) Φ 40 mm thimble	Pc	१७१६.००	१७१६.००	१७१६.००
	ix) Φ 13 mm Bulldog grip	Pc	७७.६९	७७.६९	७७.६९
	x) Φ 26 mm Bulldog grip	Pc	३८९.५२	छकड	छकड
	xi) Φ 32 mm Bulldog grip	Pc	५८३.७४	५८३.७४	५८३.७४
	xii) Φ 36 mm Bulldog grip	Pc	७२२.९३	७२२.९३	७२२.९३
	xiii) Φ 40 mm Bulldog grip	Pc	७२२.९३	७२२.९३	७२२.९३
	xiv) Steel wire Rope (Right hand ordinary lay,WSC wire strand core,Tensile strength of wire 1570 N/mm <sup>2</sup> , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched				
	xv) Wire mesh netting	m <sup>2</sup>	४५७.००	४५७.००	४५७.००
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	७२२३.००	७२२३.००	७२२३.००
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	२७८.३८	२७८.३८	२७८.३८
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	३८९.५२	३८९.५२	३८९.५२
	High tensile friction grip nut bolts	kg	३६१.४७	३६१.४७	३६१.४७
	<b>Galvanization</b>				०.००
	Zinc Above 98.5% purity	kg	३३३.४१	३३३.४१	३३३.४१
	Premix of Zinc amonium chloride	kg	६४२.०१	६४२.०१	६४२.०१
	Hydraucloric acid	Lit	४४.२४	४४.२४	४४.२४
<b>52</b>	<b>Concrete Post (Size 4"*4")</b>				
	Length 7'	गोटा	९४१.१८	९४१.१८	९४१.१८
	Length 5'	"	४७०.५९	४७०.५९	४७०.५९
	Length 3'	"	२३५.८३	२३५.८३	२३५.८३

भक्तपुर जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मिति	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
53	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	३१९८.६०	३१९८.६०	३१९८.६०
54	Readymade RCC Door & windows frame (4"*2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	२४९.८३	२४९.८३	२४९.८३
	" Ventilation	"	२४९.८३	२४९.८३	२४९.८३
	" Arc frame semi circular	"	४९९.६६	४९९.६६	४९९.६६
55	EPS (Expanded Polystyrene) and cement based light weight Sandwich Panel with 4.5mm thick Calcium Silicate board (Non-Asbestos) as face board (Size : 2270*610mm)				
	a) 50 mm thick	Sq.ft	१८०.००	१८०.००	१८०.००
	b) 60 mm thick	Sq.ft	२४५.००	२४५.००	२४५.००
	c) 75 mm thick	Sq.ft	३००.००	३००.००	३००.००
	d) 90 mm thick	Sq.ft	३४५.००	३४५.००	३४५.००
	e) 120 mm thick	Sq.ft	४१५.००	४१५.००	४१५.००
56	EPS (Expanded Polystyrene) and cement based light weight Solid Panel without face board (Size 1800*610mm)				
	b) 60 mm thick	Sq.ft	१६०.००	१६०.००	१६०.००
	c) 75 mm thick	Sq.ft	२१५.००	२१५.००	२१५.००
	d) 90 mm thick	Sq.ft	२५०.००	२५०.००	२५०.००
57	EPS (Expanded Polystyrene) and cement based light weight Hollow Panel (Size: 1800*610mm)				
	d) 90 mm thick	Sq.ft	१९०.००	१९०.००	१९०.००
58	विभिन्न जातका विरुवाहरू				
१	एभोकाडो	गोटा	२००	२००.००	२००.००
२	तेजपात	गोटा	५०	५०.००	५०.००
३	अम्बा	गोटा	५०	५०.००	५०.००
४	कागति	गोटा	५०	५०.००	५०.००
५	कागति (बाह्रमासे) ग्राफ्टेड	गोटा	२००	२००.००	२००.००
६	टिमुर	गोटा	९०	९०.००	९०.००
७	अमला	गोटा	५०	५०.००	५०.००
८	बाँस कटिङ्ग	गोटा	२७५	२७५.००	२७५.००
९	खुरपाने	गोटा	१६०	१६०.००	१६०.००
१०	नास्पाति	गोटा	१००	१००.००	१००.००
११	ओखर (दाते)	गोटा	१५०	१५०.००	१५०.००
१२	लप्सी	गोटा	५०	५०.००	५०.००

Handwritten signatures and initials at the bottom of the page.

भक्तपुर जिल्ला प्रमुख कार्यालय  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मिति/मुद्दा	म.श.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
१३	५ फिट माथिका विरुवा सडक तथा नदी किनारामा रोप्ने ३ वर्ष माथिका	गोटा	१००	१००.००	१००.००
<b>59</b>	<b>Agriculture</b>				
	Power tiller 12HP	Pcs	१६००००.००	१६००००.००	१६००००.००
	Agriculture minitiller 7.5 HP Petrol	Pcs	४५०००.००	४५०००.००	४५०००.००
	Agriculture minitiller 7 HP Diesel	Pcs	६५०००.००	६५०००.००	६५०००.००
	Agriculture minitiller 9 HP Petrol	Pcs	६२०००.००	६२०००.००	६२०००.००
	Agriculture minitiller 9HP Diesel	Pcs	८५०००.००	८५०००.००	८५०००.००
	Minitiller Rotatory cultivator 7.5HP	Pcs	११००००.००	११००००.००	११००००.००
	Minitiller Rotatory cultivator 9HP	Pcs	१२५०००.००	१२५०००.००	१२५०००.००
	Potato digger (Attachment)	Pcs	४५००.००	४५००.००	४५००.००
	Adjustable ditcher ((Attachment)	Pcs	४५००.००	४५००.००	४५००.००
	Battery sprayer 2 in 1	Pcs	४५००.००	४५००.००	४५००.००
	Powersprayer (53 C.C)	Pcs	३००००.००	३००००.००	३००००.००
	Manual Sprayer	Pcs	२२००.००	२२००.००	२२००.००
	Submersible pump 1HP(Rocket)	Pcs	२५०००.००	२५०००.००	२५०००.००
	Submersible pump 1HP(well Type)	Pcs	९०००.००	९०००.००	९०००.००
	Weighting machine - Up to 100 kg	Pcs	१२०००.००	१२०००.००	१२०००.००
	Weighting machine - Up to 200 kg	Pcs	१५०००.००	१५०००.००	१५०००.००
	Weighting machine - Up to 300 kg	Pcs	१८०००.००	१८०००.००	१८०००.००
	Sprinkler (2 head)	Pcs	१५०.००	१५०.००	१५०.००
	Cow mat (6ft*4ft)	Pcs	८०००.००	८०००.००	८०००.००
	UV palstic (100 micron)	Sq/m	१२०.००	१२०.००	१२०.००
	UV palstic (200 micron)	Sq/m	१९०.००	१९०.००	१९०.००
	Silpaulin plastic (90 gsm)	Sq/f	९.७०	९.७०	९.७०
	Plastic crate (A -Grade )	Pcs	७००.००	७००.००	७००.००
	seedling planter (Biu ropne)	Pcs	४५००.००	४५००.००	४५००.००
	seedling planter (Biruwa ropne)	Pcs	४५००.००	४५००.००	४५००.००
	Water pump 7 HP(Gasoline) - 2 inch	Pcs	१८०००.००	१८०००.००	१८०००.००
	Water pump 7 HP(Gasoline) - 3 inch	Pcs	२००००.००	२००००.००	२००००.००
	Chaff cutter (3 HP motor)	Pcs	३५०००.००	३५०००.००	३५०००.००
	Pallet machine (3 HP motor)	Pcs	५५०००.००	५५०००.००	५५०००.००
	Deep freight (190L)	Pcs	३९०००.००	३९०००.००	३९०००.००
	Garden pipe	Kg	३५०.००	३५०.००	३५०.००
	Hazari (10L)	Pcs	५००.००	५००.००	५००.००
	Multifunctional chaff cutter (3 HP motor)	Pcs	६००००.००	६००००.००	६००००.००
	Milk chilling vat (500L)	Pcs	२३५०००.००	२३५०००.००	२३५०००.००
	Milk can- Plastic (20L)	Pcs	३८००.००	३८००.००	३८००.००
	Milk can- Plastic (40L)	Pcs	४५००.००	४५००.००	४५००.००
	Milk can- Alminum (20L)	Pcs	८५००.००	८५००.००	८५००.००
	Milk can- Alminum (40L)	Pcs	९५००.००	९५००.००	९५००.००

Handwritten signatures and initials at the bottom of the page.

भक्तपुर जिल्ला प्रमुख कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	नेपाल सरकार गणतन्त्र प्रशासन भक्तपुर जिल्ला	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	UMMB Block Machine	Pcs	३५०००.००	३५०००.००	३५०००.००
	Milk Pasteurizer (500L)	Pcs	१८००००.००	१८००००.००	१८००००.००
	Milk Analyser (240V)	Pcs	११००००.००	११००००.००	११००००.००
	Milking machine (14L)	Pcs	४००००.००	४००००.००	४००००.००
	panner vat machine (250/Hr)	Pcs	१९००००.००	१९००००.००	१९००००.००
	Potato slicer machine (Manual)	Pcs	८००००.००	८००००.००	८००००.००
	Plastic for packing	Kg	८००.००	८००.००	८००.००
	Plastic for packing- 100m Roll (25 micron)	Roll	५३००.००	५३००.००	५३००.००
	Plastic for packing- 100m Roll (30 micron)	Roll	६८००.००	६८००.००	६८००.००
	Plastic for packing- 100m Roll (40 micron)	Roll	९५००.००	९५००.००	९५००.००

प्रमुख जिल्ला अधिकारी



## SANITARY WORKS

सि.नं.	निर्माण सामग्रीहरूको विवरण	भत्त/मु.क. (VAT) बाहेक (र.)	म.प्र.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
1	<b>Porcelain Clay Sanitaryware</b>					
	<b>White glazed porcelain pan</b>					
	i) 530mm size white glazed without siphon	सेट	2600	2600	2600	
	ii) 500 mm size white glazed without siphon	"	2823	2823	2823	
	iii) 580 mm size Pan	"	2600	2600	2600	
	iii) 580 mm size white glazed pan	"	950	950	950	
	iv) Siphon 'p' or 's' type	"	400	400	400	
	v) Asian Pan 51x40 Rectangular	"	2450	2450	2450	
	<b>Porcelain Clay Cistern</b>					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings )	"	3666	3666	3666	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	687	687	687	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3809	3809	3809	
	<b>Commode</b>					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1635	1635	1635	
	ii) White glazed porcelain clay EWC regular commode with 's' p trap	"	1880	1880	1880	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	"	18663	18663	18663	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	"	20000	20000	20000	
	v) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	"	21001	21001	21001	
	vi)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.	"	5410	5410	5410	
	vii) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8916	8916	8916	
	viii) 600 to 900 mm Grab bar	"	6244	6244	6244	
	<b>Bidet set</b>					
	i) Porcelain clay white glaze Bidet.	सेट	3803	3803	3803	
	<b>Urinal set</b>					
	i) Porcelain clay white glaze large flat back urinal 61x41x38 cm size	सेट	4299	4299	4299	
	ii) Porcelain clay small Urinal (46.5x35.5x26.5) cm size	"	1936	1936	1936	
	iv) White glazed porcelain clay corner Urinal (35x35x44)cm size with complete set.	"	1668	1668	1668	
	<b>Porcelain Clay Urinal Squatting Plate</b>					
	i) white glaze squatting plate Small Size (45x35)cm	सेट	1248	1248	1248	
	ii) Porcelain clay white glaze squatting plate large size	"	1498	1498	1498	

62

भारत मुक्ति वापुडे  
ग्रामसुख-जिल्ला आधिकारिक






नेपाल सरकार  
गृह मन्त्रालय  
भक्तपुर जिल्ला प्रशासनिक कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	मू.अ.क. (VAT) बाहेक (र.)	आ.ब.			कीफायत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	iii) Porcelain clay super color squatting plate large size.	"	2916	2916	2916	
	iv) Urinal Spreader	"	942	942	942	
	<b>Wash basin</b>					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1128	1128	1128	
	iii) Porcelain clay white glaze wash basin (50×40) cm	"	1525	1525	1525	
	iv) Do but wash basin (45×32)cm	"	1097	1097	1097	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1237	1237	1237	
	vii) white glazed porcelain clay U-counter basin complete.	"	8598	8598	8598	
	ix) white glazed porcelain clay O-counter wash basin, complete.	"	14189	14189	14189	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	"	10079	10079	10079	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	"	6419	6419	6419	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	"	21165	21165	21165	
	<b>Pedestal:</b>					
	i) Porcelain clay white glaze pedestal	"	1419	1419	1419	
	ii) White glazed Porcelain clay half pedestal complete set.	"	1720	1720	1720	
	iii) First color glazed Porcelain clay half pedestal complete set.	"	2032	2032	2032	
	iv) Two piece pedestal with Basin" complete set.	"	13712	13712	13712	
	<b>Urinal Partition</b>					
	White glaze porcelain clay (68×30)cm division plate	"	1793	1793	1793	
	<b>Lab sink</b>					
	i) Porcelain clay white glaze large size	"	2289	2289	2289	
	ii) Porcelain clay white glaze small size	"	1703	1703	1703	
	iii) Porcelain clay janitor sink 58×71×43.5 size	"	28380	28380	28380	
	<b>Kitchen sink</b>					
	i) Porcelain clay large	सेट	3876	3876	3876	
	ii) Porcelain clay small	"	3511	3511	3511	
	iii) drain board white 53x45	"	1343	1343	1343	
	iv) Soap dish	"	681	681	681	
	v) White glaze foot rest	"	432	432	432	
	vi) White glaze Toilet paper holder	"	1192	1192	1192	
2	<b>PVC Cistern Set</b>					
	i) single flush	सेट	2032	2032	2032	
	ii) Deluxe single flush	"	2270	2270	2270	
	iii) Dual flush 6/3 lit. cistern complete set.	"	3055	3055	3055	
	iv) concealed cistern with plate complete set.	"	17368	17368	17368	
	v) 32 mm pvc bottel trap set.	पिस	490	490	490	
	vi) 1.5x45 cm pvc pipe connector set.	"	147	147	147	
	vi) Bakelite toilet seat cover set.	"	284	284	284	

63
   
 भक्तपुर जिल्ला प्रशासनिक कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.प्र.क. (VAT) बाहेक (र.)			वैक्यत
		२०८०/०८१	२०८१/०८२	२०८२/०८३	
3	<b>Stainless Steel Accessories etc.</b>				
	Stainless steel Deep sink 45×45×30 size	18731	18731	18731	
	Stainless steel Orissa pan LP 210 size	8741	8741	8741	
	Stainless steel wash basin model 251 12" round size with pedestal	13660	13660	13660	
	Stainless steel wash basin 500 mm model 277 with complete set	10584	10584	10584	
	Stainless steel commode S trap with self closing complete set	18081	18081	18081	
	Wall mixer (single lever) bath faucet with hand shower	15073	15073	15073	
	Bath tub (single lever )with hand shower	18985	18985	18985	
	External Shower Wall mixer (single control) bath faucet with hand shower	26537	26537	26537	
	Wall mixer (single control) bath faucet with hand shower(conceal system)	16431	16431	16431	
	Wall mixer (single control) shower faucet (conceal system)	4307	4307	4307	
	conceal mixer faucet	6649	6649	6649	
	Stainless steel Angle valve	852	852	852	
	Stainless steel two way Angle valve	1192	1192	1192	
	Stainless steel bowl 19"×16" diamond board 37" long	2753	2753	2753	
	Stainless steel bowl with diamond board 37" long	3770	3770	3770	
	Stainless steel bowl with ordinary board 37" long	2383	2383	2383	
	Stainless steel double bowl with double drain board 36" * 18 "size	14335	14335	14335	

भारत मणी थापा  
 प्रमुख जिल्ला अभियन्ता



सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल्य (VAT) बाहेक (रु.)			कीफायत
		आ.व.	२०८१/०८२	२०८२/०८३	
	Stainless steel double bowl with single drain board ordinary	भक्तपुर	5960	5960	5960
	Stainless steel p trap bottle trap for basin	"	2394	2394	2394
	Stainless steel Kitchen sink mixture	"	8660	8660	8660
	Stainless steel Kitchen sink faucet	"	5732	5732	5732
	Stainless steel Kitchen sink mixture	"	8660	8660	8660
	Stainless steel 1500mm flexible hose pipe( connection pipe)	"	1506	1506	1506
	Stainless steel Hose ringer 1200 mm	"	1312	1312	1312
	Stainless steel commode spray with hose pipe	"	1852	1852	1852
	Stainless steel basin mixer( single control)	"	7151	7151	7151
	Stainless steel single faucet for basin	"	4558	4558	4558
	Stainless steel Sink 700*450*200	"	24973	24973	24973
	Stainless steel Sink table top 1200*600*300	"	34509	34509	34509
	Steel Split clamp with washer all complete	"			
	75 mm dia	पिस	341	341	341
	110 mm dia	"	454	454	454
	160 mm dia	"	794	794	794
	Stainless steel telephonic shower	गोटा	1277	1277	1277
	Stainless steel shower with sliding bar	"	3065	3065	3065
	Stainless steel shower with sliding bar	"	10079	10079	10079
	Stainless steel bottle trap	"	666	666	666
	Stainless steel towel bar 450 mm	"	1277	1277	1277
	Stainless steel water tank fitting with all complete set (304 grade steel )				
	Capacity 500 ltr	set	12488	12488	12488
	Capacity 1000 ltr	"	18230	18230	18230
	Capacity 1500 ltr	"	28028	28028	28028
	Capacity 2000 ltr	"	33725	33725	33725
	<b>Sinks Other Types:</b>				
	<b>Super lab sink</b>				
	i) super lab sink large size	"	4442	4442	4442
	ii) super lab sink small size	"	3503	3503	3503
	<b>Super kitchen sink</b>				
	i) super kitchen sink large size	"	7689	7689	7689
	ii) super kitchen sink small size	"	6959	6959	6959
4	<b>Modern Sanitaryware</b>				
	iv) Hand Dryer	"	7379	7379	7379
	v) Flush valve	"	5903	5903	5903
	vi) Auto sensor for basin -	"	36325	36325	36325
	vii) liquid soap container stainless steel	"	6244	6244	6244
	viii) Looking Mirror 450x600mm (18"x 24")	"	1503	1503	1503
	<b>C.P. Grab Bar for disable</b>				
	a) 30cm long bend type	"	5521	5521	5521
	b) 45 cm long bend type	"	5781	5781	5781
	c) 60 cm long bend type	"	7404	7404	7404
5	<b>C.P. Accessories</b>				
	1) Toilet paper holder	"	475	475	475
	2) Soap dish	"	350	350	350
	3) Towel rod ½"×18" size	"	475	475	475
	4) Towel rod ¾" ×24" size	"	525	525	525

65
   
 मन्त्रालय, काठमाडौं
   
 प्रमुख निर्यात अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मू.प्र.क. (VAT) बाहेक (रु.)			कैफियत
		आ.ब.			
		२०८०/०८१	२०८१/०८२	२०८२/०८३	
	5) Glass shelf	650	650	650	
	6) C.P. bottle trap	1283	1283	1283	
	7) 32 mm×60cm long C.P flush pipe	525	525	525	
	8) 15 mm flush cock push type	1167	1167	1167	
	9) 15 mm dia. C.P. shower arm	1005	1005	1005	
	10) 15 mm dia. C.P. spreader	968	968	968	
	11) 15 mm dia. C.P. wall mixture	4500	4500	4500	
	i) 3" dia. Shower rose , revolving type	933	933	933	
	ii) 4" dia. Shower rose , revolving type	1051	1051	1051	
	iii) Shower rose ordinary	584	584	584	
	iv) Shower rod 12" long	291	291	291	
	C.P. 15 mm dia. Angle Valve	1281	1281	1281	
	C.P. 15 mm dia Concealed Stop Cock	1861	1861	1861	
	C.P. 15mm Bib Cock	1050	1050	1050	
	C.P. 15 mm dia swan neck Pillar Cock	1200	1200	1200	
	C.P. 15 mm dia Stop Cock	1100	1100	1100	
	C.P. 15 mm dia Sink Cock	1348	1348	1348	
	C.P. 15 mm dia Sink Mixture	4200	4200	4200	
	C.P. 32 mm dia Flush Valve	5566	5566	5566	
	C.P. 32 mm dia Waste Coupling for basin	437	437	437	
	C.P. 32 mm dia Waste Coupling for Urinal	710	710	710	
	C.P. Basin Mixture	सेट 4779	4779	4779	
	15 mm dia Bath Tub Spout with Wall Hinge	1783	1783	1783	
	C.P. Exclusive Shower Arm with Hinge	2074	2074	2074	
	15 mm bath tub spout with bottom attachment of telephonic shower	4294	4294	4294	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	7054	7054	7054	
	C.P. flexible pipe	चेटा 186	186	186	
	C.P. Grating				
	i) 4" dia.	52	52	52	
	ii) 5" dia.	64	64	64	
	i) C.P. Toilet Paper Holder	957	957	957	
	ii) C.P. Soap Dish(Polyurethane)	1073	1073	1073	
	iii) C.P. Towel Rod 18"	1625	1625	1625	
	iv) C.P. Towel Rod 24"	1713	1713	1713	
	v) C.P. Glass Shelf 22"	2328	2328	2328	
	vi) C.P. Coat Hook Double	836	836	836	
	ix) C.P. Angle Cock				
	15mm C.P. Angle Cock	955	955	955	
	15 mm C.P. Angle Cock Long Thread	1016	1016	1016	
	x) C.P. Conceal Stop Cock				
	i) 15 mm Reduced body	1170	1170	1170	
	ii) 15 mm Extra Heavy Body	1432	1432	1432	
	xi) C.P. Bib Cock				
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	2690	2690	2690	
	ii) 15mm C.P. Bib Cock	981	981	981	
	iii) 15mm C.P. Bib Cock with nozzle	1086	1086	1086	
	xii) C.P. Pillar Cock				
	i) 15 mm C.P. Pillar Cock With Aerator	1301	1301	1301	
	ii) 15mm Auto Closing Pillar Cock With Aerator	2603	2603	2603	

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*  
भक्तपुर जिल्ला आधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	भक्तपुर एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
i)	15mm C.P. Sink Cock	"	1648	1648	1648	
ii)	C.P. Sink Mixer	"	4085	4085	4085	
iii)	15 mm C.P. Sink Mixer With Revolving Spout	"	3560	3560	3560	
xv)	C.P. Bottle Trap 32mm	"	1908	1908	1908	
	32 mm C.P. Conceal Flush Valve Dual Flow	"	3990	3990	3990	
xvii)	C.P. Waste Coupling	"				
	32 mm C.P. Waste Coupling H/T	"	459	459	459	
	32 mm C.P. Waste Coupling F/T	"	459	459	459	
xviii)	15 mm Urinal Auto-Closing Valve with Built-in Control Cock	"	2775	2775	2775	
xix)	15 mm C.P. Wall Mixer	"				
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4597	4597	4597	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	"	4597	4597	4597	
xx)	C.P. Basin Mixer	"				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3817	3817	3817	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	4008	4008	4008	
xxi)	15mm Bath Tub Spout with wall flange	"				
	15mm Bath Tub Spout with wall Flange	"	1301	1301	1301	
	15mm Bath Tub Spout with button attachment	"	2082	2082	2082	
xxii)	C.P. Casted Shower Arm with Flange	"				
	15 mm Casted Shower Arm Light	"	693	693	693	
	15 mm Casted Shower Arm Heavy	"	1127	1127	1127	
xxiii)	15 mm Telephonic Hand Shower	"				
	With 1.50 m. PVC Tube	"	1845	1845	1845	
	With 1.5 Flexible Tube	"	2862	2862	2862	
xxiv)	Auto closing urinal flush valve	"				
	15mm presmatic auto closing urinal flush valve	गोटा	3321	3321	3321	
xxiv)	Other accessories	"				
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4979	4979	4979	
	15 mm Braided Hose for E.W.C.	"	307	307	307	
	15 mm Health Faucet (Commode Spray)	"	1180	1180	1180	
	15 mm pillar cock with 200 mm extended lever handle	"	1560	1560	1560	
	15 mm Bib cock with 200 mm extended lever handle	"	1646	1646	1646	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	6135	6135	6135	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5949	5949	5949	
	Sensor mixer for wash basin (Battery operated)	"	21095	21095	21095	
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	21095	21095	21095	
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16708	16708	16708	
	Sensor valve for Urinal	"	10971	10971	10971	
	Basin cock Sensor	"	14851	14851	14851	

*[Handwritten signatures]*

*[Handwritten signature]*  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	राष्ट्रिय कोड	मन्त्रालय (VAT) ब्राह्मक (रु.)			कैफियत
			२०६९/०७०	२०७१/०७२	२०७२/०७३	
	15mm U shaped sink cock	"	1763	1763	1763	
	Sink Mixture with U shape swinging spout	"	3665	3665	3665	
	15mm metallic Health Faucet (Commode Spray)	"	2236	2236	2236	
7	Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	गोटा	11578	11578	11578	
	ii) 25 lit cap. " " "	"	17851	17851	17851	
	iii) 35 lit cap " " "	"	22192	22192	22192	
	iv) 50 lit cap " " "	"	26535	26535	26535	
	iv) Gas water heater with cylinder	"	8446	8446	8446	
8	C.I. Manhole Cover including frame.					
8.1	Square Frame (in outer dia)					
	Medium Duty					
	i) 10" x 10" (4 Kg.)	सेट	689	689	689	
	ii) 12" x 12" (5 Kg.)	"	861	861	861	
	iii) 14" x 14" (7 Kg.)	"	1247	1247	1247	
	v) 16" x 16" (10 Kg.)	"	1671	1671	1671	
	vi) 18" x 18" (14 Kg.)	"	2598	2598	2598	
	viii) 20" x 20" (16 Kg.)	"	2930	2930	2930	

28 Jan  
A. G.

9/1/2077

S. K. S. B. S.

17/1/2077  
भरत मणी पाण्डे  
प्रमुख जिल्ला अधिकारी



नेपाल सरकार  
गणतन्त्र नेपाल  
जिल्ला प्रशासन कार्यालय  
भक्तपुर, काठमाडौं

सि.नं.	निर्माण सामग्रीहरूको विवरण	भत्ता/सुकाई	म.प्र.क. (VAT) बाहेक (रु.)			कैफियत
			आ.प.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	ix) 22" x 22" (20 Kg.)	"	3353	3353	3353	
	x) 24" x 24" (24 Kg.)	"	4659	4659	4659	
	xi) 27" x 27" (31 Kg.)	"	5871	5871	5871	
	<b>Heavy Duty</b>					
	iii) 14" x 14" (14 Kg.)	"	2541	2541	2541	
	ix) 22" x 22" (22 Kg.)	"	4143	4143	4143	
	xi) 27" x 27" (45 Kg.)	"	7754	7754	7754	
8.2	<b>Rounded Manhole Cover (Outer dia.)</b>					
	<b>Medium class</b>					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9365	9365	9365	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	12487	12487	12487	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	15609	15609	15609	
	iv) 22" dia. Medium class. (125 Kg.)	"	19979	19979	19979	
	v) 22" dia. Heavy class. (208Kg.)	"	29843	29843	29843	
	vi) 24" dia. Medium class. (40 Kg.)	"	6393	6393	6393	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7992	7992	7992	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	11488	11488	11488	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	13985	13985	13985	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	18480	18480	18480	
	xi) 30" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	18480	18480	18480	
8.3	<b>C.I. Tank Cover Locking Types</b>					
	<b>Round</b>					
	18" (8 Kg.)	सेट	1775	1775	1775	
	20" (12 Kg.)	"	2603	2603	2603	
	22" (14 Kg.)	"	2957	2957	2957	
	24" (16 Kg.)	"	3549	3549	3549	
	28" (24 Kg.)	"	5324	5324	5324	
	<b>Square</b>					
	18" x 18" (13 Kg.)	सेट	2957	2957	2957	
	24" x 24" (50 Kg.)	"	10649	10649	10649	

भक्तपुर जिल्ला प्रशासन कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बालेक (र.)			कीफियत
		आ.व.	२०८१/०८२	२०८२/०८३	
	<b>Rectangular</b>				
	18" x 24" (27 Kg.)	सेट	5916	5916	5916
8.4	<b>C.I. Gully Gratings &amp; Jali</b>				
	<b>Round Jali Strip Medium Duty</b>				
	4"	सेट	85	85	85
	5"	"	140	140	140
	6"	"	188	188	188
	10"	"	650	650	650
	<b>Square Jali Strip Medium Duty</b>				
	4" x 4"	सेट	94	94	94
	5" x 5"	"	118	118	118
	6" x 6"	"	142	142	142
	9" x 9"	"	413	413	413
	10" x 10"	"	533	533	533
	12" x 12"	"	768	768	768
	<b>C.I. Gully Gratings</b>				
	i) 15" x 18" Medium (18 Kg.)	सेट	3905	3905	3905
	ii) 15" x 18" Heavy (25 Kg.)	सेट	5324	5324	5324
	<b>Grit Cover</b>				
	फलामे एड्रवको फ्रेममा फलामे पतिका जाली बनाई फोत्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	171	171	171
	<b>Aluminum Grating 4" dia.</b>	गोटा	44	44	44
9	<b>G.I. Water Tank (17 Gauge)</b>				
	i) 100 gls	गोटा	8567	8567	8567
	ii) 200 gls	"	13458	13458	13458
	iii) 300 gls	"	16927	16927	16927
	iv) 400 gls	"	20322	20322	20322
	v) 500 gls	"	23727	23727	23727
	<b>G.I. Water Tank (16 BWG Sheet)</b>				
	i) 100 gls	गोटा	9036	9036	9036
	ii) 200 gls	"	13665	13665	13665
	iii) 300 gls	"	18143	18143	18143
	iv) 400 gls	"	21739	21739	21739
	v) 500 gls	"	25335	25335	25335
10	<b>Roof Top PVC Water Tank</b>				
	i) 200 lit - 5000 lit cap.	ली.	11	11	11
	ii) 5000 lit - 10,000 lit cap	"	12	12	12
	iii) Horizontal PVC water tank	"	12	12	12
11	<b>Water Pumps/Hand Pumps</b>				
	<b>Indian Mark-III, Deep Well Hand Pump</b>				
	6 No. hand pump	गोटा	1629	1629	1629
	<b>Water Pump :</b>				
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	11200	11200	11200
	ii) ½ H.P. Water Pump mono block type	"	6446	6446	6446
	iii) 1.0 H.P. water pump Multistage	"	14686	14686	14686
	iv) 1.0 H.P. water pump (mono block type)	"	9749	9749	9749
	v) 2.0 H.P. water pump	"	23265	23265	23265
	vi) 2.0 H.P. 3 phase water pump	"	24562	24562	24562
	vii) 5.0 HP 3 phase water pump	"	29516	29516	29516
	<b>Jet Water Pump</b>				
	i) 1.10 H.P.	सेट	22279	22279	22279
	ii) Double Stage jet 1.10 H.P.	"	26735	26735	26735

भक्तपुर जिल्ला अधिकारी  
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मू.अ.क. (VAT)वाहेक (र.)	आ.व.			कीफायत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	ii) 1.5 H.P.	"	30077	30077	30077	
	<b>Super Sunction</b>					
	i) ½ H.P	सेट	9190	9190	9190	
	ii) 0.75 H.P.	"	8578	8578	8578	
	iii) 1.0 H.P.	"	14704	14704	14704	
	<b>Water Pump</b>					
	i) 1.0 H.P. Single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18748	18748	18748	
	ii) 2 H.P. single pump set "	"	30110	30110	30110	
	<b>Fire pump</b>					
	<b>Submersible Pump</b>					
	i) 1.0 H.P.	"	26872	26872	26872	
	ii) 2.0 H.P.	"	49849	49849	49849	
	<b>Electric Water Pump</b>					
	i) ½ H.P	"	1754	1754	1754	
	ii) ¾ H.P.	"	2286	2286	2286	
	iii) 1.0 H.P.	"	3368	3368	3368	
	<b>Submersible Pump</b>					
	i) ½ H.P open well type	"	17155	17155	17155	
	ii) 1.1 H.P open well type	"	25120	25120	25120	
	iii) 1.5 H.P open well type	"	30633	30633	30633	
	<b>Vertical Submersible Pump</b>					
	i) 1.1 H.P	"	28072	28072	28072	
	iii) 1.5 H.P	"	33920	33920	33920	
12	विभिन्न साइजको Bath tub .fiber					
	a) Bath tub – 3'6" Medium	सेट				
	Bath tub – 3'6" Heavy	"				
	b) Bath tub – 4'0" Medium	"	6906	6906	6906	
	Bath tub – 4'0" Heavy	"	8021	8021	8021	
	c) Bath Tub – 4'6" Medium	"	8354	8354	8354	
	Bath tub – 4'6" Heavy	"	8381	8381	8381	
	d) Bath tub – 5'0" Medium	"	9134	9134	9134	
	Bath tub – 5'0" Heavy	"	30236	30236	30236	
	e) Bath Tub – 5'6" Medium	"	8196	8196	8196	
	Bath tub – 5'6" Heavy	"	9654	9654	9654	
	f) Bath Tub – 6'0" Medium	"	13261	13261	13261	
	Bath tub – 6'0" Heavy	"	37928	37928	37928	
13	Shower Tray 3'0"×3'0"	गोटा	515	515	515	
14	<b>Pipes and fittings</b>					
	<b>PPR Pipe (Poly propylene random co-polymer pipe )</b>					
	<b>1) PP-R Pipe (PN-10)</b>					
	20mm outer,1.9 mm thick, 0.107 kg/m	र.मि	49	49	49	
	25mm " 2.3 mm thick 0.164kg/m	"	75	75	75	
	32mm 2.9 mm thick 0.26kg/m	"	119	119	119	
	40mm 3.7 mm thick 0.412kg/m	"	189	189	189	
	50mm 4.6 mm thick 0.638kg/m	"	293	293	293	
	63 mm 8.6 mm thick 0.638kg/m	"	463	463	463	
	75 mm	"	646	646	646	
	90 mm	"	931	931	931	
	110 mm	"	1380	1380	1380	
	<b>2) PP-R Pipe (PN-16)</b>					
	20mm 2.80 mm thick 0.148kg/m	"	67	67	67	
	25mm 3.50 mm thick 0.26kg/m	"	103	103	103	
	32mm 3.7 mm thick 0.230kg/m	"	164	164	164	
	40mm 5.50 mm thick 0.575kg/m	"	263	263	263	

प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	गृह मन्त्रालय प्रशासनिक भक्तपुर	मु.अ.क. (VAT) बाहेक (रु.)			कीफियत
			आ.प.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	50mm 6.90 mm thick 0.896kg/m	"	411	411	411	
	63 mm 4.6 mm thick 0.638kg/m	"	646	646	646	
	75 mm	"	921	921	921	
	90 mm	"	1315	1315	1315	
	110 mm	"	1971	1971	1971	

भक्तपुर जिल्ला उभिविभागीय प्रमुख



नेपाल सरकार  
मन्त्रालय  
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल मूल्य	म.प्र.क. (VAT) महक (रु.)			कैफियत
			भा.ब.	२०८१/०८२	२०८२/०८३	
<b>3) PP-R Pipe (PN-20)</b>						
	20mm 3.4 mm thick 0.172 kg/m	"	78	78	78	
	25mm 4.20 mm thick 0.266kg/m	"	122	122	122	
	32mm 5.40 mm thick 0.434kg/m	"	199	199	199	
	40mm 6.70 mm thick 0.671kg/m	"	307	307	307	
	50mm 8.30 mm thick 1.04kg/m	"	477	477	477	
	63mm 8.6mm thick 1.04kg/m	"	757	757	757	
	75 mm	"	1073	1073	1073	
	90 mm	"	1540	1540	1540	
	110 mm	"	2296	2296	2296	
<b>PP-R Pipe Accessories :</b>						
<b>Elbow ( 90<sup>o</sup> )</b>						
	20mm	गोटा	10	10	10	
	25mm	"	20	20	20	
	32mm	गोटा	34	34	34	
	40mm	"	71	71	71	
	50mm	"	118	118	118	
	63 mm	"	209	209	209	
	75 mm	"	392	392	392	
	90 mm	"	662	662	662	
	110 mm	"	1232	1232	1232	
<b>Equal Tee</b>						
	20mm	"	14	14	14	
	25mm	"	25	25	25	
	32mm	"	42	42	42	
	40mm	"	81	81	81	
	50mm	"	138	138	138	
	63mm	"	251	251	251	
	75 mm	"	436	436	436	
	90 mm	"	798	798	798	
	110 mm	"	1385	1385	1385	
<b>Coupler</b>						
	20mm	गोटा	8	8	8	
	25mm	"	10	10	10	
	32mm	"	20	20	20	
	40mm	"	38	38	38	
	50mm	"	64	64	64	
	63 mm	"	112	112	112	
	75 mm	"	218	218	218	
	90 mm	"	322	322	322	
	110 mm	"	588	588	588	
<b>45 Degree Elbow</b>						
	20 mm	"	14	14	14	
	25 mm	"	22	22	22	
	32 mm	"	35	35	35	
	40 mm	"	64	64	64	
	50 mm	"	108	108	108	
	63 mm	"	178	178	178	
	75 mm	"	348	348	348	
	90 mm	"	588	588	588	
	110 mm	"	1027	1027	1027	
<b>Union (Plastic)</b>						
	20mm	गोटा	52	52	52	
	25mm	"	88	88	88	
	32mm	"	143	143	143	
	40mm	"	217	217	217	
	50mm	"	340	340	340	
	63mm	"	406	406	406	

73
   
 भक्तपुर जिल्ला अधिकारी





सि.नं.	निर्माण सामग्रीहरूको विवरण	मू.अ.क. (VAT) बाहेक (रु.)			कैफियत
		शा.प.	२०८१/०८२	२०८२/०८३	
	<b>"Y" type Pipe Clip</b>				
	20mm	17	17	17	
	25mm	20	20	20	
	32mm	25	25	25	
	40 mm	49	49	49	
	<b>End Plug (short)</b>				
	20mm	5	5	5	
	25mm	9	9	9	
	32mm	12	12	12	
	<b>End Plug with Ring</b>				
	20mm	20	20	20	
	<b>End Plug (long)</b>				
	20mm	8	8	8	
	<b>End Cap</b>				
	20mm	11	11	11	
	25mm	17	17	17	
	32mm	26	26	26	
	40mm	39	39	39	
	50mm	69	69	69	
	63 mm	133	133	133	
	75 mm	213	213	213	
	<b>Cross Tee</b>				
	20mm	23	23	23	
	25mm	35	35	35	
	32mm	59	59	59	
	<b>Short Passover</b>				
	20mm	67	67	67	
	25mm	96	96	96	
	32mm	149	149	149	
	<b>Long Bypass</b>				
	20mm	77	77	77	
	25mm	126	126	126	
	32mm	185	185	185	
	<b>Male Tee</b>				
	20mmx1/2"	126	126	126	
	25mmx1/2"	133	133	133	
	25mmx3/4"	159	159	159	
	32mmx1/2"	192	192	192	
	32mmx3/4"	200	200	200	
	32mmx1"	347	347	347	
	<b>Female Tee</b>				
	20mmx1/2"	102	102	102	
	25mmx1/2"	133	133	133	
	25mmx3/4"	155	155	155	
	32mmx1/2"	152	152	152	
	32mmx3/4"	179	179	179	
	32mmx1"	300	300	300	
	<b>Male elbow</b>				
	20mmx1/2"	121	121	121	
	25mmx1/2"	133	133	133	
	25mmx3/4"	163	163	163	
	32mmx1/2"	194	194	194	
	32mmx3/4"	218	218	218	
	32mmx1"	361	361	361	
	<b>Female elbow</b>				
	20mmx1/2"	99	99	99	
	25mmx1/2"	131	131	131	
	25mmx3/4"	133	133	133	

प्रमुख जिल्ला अधिकारी



क्र.नं.	निर्माण सामग्रीहरूको विवरण	नेपाल सरकार गृह निर्माण विभाग जिल्ला प्रशासन कार्यालय भक्तपुर	म.भ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व. २०८०/०८१	२०८१/०८२	२०८२/०८३	
	32mmx1/2"		178	178	178	
	32mmx3/4"		209	209	209	
	32mmx1"		293	293	293	
	<b>Male Coupling</b>					
	20mmx1/2"		118	118	118	
	20mmx3/4"		124	124	124	
	25mmx1/2"		143	143	143	
	25mmx3/4"		165	165	165	
	32mmx1/2"		149	149	149	
	32mmx3/4"		159	159	159	
	32mmx1"		319	319	319	
	40mmx1-1/4"		539	539	539	
	50mmx1-1/2"		812	812	812	
	63mmx2"		1072	1072	1072	
	75mmx2-1/2"		2664	2664	2664	
	<b>Female Coupling</b>					
	20mmx1/2"		96	96	96	
	20mmx3/4"		113	113	113	
	25mmx1/2"		126	126	126	
	25mmx3/4"		128	128	128	
	32mmx1/2"		108	108	108	
	32mmx3/4"		116	116	116	
	32mmx1"		273	273	273	
	40mmx1-1/4"		473	473	473	
	50mmx1-1/2"		613	613	613	
	63mmx2"		821	821	821	
	75mmx2-1/2"		1877	1877	1877	
	<b>Male Union</b>					
	20mmx1/2"		266	266	266	
	25mmx3/4"		382	382	382	
	32mmx1"		561	561	561	
	40mmx1 <sup>1/4</sup> "		1010	1010	1010	
	50mmx1/2"		1350	1350	1350	
	63mmx2"		3483	3483	3483	
	<b>Female Union</b>					
	20mmx1/2"		256	256	256	
	25mmx3/4"		332	332	332	
	32mmx1"		537	537	537	
	40mmx1 <sup>1/4</sup> "		740	740	740	
	50mmx1/2"		1265	1265	1265	
	63mmx2"		2307	2307	2307	
	<b>Stop Valve</b>					
	a) 20 mm		306	306	306	
	b) 25 mm		404	404	404	
	c) 32 mm		488	488	488	
	d) 40mm		522	522	522	
	e) 50 mm		870	870	870	
	f) 63 mm		1308	1308	1308	
	<b>Male base elbow</b>					
	20mm x 1/2"		138	138	138	
	25mm x 3/4"		170	170	170	
	<b>Female base elbow</b>					
	20mm x 1/2"		135	135	135	
	25mm x 1/2"		166	166	166	
	25mm x 3/4"		163	163	163	
	<b>Metal Ball valve (double)</b>					
	20mmx1/2"		566	566	566	
	25mmx3/4"		829	829	829	

76
   
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) माहक (रु.)			कीफयत
		आ.व.	२०८०/०८१	२०८१/०८२	
	32mmx1"	1024	1024	1024	
	40mmx1-1/4"	2915	2915	2915	
	50mmx1-1/2"	4005	4005	4005	
	<b>Metal Ball valve (Single)</b>				
	20mmx1/2"	522	522	522	
	25mmx3/4"	836	836	836	
	32mmx1"	1154	1154	1154	
	<b>Conceal Valve (Lux)</b>				
	20mm	977	977	977	
	<b>Conceal Valve (Nor)</b>				
	20mm	822	822	822	
	<b>Ball Valve (Plastic)</b>				
	20mm	83	83	83	
	25mm	113	113	113	
	32mm	196	196	196	
	40mm	417	417	417	
	50mm	605	605	605	
	63 mm	1024	1024	1024	
	<b>Ball Valve (Brass)</b>				
	20mm	300	300	300	
	25mm	370	370	370	
	32mm	503	503	503	
	40mm	831	831	831	
15	<b>CPVC Pipes &amp; Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846</b>				
	<b>CPVC Pipe SDR 13.5 (22.5 Kg/cm2)</b>				
	1/2" dia Rm	118	118	118	
	3/4" dia "	165	165	165	
	1" dia "	216	216	216	
	1-1/4" dia "	269	269	269	
	1-1/2" dia "	376	376	376	
	2" dia "	575	575	575	
	<b>CPVC Pipe SDR 11 (28.1 Kg/cm2)</b>				
	1/2" dia "	137	137	137	
	3/4" dia "	183	183	183	
	1" dia "	256	256	256	
	1-1/4" dia "	309	309	309	
	1-1/2" dia "	430	430	430	
	2" dia "	698	698	698	
	<b>CPVC Ball Valve (CTS Sockets)</b>				
	1/2" "	376	376	376	
	3/4" "	501	501	501	
	1" "	605	605	605	
	1-1/4" "	1412	1412	1412	
	1-1/2" "	1692	1692	1692	
	2" "	2181	2181	2181	
	<b>CPVC Reducer Brass Coupling</b>				
	3/4" X 1/2" गोट्टा	142	142	142	
	1" X 1/2" गोट्टा	186	186	186	
	<b>CPVC Tee</b>				
	1/2" गोट्टा	37	37	37	
	3/4" गोट्टा	79	79	79	

77
   
 भक्तपुर जिल्ला पाण्डे
   
 प्रमुख निस्सा अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.श.क. (VAT) बाहेक (रु.)			कैफियत
		आ.व.			
		२०८०/०८१	२०८१/०८२	२०८२/०८३	
	भन्नापुर्क	121	121	121	
	1-1/4" "	227	227	227	
	1-1/2" "	330	330	330	
	2" "	707	707	707	
	<b>CPVC Reducer Tee</b>				
	गोटा				
	1/2" x 1/2" x 3/4" "	73	73	73	
	3/4" x 3/4" x 1/2" "	110	110	110	
	3/4" x 1/2" x 3/4" "	138	138	138	
	3/4" x 1/2" x 1/2" "	158	158	158	
	1" x 1" x 3/4" "	166	166	166	
	1-1/2" x 1-1/2" x 1" "	258	258	258	
	2" x 2" x 1" "	449	449	449	
	1-1/4" x 1-1/4" x 1/2" "	146	146	146	
	1-1/4" x 1-1/4" x 1" "	158	158	158	
	2" x 2" x 1/2" "	441	441	441	
	1" x 1" x 1/2" "	103	103	103	
	<b>CPVC Brass FPT Tee</b>				
	गोटा				
	1/2" x 1/2" x 1/2" "	124	124	124	
	3/4" x 3/4" x 1/2" "	129	129	129	
	1" x 1" x 1/2" "	143	143	143	
	1-1/4" x 1-1/4" x 1-1/4" "	516	516	516	
	1-1/4" x 1-1/4" x 1/2" "	280	280	280	
	<b>CPVC Elbow 90°</b>				
	गोटा				
	1/2" "	26	26	26	
	3/4" "	54	54	54	
	1" "	98	98	98	
	1-1/4" "	185	185	185	
	1-1/2" "	275	275	275	
	2" "	590	590	590	
	<b>CPVC Reducer Elbow 90°</b>				
	3/4" X 1/2"	54	54	54	
	<b>CPVC Brass FPT Elbow 90°</b>				
	गोटा				
	1/2" x 1/2" "	86	86	86	
	3/4" x 1/2" "	100	100	100	
	3/4" x 3/4" "	114	114	114	
	1" X 1/2" "	221	221	221	
	1" X 1" "	614	614	614	
	1-1/4" x 1-1/4" "	797	797	797	
	<b>CPVC Elbow 45°</b>				
	गोटा				
	1/2" "	31	31	31	
	3/4" "	56	56	56	
	1" "	80	80	80	
	1-1/4" "	140	140	140	
	1-1/2" "	203	203	203	
	2" "	440	440	440	
	<b>CPVC Male Adapter (CPVC Threads)</b>				
	गोटा				
	1/2" "	23	23	23	
	3/4" "	40	40	40	
	1" "	61	61	61	
	1-1/4" "	109	109	109	
	1-1/2" "	153	153	153	
	2" "	299	299	299	

78
   
 भारत मुगल पाण्डे
   
 प्रमुख-जिल्सा अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
		आ.व.	२०८०/०८१	२०८१/०८२	
	CPVC Reducing Male Adapter (CPVC Threads)				

[Handwritten signatures and stamps]

भारत मण्डल प्रमुख  
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल्य (VAT) बाहेक (रु.)			कैफियत
		आ.व.	२०८१/०८२	२०८२/०८३	
	3/4" x 1/2"	42	42	42	
	<b>CPVC Male Adapters (Brass Threads)</b>				
	1/2"	212	212	212	
	3/4"	275	275	275	
	1"	434	434	434	
	1-1/4"	953	953	953	
	1-1/2"	1113	1113	1113	
	2"	2290	2290	2290	
	<b>CPVC Reducing Male Adapter (Brass Threads)</b>				
	3/4" x 1/2"	236	236	236	
	<b>CPVC Female Adapter (CPVC Threads)</b>				
	1/2"	32	32	32	
	3/4"	53	53	53	
	1"	79	79	79	
	<b>CPVC Female Adapters Brass Threads</b>	गोटा			
	1/2"	204	204	204	
	3/4"	277	277	277	
	1"	360	360	360	
	1-1/4"	945	945	945	
	1-1/2"	1050	1050	1050	
	2"	2054	2054	2054	
	<b>CPVC Caps</b>				
	1/2"	13	13	13	
	3/4"	25	25	25	
	1"	38	38	38	
	1-1/4"	74	74	74	
	1-1/2"	109	109	109	
	2"	232	232	232	
	<b>CPVC Union</b>				
	1/2"	279	279	279	
	3/4"	410	410	410	
	1"	485	485	485	
	1-1/4"	888	888	888	
	1-1/2"	971	971	971	
	2"	1393	1393	1393	
	<b>CPVC Cross Tee</b>				
	1/2"	51	51	51	
	3/4"	109	109	109	
	<b>CPVC Step Over Bend</b>				
	1/2"	65	65	65	
	3/4"	107	107	107	

प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	नेपाल एकाईटि जातिना प्रस्ताव नं. २०८०/०८१			वैफियत
		भारत क. (VAT) माहक (र.)	आ.ब.	२०८१/०८२	
	<b>CPVC Ball Valve (CTS Sockets)</b>				
	1/2" "	681	681	681	
	3/4" "	829	829	829	
	1" "	949	949	949	
	1-1/4" "	1935	1935	1935	
	1-1/2" "	2462	2462	2462	
	2" "	3167	3167	3167	
	<b>CPVC Flow Guard Adhesive Solution</b>				
	50ML "	205	205	205	
	118ML "	339	339	339	
	237ML "	549	549	549	
	473ML "	863	863	863	
	946ML "	1515	1515	1515	
	<b>Plastic Strap</b>				
	1/2" "	5	5	5	
	3/4" "	6	6	6	
	1" "	8	8	8	
	1-1/4" "	12	12	12	
	1-1/2" "	15	15	15	
	2" "	19	19	19	
	<b>Metal Strap</b>				
	1/2" "	13	13	13	
	3/4" "	17	17	17	
	1" "	21	21	21	
	1-1/4" "	25	25	25	
	1-1/2" "	28	28	28	
	2" "	30	30	30	
	<b>Tee Holder</b>				
	1/2" X 1/2" X 1/2" "	6	6	6	
	3/4" X 3/4" X 1/2" "	8	8	8	
	<b>Elbow Holder</b>				
	1/2" X 1/2" "	6	6	6	
	1/2" X 3/4" "	7	7	7	
	<b>Snap Fix Repair Coupling</b>				
	1/2" "	236	236	236	
	3/4" "	256	256	256	
	<b>End plug threaded 1/2"</b>	12	12	12	
16	<b>MS SEAMLESS PIPES</b>				
	<b>-PIPES: ASTM-A-106 Gr.'B'/SA-106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239</b>				
	<b>MS PIPE SEAMLESS SIZE OD (MM)</b>				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	466	466	466	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	558	558	558	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	700	700	700	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	864	864	864	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	989	989	989	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	1270	1270	1270	
	73mm OD 3" SCH.40, 5.16 .mm thickness	1952	1952	1952	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	2555	2555	2555	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	3301	3301	3301	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	3637	3637	3637	

Handwritten signatures and dates: 81, 19/10/20

भारत मणी सिपके  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.व.क. (VAT) बाहेक (रु.)			कैफियत
			सन् २०८०/०८१			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4925	4925	4925	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	6393	6393	6393	
17	<b>ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)</b>					
	Single Socket (R/R)	Mtr	465	465	465	
	Single Socket (R/R)	"	863	863	863	
	Single Socket (R/R)	"	930	930	930	
	Single Socket Self Fit	"	1199	1199	1199	
	Single Socket Self Fit	"	1466	1466	1466	
	Single Socket Self Fit	"	2015	2015	2015	
	Single Socket Self Fit	"	2371	2371	2371	
	Single Socket Self Fit	"	3167	3167	3167	
	Single Socket Self Fit	"	3774	3774	3774	
	Long Radius Bend - 45 Degree	Pc	1227	1227	1227	
	Long Radius Bend - 45 Degree	"	2240	2240	2240	
	Long Radius Bend - 45 Degree	"	4044	4044	4044	
	Long Radius Bend - 45 Degree	"	7841	7841	7841	
	Long Radius Bend - 60 Degree	"	1351	1351	1351	
	Long Radius Bend - 60 Degree	"	2477	2477	2477	
	Long Radius Bend - 60 Degree	"	4543	4543	4543	
	Long Radius Bend - 60 Degree	"	8603	8603	8603	
	Long Radius Bend - 90 Degree	"	663	663	663	
	Long Radius Bend - 90 Degree	"	1601	1601	1601	
	Long Radius Bend - 90 Degree	"	2953	2953	2953	
	Long Radius Bend - 90 Degree	"	5522	5522	5522	
	Long Radius Bend - 90 Degree	"	10174	10174	10174	
	Fab. Coupler	"	191	191	191	
	Fab. Coupler	"	457	457	457	
	Fab. Coupler	"	985	985	985	
	Fab. Coupler	"	1926	1926	1926	
	Fab. Coupler	"	3543	3543	3543	
	End Cap	"	408	408	408	
	End Cap	"	671	671	671	
	End Cap	"	1071	1071	1071	
	End Cap	"	1564	1564	1564	
	Equal Tee	"	11673	11673	11673	
	Equal Tee	"	6718	6718	6718	
	Equal Tee	"	3729	3729	3729	
	Gully Trap with grating	"	1090	1090	1090	
	Rodding Point	"	646	646	646	
	Adjustable Bend 7 Degree to 37.5 Degree	"	689	689	689	
	Adjustable Bend 7 Degree to 87.5 Degree	"	945	945	945	
	Inspection Chamber Body	"	3399	3399	3399	
	Inspection Chamber Riser	"	1688	1688	1688	
	Inspection Chamber Lid with Cover	"	3205	3205	3205	
	Inspection Chamber Body	"	9385	9385	9385	
	Inspection Chamber Riser	"	2984	2984	2984	
	Inspection Chamber Lid with Cover	"	4980	4980	4980	
	Concealled Cisterns 9cm	"	7654	7654	7654	
	Concealled Cisterns Kombo fix 8cm	"	9376	9376	9376	
	Dual Flush Actuator Plate Shiny Chrome	"	3755	3755	3755	

82
   
 भद्रम सरोजिनीवापडे
   
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
		आ.व.			
		२०८०/०८१	२०८१/०८२	२०८२/०८३	
	Concealed Cisterns 12cm	9415	9415	9415	
	Dual Flush Actuator Plate Shiny Chrome	3755	3755	3755	
	Traps for Wash Basins	1035	1035	1035	
	Sensor for Urinal 9V DC	26537	26537	26537	
	Sensor for Urinal 230V AC	26537	26537	26537	
	control box for urinal sensor	7290	7290	7290	
	Sensor Faucet Cold / Mixed water 6V DC	33124	33124	33124	
	Sensor Faucet Cold / Mixed water 230V AC	33124	33124	33124	
18	<b>PVC Lead Free White Pipes SCHEDULE 40</b>				
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564				
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.			
	1/2" dia. (42.19 Kg/cm2)	118	118	118	
	3/4" dia. (33.75 Kg/cm2)	151	151	151	
	1" dia. (31.64 Kg/cm2)	233	233	233	
	1-1/4" dia. (26.01 Kg/cm2)	287	287	287	
	1-1/2" dia. (23.20 Kg/cm2)	352	352	352	
	2" dia. (19.69 Kg/cm2)	500	500	500	
	2-1/2" dia. (21.09 Kg/cm2)	698	698	698	
	3" dia. (18.28 Kg/cm2)	882	882	882	
	4" dia. (15.47 Kg/cm2)	1294	1294	1294	
	6" dia. (12.66 Kg/cm2)	2695	2695	2695	
	<b>PVC Tee - Soc</b>	गोटा			
	1/2"	32	32	32	
	3/4"	45	45	45	
	1"	71	71	71	
	1-1/4"	112	112	112	
	1-1/2"	147	147	147	
	2"	227	227	227	
	2-1/2"	652	652	652	
	3"	856	856	856	
	4"	1548	1548	1548	
	6"	8586	8586	8586	
	<b>PVC Reducer Tee - Soc</b>	गोटा			
	3/4 x 1/2	65	65	65	
	1 x 1/2	100	100	100	
	1 x 3/4	100	100	100	
	1-1/2 X 1/2	339	339	339	
	1-1/2 X 3/4	339	339	339	
	1-1/2 X 1	339	339	339	
	1-1/2 X 1-1/4	339	339	339	
	2 X 1/2	418	418	418	
	2 X 3/4	418	418	418	
	2 X 1	418	418	418	
	2 X 1-1/4	418	418	418	
	2 X 1-1/2	418	418	418	
	2-1/2 X 1/2	1074	1074	1074	
	2-1/2 X 3/4	1074	1074	1074	
	2-1/2 X 1	1074	1074	1074	

83
   
 भारत प्रवासी पाण्डे
   
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.प्र.क. (VAT) माहक (रु.)			कीफियत
		आ.ब.	२०८१/०८२	२०८२/०८३	
	2-1/2 X 1-1/4	गोटा	1074	1074	
	2-1/2 X 1-1/2	"	1074	1074	
	2-1/2 X 2	"	1074	1074	
	3 X 1/2	"	1568	1568	
	3 X 3/4	"	1568	1568	
	3 X 1	"	1568	1568	
	3 X 1-1/4	"	1568	1568	
	3 X 1-1/2	"	1568	1568	
	3 X 2	"	1568	1568	
	3 X 2-1/2	"	1568	1568	
	6 X 1-1/4	"	8248	8248	
	6 X 1-1/2	"	8248	8248	
	6 X 2	"	8248	8248	
	6 X 2-1/2	"	8248	8248	
	6 X 3	"	8248	8248	
	6 X 4	"	8248	8248	
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा			
	1/2"	"	166	166	
	3/4"	"	300	300	
	3/4" X 1/2"	"	244	244	
	1" X 1/2"	"	433	433	
	PVC 90° Elbow - Soc	गोटा			
	1/2"	"	27	27	
	3/4"	"	31	31	
	1"	"	55	55	
	1-1/4"	"	95	95	
	1-1/2"	"	112	112	
	2"	"	172	172	
	2-1/2"	"	511	511	
	3"	"	612	612	
	4"	"	1252	1252	
	6"	"	5275	5275	
	PVC Brass 90° Elbow Soc x Fipt SCH 80	गोटा			
	1/2"	"	178	178	
	3/4"	"	249	249	
	3/4" X 1/2"	"	258	258	
	PVC 45° Elbow - Soc	गोटा			
	1/2"	"	57	57	
	3/4"	"	88	88	
	1"	"	105	105	
	1-1/4"	"	147	147	
	1-1/2"	"	185	185	
	2"	"	241	241	
	2-1/2"	"	689	689	
	3"	"	1071	1071	
	4"	"	1922	1922	
	6"	"	5289	5289	
	PVC Coupling - Soc	गोटा			
	1/2"	"	18	18	
	3/4"	"	27	27	
	1"	"	43	43	
	1-1/4"	"	57	57	

84
   
 भारत/अवधि/माह/
   
 प्रमुख/अवधि/अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.प्र.क. (VAT) (प्रतिशत)			कैफियत
			आ.म.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	1-1/2"	"	78	78	78	
	2"	"	121	121	121	
	2-1/2"	"	254	254	254	
	3"	"	398	398	398	
	4"	"	622	622	622	
	6"	"	2493	2493	2493	
	<b>PVC Reducer Coupling - Soc</b>	गोटा				
	3/4 X 1/2	"	44	44	44	
	1 X 3/4	"	75	75	75	
	1-1/2 X 1-1/4	"	134	134	134	
	2 X 1-1/2	"	214	214	214	
	4 X 2	"	1434	1434	1434	
	4 X 3	"	1434	1434	1434	
	6 X 4	"	2982	2982	2982	
	<b>PVC Reducer Bushing - (Flush Style)</b>	गोटा				
	3/4 X 1/2	"	36	36	36	
	1 X 1/2	"	51	51	51	
	1 X 3/4	"	51	51	51	
	1-1/4 X 1/2	"	88	88	88	
	1-1/4 X 3/4	"	88	88	88	
	1-1/4 X 1	"	88	88	88	
	1-1/2 X 1/2	"	93	93	93	
	1-1/2 X 3/4	"	93	93	93	
	1-1/2 X 1	"	93	93	93	
	1-1/2 X 1-1/4	"	93	93	93	
	2 X 1/2	"	170	170	170	
	2 X 3/4	"	170	170	170	
	2 X 1	"	170	170	170	
	2 X 1-1/4	"	170	170	170	
	2 X 1-1/2	"	170	170	170	
	2-1/2 X 1-1/4	"	239	239	239	
	2-1/2 X 1-1/2	"	239	239	239	
	2-1/2 X 2	"	239	239	239	
	3 X 1-1/2	"	354	354	354	
	3 X 2	"	354	354	354	
	3 X 2-1/2	"	354	354	354	
	4 X 2	"	696	696	696	
	4 X 3	"	696	696	696	
	6 X 2	"	2339	2339	2339	
	6 X 3	"	2339	2339	2339	
	6 X 4	"	2339	2339	2339	
	<b>PVC Cap - Soc</b>	गोटा				
	1/2"	"	25	25	25	
	3/4"	"	31	31	31	
	1"	"	44	44	44	
	1-1/4"	"	62	62	62	
	1-1/2"	"	68	68	68	
	2"	"	82	82	82	
	2-1/2"	"	261	261	261	
	3"	"	286	286	286	
	4"	"	652	652	652	

*[Handwritten signatures and notes]*

*[Handwritten signature and stamp]*  
भक्तपुर जिल्ला प्रशासन कार्यालय



नेपाल सरकार  
भक्तपुर जिल्ला प्रशासनिक कार्यालय  
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	मि.म.	म.प्र.क. (VAT) बाहेक (रु.)			कैफियत	
			आ.व.	२०८०/०८१	२०८१/०८२		२०८२/०८३
		6"	गोटा	2573	2573	2573	
	PVC Union - Soc With EPDM O-Ring Seal		गोटा				
		1/2"	"	261	261	261	
		3/4"	"	299	299	299	
		1"	"	307	307	307	
		1-1/4"	"	989	989	989	
		1-1/2"	"	1031	1031	1031	
		2"	"	1391	1391	1391	
		2-1/2"	"	1946	1946	1946	
		3"	"	3108	3108	3108	
		4"	"	4303	4303	4303	
	PVC Male Adaptor - Soc x MBSP		गोटा				
		1/2"	"	47	47	47	
		3/4"	"	56	56	56	
		1"	"	73	73	73	
		1-1/4"	"	90	90	90	
		1-1/2"	"	124	124	124	
		2"	"	160	160	160	
		2-1/2"	"	562	562	562	
		3"	"	667	667	667	
		4"	"	1056	1056	1056	
		6"	"	2430	2430	2430	
	PVC Brass Male Adapter - Soc x Mipt SCH 80		गोटा				
		1/2"	"	270	270	270	
		3/4"	"	361	361	361	
		1"	"	542	542	542	
	PVC Female Adaptor - Soc x FBSP		गोटा				
		1/2"	"	61	61	61	
		3/4"	"	63	63	63	
		1"	"	66	66	66	
		1-1/4"	"	171	171	171	
		1-1/2"	"	252	252	252	
		2"	"	245	245	245	
	PVC Brass Female Adapter - Soc x Fipt SCH 80		गोटा				
		1/2"	"	226	226	226	
		3/4"	"	321	321	321	
		1"	"	411	411	411	
	PVC Ball Valve - Soc		गोटा				
		1/2"	"	908	908	908	
		3/4"	"	1079	1079	1079	
		1"	"	1510	1510	1510	
		1-1/4"	"	2044	2044	2044	
		1-1/2"	"	3118	3118	3118	
		2"	"	3943	3943	3943	
		2-1/2"	"	6513	6513	6513	
		3"	"	10318	10318	10318	
		4"	"	17052	17052	17052	
		6"	"	37040	37040	37040	
	PVC Adhesive Solution (Med. Bonded 705)		गोटा				
		118ML	"	315	315	315	
		237ML	"	452	452	452	
		473ML	"	819	819	819	

86
   
 भक्तपुर जिल्ला प्रशासनिक कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	नेपाल सरकार गृह मन्त्रालय जिल्ला प्रशासन कार्यालय भक्तपुर	म.व.क. (VAT) माहक (रु.)			कीफायत
			आ.व. २०८०/०८१	२०८१/०८२	२०८२/०८३	
			1347	1347	1347	
	<b>PVC Adhesive Solution (Heavy Bonded 717)</b>					
	118ML	"	507	507	507	
	237ML	"	668	668	668	
	473ML	"	1172	1172	1172	
	946ML	"	2028	2028	2028	
<b>19</b>	<b>Rainwater Collection System</b>					
	<b>140 mm Dia.</b>					
	<b>ROOF WATER PIPES (HALF ROUND)</b> To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	164	164	164	
	<b>JOINT BRACKET</b> To connect two lengths of roof water	Pc.	264	264	264	
	<b>RUNNING OUTLET</b> To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	362	362	362	
	<b>90° ELBOW (without outlet)</b> To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	445	445	445	
	<b>90° ELBOW (with outlet)</b> To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	445	445	445	
	<b>SHORT STOP END</b> To close the end of roof water pipe line.	Pc.	98	98	98	
	<b>STOP END OUTLET</b> To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	314	314	314	
	<b>SUPPORT BRACKET</b> To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	79	79	79	
	<b>TOP BRACKET</b> To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	52	52	52	
	<b>CLAMP</b> To ensure perfect fixing between pipe and fittings.	Pc.	32	32	32	
	<b>RAFTER BRACKETS (TOP/SIDE)</b> To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	80	80	80	
	<b>RUBBER GASKET</b> To provide leak proof joints.	Pc.	31	31	31	
	<b>75 mm dia.</b>					
	<b>PIPE CLIP</b> To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	65	65	65	
	<b>RUBBER SEALS</b> To ensure, leak proof joint of single socket elbow.	Pc.	39	39	39	

87
   
 भारत सरकार  
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (र.)	आ.प.			वैक्यत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	130	130	130	
	180 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	311	311	311	
	JOINT BRACKET To connect two lengths of roof water	Pc.	369	369	369	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	533	533	533	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	610	610	610	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	610	610	610	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	145	145	145	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	437	437	437	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	111	111	111	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	94	94	94	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	53	53	53	

भारत मण्डल प्रमुख जिल्ला अधिकारी





सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मू.क. (VAT) बाहेक (र.)			कीफियत
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	<b>RAFTER BRACKETS (TOP/SIDE)</b> To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	327	327	327	
	<b>RUBBER GASKET</b> To provide leak proof joints.	Pc.	171	171	171	
	<b>160 mm dia.</b>					
	<b>PIPE CLIP</b> To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	84	84	84	
	<b>RUBBER SEALS</b> To ensure, leak proof joint of single socket elbow.	Pc.	197	197	197	
	<b>SINGLE SOCKET ELBOW</b> To join the roof water outlet with down line pipe.	Pc.	451	451	451	
	<b>ASTRAL "DWV" UPVC DRAIN, WASTE &amp; VENT SYSTEM</b>					
	<b>ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY</b>					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	254	254	254	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	451	451	451	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	270	270	270	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	484	484	484	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	461	461	461	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	693	693	693	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	487	487	487	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	717	717	717	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	988	988	988	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1232	1232	1232	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1052	1052	1052	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1391	1391	1391	
	<b>FITTINGS (ABOVE GROUND) GREY</b>					
	DWV Bend 45 Degree 75 mm size	pcs	144	144	144	
	DWV Bend 87.5 Degree	"	183	183	183	
	DWV Bend 87.5 Degree with Door	"	84	84	84	
	DWV Socket Plug	"	195	195	195	
	DWV Cleansing Pipe	"	117	117	117	
	DWV Coupler	"	208	208	208	
	DWV Single Tee	"	228	228	228	
	DWV Single Tee with Door	"	360	360	360	
	DWV Cross Tee	"	506	506	506	
	DWV Cross Tee with Door	"	372	372	372	
	DWV Double 'Y'	"	496	496	496	
	DWV Double 'Y' with Door	"	232	232	232	
	DWV Single 'Y'	"	297	297	297	
	DWV Single 'Y' with Door	"	12	12	12	
	DWV Pipe Clip	"	25	25	25	

*Handwritten signature and notes at the bottom left of the page.*

*Handwritten signatures and official stamps at the bottom right of the page.*



क्र.नं.	निर्माण सामग्रीहरूको विवरण	मूल्य (VAT) बाहेक (रु.)			कैफियत
		नेपाल सरकार एकिकृत निकाय जिल्ला प्रशासन कार्यालय	२०८१/०८२	२०८२/०८३	
	DWV Vent Cowel	"	237	237	
	DWV Bend 45 Degree 110mm size	"	291	291	
	DWV Bend 87.5 Degree	"	332	332	
	DWV Bend 87.5 Degree with Door	"	106	106	
	DWV Socket Plug	"	381	381	
	DWV Cleansing Pipe	"	212	212	
	DWV Coupler	"	705	705	
	DWV Double 'Y'	"	832	832	
	DWV Double 'Y' with Door	"	583	583	
	DWV Cross Tee	"	661	661	
	DWV Cross Tee with Door	"	381	381	
	DWV Single Tee	"	450	450	
	DWV Single Tee with Door	"	467	467	
	DWV Single 'Y'	"	489	489	
	DWV Single 'Y' with Door	"	48	48	
	DWV Vent Cowel	"	166	166	
	DWV Reducer 110*75 mm	"	37	37	
	DWV Pipe Clip 110mm size	"	449	449	
	DWV W.C. Connectore (Straight type)	"	359	359	
	DWV W.C. Connectore (Bend type)	"	179	179	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	24	24	
	DWV Nahani Trap Jali	"	555	555	
	DWV P-Trap with Leap Ring 10*110 mm	"	796	796	
	DWV P-Trap with Leap Ring 25*110 mm	"	239	239	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	484	484	
	DWV Reducer 60*110 mm	"	463	463	
	DWV Coupler 160mm size	"	1109	1109	
	DWV Single Tee	"	1192	1192	
	DWV Single Tee with Door	"	2076	2076	
	DWV Single 'Y'	"	2181	2181	
	DWV Single 'Y' with Door	"	764	764	
	DWV Bend 87.5 Degree	"	1018	1018	
	DWV Bend 87.5 Degree with Door	"	890	890	
	<b>FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>				
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	602	602	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	624	624	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	649	649	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	611	611	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	622	622	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1110	1110	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1153	1153	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1198	1198	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1129	1129	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1149	1149	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1739	1739	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1769	1769	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1799	1799	

91
   
 भक्तपुर जिल्ला प्रशासन कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	अ.क. (VAT) बाहेक (रु.)			कीफियत
		एकाई	२०८१/०८२	२०८२/०८३	
	FOAMCORE Plain Both End (3mtrs length) SN-4	प्रमाणित	2885	2885	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2935	2935	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2986	2986	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3820	3820	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3886	3886	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3953	3953	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4720	4720	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4803	4803	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4885	4885	
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	601	601	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	616	616	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	631	631	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	612	612	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	623	623	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1109	1109	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1142	1142	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1174	1174	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1130	1130	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1149	1149	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1739	1739	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1769	1769	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1800	1800	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2885	2885	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2935	2935	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2985	2985	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3820	3820	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3886	3886	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3953	3953	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4720	4720	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4803	4803	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4885	4885	
	<b>ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>				
	DWV Coupler SN-8 110mm	per pc	303	303	303
	DWV Coupler SN-4 160 mm	"	729	729	729
	DWV Coupler SN-4 200 mm	"	1491	1491	1491

92
   
 भारत प्रकी माण्डे
   
 प्रमुख जिल्ला समधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बहिष्क (र.)			कैफियत
		भा.ब.	२०८१/०८२	२०८२/०८३	
	DWV Coupler SN-4 250 mm		2778	2778	2778
	DWV Coupler SN-2 315mm		4468	4468	4468
	DWV Coupler SN-4 315 mm		4878	4878	4878
	DWV Long Radius Bend - 90 Degree SN-8 110mm		1031	1031	1031
	DWV Long Radius Bend - 90 Degree SN-4 160 mm		2870	2870	2870
	DWV Long Radius Bend - 90 Degree SN-4 200mm		5361	5361	5361
	DWV Long Radius Bend - 90 Degree SN-4 250 mm		12018	12018	12018
	DWV Long Radius Bend - 90 Degree SN-4 315 mm		28536	28536	28536
<b>21</b>	<b>Multilayer Composite Pipe</b>				
	<b>Cold Water Pipe (White)</b>				
	12-16 mm 1/2"	Rm	104	104	104
	14-18 mm 1/2"	"	114	114	114
	16-20 mm 1/2"	"	122	122	122
	20-25 mm 3/4"	"	186	186	186
	26-32 mm 1"	"	290	290	290
	32-40 mm 1 1/4"	"	459	459	459
	41-50 mm 1 1/2"	"	673	673	673
	<b>Hot Water Pipe (Orange)</b>				
	12-16 mm 1/2"	Rm	114	114	114
	14-18 mm 1/2"	"	126	126	126
	16-20 mm 1/2"	"	145	145	145
	20-25 mm 3/4"	"	214	214	214
	26-32 mm 1"	"	311	311	311
	32-40 mm 1 1/4"	"	479	479	479
	<b>Gas Lines Pipe (Yellow)</b>				
	12-16 mm 1/2"	Rm	90	90	90
	14-18 mm 1/2"	"	90	90	90
	<b>MULTILAYER COMPOSITE Fittings</b>				
	<b>a. Equal Straight Union</b>				
	1/2"ø (16mm ø)	गोटा	137	137	137
	1/2"ø (18mm ø)	"	145	145	145
	1/2"ø (20mm ø)	"	159	159	159
	3/4"ø (25 mm ø)	"	232	232	232
	1"ø (32 mm ø)	"	362	362	362
	1 1/4"ø (40 mm ø)	"	1335	1335	1335
	1 1/2"ø (50 mm ø)	"	2016	2016	2016
	<b>b. Unequal Straight Union</b>				
	25 - 16 mm ø	"	260	260	260
	25 - 18 mm ø	"	269	269	269
	25 - 20 mm ø	"	283	283	283
	32 - 16 mm ø	"	348	348	348
	32 - 18 mm ø	"	366	366	366
	32 - 20 mm ø	"	394	394	394
	32 - 25 mm ø	"	422	422	422
	40 - 32 mm ø	"	1154	1154	1154
	50 - 20 mm ø	"	1683	1683	1683
	50 - 32 mm ø	"	2016	2016	2016
	50 - 40 mm ø	"	1900	1900	1900
	<b>c. Male Union</b>				
	16mm x 1/2"M	गोटा	97	97	97
	18mm x 1/2"M	"	113	113	113
	20mm x 1/2"M	"	130	130	130

*[Handwritten signatures and marks]*

*[Handwritten signature]*  
 नयाँ बाणेश्वर पाण्डे  
 प्रमुख जिल्ला/अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	सुध.क. (VAT) बाहेक (र.)			कीममत
			२०८१/०८२	२०८२/०८३	२०८२/०८३	
	25mm x 1/2"M	"	158	158	158	
	25mm x 3/4"M	"	199	199	199	
	25mm x 1"M	"	255	255	255	
	32mm x 3/4"M	"	292	292	292	
	32mm x 1"M	"	320	320	320	
	32mm x 1 1/2"M	"	324	324	324	
	40mm x 1"M	"	1024	1024	1024	
	40mm x 1 1/2"M	"	1060	1060	1060	
	50mm x 1"M	"	1610	1610	1610	
	50mm x 1 1/4"M	"	1638	1638	1638	
	50mm x 1 1/2"M	"	2225	2225	2225	
	50mm x 2"M	"	1671	1671	1671	
<b>d. Female Straight Union</b>						
	16mm x 1/2"F	गोटा	107	107	107	
	18mm x 1/2"F	"	116	116	116	
	20mm x 1/2"F	"	126	126	126	
	25mm x 1/2"F	"	167	167	167	
	25mm x 3/4"F	"	199	199	199	
	25mm x 1"F	"	204	204	204	
	32mm x 1/2"F	"	209	209	209	
	32mm x 3/4"F	"	213	213	213	
	32mm x 1"F	"	301	301	301	
	40mm x 1 1/2"F	"	1203	1203	1203	
	50mm x 1 1/4"F	"	1622	1622	1622	
	50mm x 1 1/2"F	"	2225	2225	2225	
	50mm x 2"F	"	1687	1687	1687	
<b>e. Equal Elbow</b>						
	1/2"ø (16mm ø)	गोटा	130	130	130	
	1/2"ø (18mm ø)	"	158	158	158	
	1/2"ø (20mm ø)	"	213	213	213	
	3/4"ø (25 mm ø)	"	324	324	324	
	1"ø (32 mm ø)	"	524	524	524	
	1 1/4"ø (40 mm ø)	"	1706	1706	1706	
	1 1/2"ø (50 mm ø)	"	2642	2642	2642	
<b>f. Unequal Elbow</b>						
	40 - 32 mm ø	"	1891	1891	1891	
	50 - 20 mm ø	"	2178	2178	2178	
	50 - 40 mm ø	"	2220	2220	2220	
<b>g. Female Elbow</b>						
	16mm x 1/2"F	गोटा	171	171	171	
	18mm x 1/2"F	"	190	190	190	
	20mm x 1/2"F	"	209	209	209	
	25mm x 1/2"F	"	232	232	232	
	25mm x 3/4"F	"	287	287	287	
	25mm x 1"F	"	315	315	315	
	32mm x 3/4"F	"	339	339	339	
	32mm x 1"F	"	422	422	422	
	50mm x 1 1/4"F	"	2178	2178	2178	
<b>h. Male Elbow</b>						
	25mm x 3/4"M	"	232	232	232	
	25mm x 1"M	"	301	301	301	
	32mm x 3/4"M	"	228	228	228	
	32mm x 1"M	"	385	385	385	
	40mm x 1"M	"	1251	1251	1251	
	50mm x 1"M	"	1784	1784	1784	
<b>i. Equal Tee</b>						
	1/2"ø (16mm ø)	गोटा	232	232	232	
	1/2"ø (18mm ø)	"	260	260	260	

*Handwritten signatures and notes in Nepali script.*

*Handwritten signatures and notes in Nepali script.*

भक्तपुर जिल्ला पाण्डे  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	भक्तपुर विकास क्षेत्र (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	½"ø (20mm ø)	"	324	324	324	
	¾"ø (25 mm ø)	"	468	468	468	
	1"ø (32 mm ø)	"	732	732	732	
	1¼"ø (40 mm ø)	"	2737	2737	2737	
	1½"ø (50 mm ø)	"	4000	4000	4000	
<b>j. Unequal Tee</b>						
	20 mm x 16 mm x 20 mm	"	209	209	209	
	20 mm x 18 mm x 20 mm	"	232	232	232	
	25 mm x 16 mm x 25 mm	"	348	348	348	
	25 mm x 18 mm x 25 mm	"	394	394	394	
	25 mm x 20 mm x 25 mm	"	408	408	408	
	32 mm x 16 mm x 32 mm	"	672	672	672	
	32 mm x 18 mm x 32 mm	"	695	695	695	
	32 mm x 20 mm x 32 mm	"	723	723	723	
	32 mm x 25 mm x 32 mm	"	742	742	742	
	40 mm x 32 mm x 32 mm	"	2025	2025	2025	
	40 mm x 32 mm x 40 mm	"	2346	2346	2346	
	50 mm x 20 mm x 50 mm	"	3198	3198	3198	
	50 mm x 32 mm x 32 mm	"	2108	2108	2108	
	50 mm x 32 mm x 50 mm	"	3231	3231	3231	
	50 mm x 40 mm x 40 mm	"	3242	3242	3242	
	50 mm x 40 mm x 50 mm	"	3702	3702	3702	
<b>k. Female Tee</b>						
	16mm x ½"F x 16mm	गोटा	232	232	232	
	18mm x ½"F x 18mm	"	241	241	241	
	20mm x ½"F x 20mm	"	260	260	260	
	25mm x ½"F x 25mm	"	244	244	244	
	25mm x ¾"F x 25mm	"	269	269	269	
	25mm x 1"F x 25mm	"	349	349	349	
	32mm x ½"F x 32mm	"	375	375	375	
	32mm x ¾"F x 32mm	"	385	385	385	
	32mm x 1"F x 32mm	"	522	522	522	
	40mm x ¾"F x 32mm	"	1541	1541	1541	
	50mm x ¾"F x 40mm	"	2286	2286	2286	
<b>l. Equal Ball Valve Union</b>						
	½"ø (16mm ø)	गोटा	270	270	270	
	½"ø (18mm ø)	"	299	299	299	
	½"ø (20mm ø)	"	394	394	394	
	¾"ø (25 mm ø)	"	654	654	654	
	1"ø (32 mm ø)	"	908	908	908	
	1¼"ø (40 mm ø)	"	2968	2968	2968	
	1½"ø (50 mm ø)	"	4284	4284	4284	
<b>m. Female Ball Valve Union</b>						
	16mm x ½"F	गोटा	251	251	251	
	18mm x ½"F	"	288	288	288	
	20mm x ½"F	"	323	323	323	
	20mm x ¾"F	"	362	362	362	
	25mm x ¾"F	"	672	672	672	
	25mm x 1"F	"	686	686	686	
	32mm x 1"F	"	723	723	723	
<b>n. Plug</b>						
	1¼"ø (40 mm ø)	"	1483	1483	1483	
	1½"ø (50 mm ø)	"	2039	2039	2039	
<b>p. Wall Plated Female Elbow</b>						
	16mm x ½"F	गोटा	195	195	195	
	18mm x ½"F	"	213	213	213	
	20mm x ½"F	"	232	232	232	
<b>q. Nipple</b>						

95
   
 भक्तपुर जिल्ला प्रमुख
   
 प्रमुख जिल्ला अधिकारी



नेपाल सरकार

भक्तपुर जिल्ला अ.क. (VAT) बाहेक (र.)  
आ.घ.  
२०८१/०८२ २०८२/०८३

सि.नं.	निर्माण सामग्रीहरूको विवरण	यु.मि	भक्तपुर जिल्ला अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.घ.	२०८१/०८२	२०८२/०८३	
	N 1/2F*1/2F	गोटा	50	50	50	
	N 1/2M*1/2M	"	50	50	50	
	N 3/4F*1/2F	"	70	70	70	
	N 1F*1/2F	"	80	80	80	
	N 1F*3/4F	"	90	90	90	
	N 3/4M*1/2M	"	70	70	70	
	N 1M*1/2M	"	80	80	80	
	N 1M*3/4M	"	90	90	90	
	N 1/2F*1/2M	"	60	60	60	
	N 1/2F*3/4M	"	70	70	70	
	N 1/2F*1M	"	110	110	110	
	N 1/2M*3/4F	"	70	70	70	
	N 1/2M*1F	"	115	115	115	
	N 3/4F*3/4M	"	90	90	90	
	N 3/4F*1M	"	99	99	99	
	N 3/4M*1F	"	131	131	131	
22	Supplying laying & jointing of ( Blue colour slotted )Pvc pipe for different size of Ordinary Boring work by manually					
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	501	501	501	
	a.2) Failure chagre per well	संख्या	1391	1391	1391	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	714	714	714	
	b.2) Failure chagre per well	संख्या	3708	3708	3708	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1363	1363	1363	
	c.2) Failure chagre per well	संख्या	4820	4820	4820	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1928	1928	1928	
	d.2) Failure chagre per well	संख्या	5562	5562	5562	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1622	1622	1622	
23	R.C.C. Hume Pipe & Hume Pipe Collar					
	PIPES					
	a) NP-2					
	150 mm dia.	र.मि	596	596	596	
	200 mm dia.	"	785	785	785	
	250 mm dia.	"	983	983	983	
	300 mm dia.	"	1330	1330	1330	
	350 mm dia.	"	1470	1470	1470	
	375 mm dia.	"	1610	1610	1610	
	400 mm dia.	"	1852	1852	1852	
	450 mm dia.	"	1960	1960	1960	
	500 mm dia.	"	2200	2200	2200	
	600 mm dia.	"	3077	3077	3077	
	700 mm dia.	"	3785	3785	3785	
	750 mm dia.	"	4092	4092	4092	
	800 mm dia.	"	4567	4567	4567	
	900 mm dia.	"	6172	6172	6172	
	1000 mm dia.	"	7185	7185	7185	
	1200 mm dia.	"	8776	8776	8776	
	1500 mm dia.	"	18450	18450	18450	
	b) NP-3					
	150 mm dia.	र.मि	1310	1310	1310	

96
   
 भारत मणजी पाण्डे
   
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल्य (रु.)	म.व.क. (VAT) माहक (रु.)			कैफियत
			आ.व.	२०८०/०८१	२०८१/०८२	
	200 mm dia.	1745	1745	1745		
	250 mm dia.	2185	2185	2185		
	300 mm dia.	3140	3140	3140		
	350 mm dia.	3520	3520	3520		
	375 mm dia.	3760	3760	3760		
	400 mm dia.	4010	4010	4010		
	450 mm dia.	4500	4500	4500		
	500 mm dia.	5020	5020	5020		
	600 mm dia.	6200	6200	6200		
	700 mm dia.	7485	7485	7485		
	750 mm dia.	8600	8600	8600		
	800 mm dia.	9385	9385	9385		
	900 mm dia.	12172	12172	12172		
	1000 mm dia.	13525	13525	13525		
	1200 mm dia.	16100	16100	16100		
	1500 mm dia.	25300	25300	25300		
<b>R.C.C. Hume Pipe Collar</b>						
<b>a) NP-2</b>						
	150 mm dia.	गोटा 165	165	165		
	200 mm dia.	195	195	195		
	250 mm dia.	245	245	245		
	300 mm dia.	332	332	332		
	350 mm dia.	365	365	365		
	375 mm dia.	365	365	365		
	400 mm dia.	463	463	463		
	450 mm dia.	490	490	490		
	500 mm dia.	550	550	550		
	600 mm dia.	769	769	769		
	700 mm dia.	946	946	946		
	750 mm dia.	1023	1023	1023		
	800 mm dia.	1141	1141	1141		
	900 mm dia.	1543	1543	1543		
	1000 mm dia.	1799	1799	1799		
	1200 mm dia.	2196	2196	2196		
	1500 mm dia.	4615	4615	4615		
<b>b) NP-3</b>						
	150 mm dia.	327	327	327		
	200 mm dia.	436	436	436		
	250 mm dia.	544	544	544		
	300 mm dia.	783	783	783		
	350 mm dia.	879	879	879		
	375 mm dia.	940	940	940		
	400 mm dia.	1000	1000	1000		
	450 mm dia.	1125	1125	1125		
	500 mm dia.	1255	1255	1255		
	600 mm dia.	1550	1550	1550		
	700 mm dia.	1871	1871	1871		
	750 mm dia.	2150	2150	2150		
	800 mm dia.	2344	2344	2344		
	900 mm dia.	3042	3042	3042		
	1000 mm dia.	3382	3382	3382		
	1200 mm dia.	4024	4024	4024		
	1500 mm dia.	6324	6324	6324		

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*  
 भारत मन्त्री-प्रमुख  
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मू.अ.क. (VAT) नाहेक (र.)	आ.प.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	<b>R.C.C.Spigot Pipes (Socket System)</b>					
	<b>a) NP-2</b>					
	150 mm dia.	र.मि	766	766	766	
	200 mm dia.	"	976	976	976	
	250 mm dia.	"	1221	1221	1221	
	300 mm dia.	"	1656	1656	1656	
	350 mm dia.	"	2007	2007	2007	
	400 mm dia.	"	2300	2300	2300	
	450 mm dia.	"	2438	2438	2438	
	500 mm dia.	"	2736	2736	2736	
	600 mm dia.	"	3608	3608	3608	
	700 mm dia.	"	4709	4709	4709	
	750 mm dia.	"	5090	5090	5090	
	800 mm dia.	"	5684	5684	5684	
	900 mm dia.	"	7339	7339	7339	
	1000 mm dia.	"	8481	8481	8481	
	1200 mm dia.	"	10274	10274	10274	
	<b>b) NP-3</b>					
	150 mm dia.	र.मि	1603	1603	1603	
	200 mm dia.	"	2139	2139	2139	
	250 mm dia.	"	2674	2674	2674	
	300 mm dia.	"	3842	3842	3842	
	350 mm dia.	"	4313	4313	4313	
	400 mm dia.	"	4913	4913	4913	
	450 mm dia.	"	5513	5513	5513	
	500 mm dia.	"	6141	6141	6141	
	600 mm dia.	"	7592	7592	7592	
	700 mm dia.	"	9169	9169	9169	
	800 mm dia.	"	11493	11493	11493	
	900 mm dia.	"	14907	14907	14907	
	1000 mm dia.	"	16564	16564	16564	
	1200 mm dia.	"	19506	19506	19506	
	1500 mm dia.	"	30835	30835	30835	
	1600 mm dia.	"	35566	35566	35566	
	1800 mm dia.	"	47339	47339	47339	
24	<b>High Density Polythene Pipe NS-40</b>					
	Pipes of different sizes, series & pressure	Kg	287	287	287	
25	<b>UPVC (Pipe NS 206/046</b>					
25.1	<b>A) pipe 2.5 kg/cm<sup>2</sup> pressure</b>					
	a) 90 mm	र.मी	141	141	141	

Handwritten signatures and initials in Nepali script, including names like 'S. M. P.', 'S. M. P.', and 'S. M. P.'.

भरत मणी पाण्डे  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल्य	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	b) 110 mm	"	211	211	211	
	c) 125 mm	"	268	268	268	
	d) 140 mm	"	331	331	331	
	e) 160 mm	"	432	432	432	
	f) 180 mm	"	553	553	553	
	g) 200 mm	"	676	676	676	
25.2	<b>B) UPVC Pipe 4 kg / cm<sup>2</sup></b>					
	a) 63mm	र.मी	112	112	112	
	b) 75 mm	"	155	155	155	
	c) 90 mm	"	221	221	221	
	d) 110 mm	"	304	304	304	
	e) 125 mm	"	418	418	418	
	f) 140 mm	"	531	531	531	
	g) 160 mm	"	687	687	687	
	h) 180 mm	"	883	883	883	
	i) 200 mm	"	1072	1072	1072	
25.3	<b>C) UPVC Pipe 6 Kg/ cm<sup>2</sup> pressure</b>					
	a) 40 mm	र.मी	66	66	66	
	b) 50 mm	"	100	100	100	
	c) 63 mm	"	160	160	160	
	d) 75 mm	"	223	223	223	
	e) 90 mm	"	322	322	322	
	f) 110 mm	"	466	466	466	
	g) 125 mm	"	620	620	620	
	h) 140 mm	"	772	772	772	
	i) 160 mm	"	989	989	989	
	j) 180 mm	र.मी	1262	1262	1262	
	k) 200 mm	"	1545	1545	1545	
25.4	<b>C) UPVC Pipe 10 Kg/ cm<sup>2</sup> pressure</b>					
	a) 20 mm	र.मी	26	26	26	
	b) 25 mm	"	40	40	40	
	c) 32mm	"	66	66	66	
	a) 40 mm	"	99	99	99	
	b) 50 mm	"	156	156	156	
	c) 63 mm	"	248	248	248	
	d) 75 mm	"	335	335	335	
	e) 90 mm	"	504	504	504	
	f) 110 mm	"	747	747	747	
	g) 125 mm	"	957	957	957	
	h) 140 mm	"	1208	1208	1208	
	i) 160 mm	"	1554	1554	1554	
	j) 180 mm	"	1981	1981	1981	

*Handwritten signatures and notes in Nepali script.*

*Handwritten signature and official stamp:*  
 भारत मणी पाण्डे  
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	गठ मन्त्रालय जिम्मा प्रशासक भक्तपुर	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.ष.	२०८०/०८१	२०८१/०८२	
	k) 200 mm	"	2449	2449	2449	
25.5	<b>UPVC fittings :</b>					
	<b>Coupler</b>					
	50 mm	गोटा	32	32	32	
	75 mm	"	77	77	77	
	110 mm	"	131	131	131	
	<b>Bend 87.5 degree</b>					
	50 mm	गोटा	47	47	47	
	75 mm	"	112	112	112	
	110 mm	"	206	206	206	
	<b>Bend 45 degree</b>					
	50 mm	गोटा	46	46	46	
	75 mm	"	91	91	91	
	110 mm	"	163	163	163	
	<b>Single Tee</b>					
	50 mm	गोटा	70	70	70	
	75 mm	"	151	151	151	
	110 mm	"	287	287	287	
	<b>Pipe clip</b>					
	50 mm	गोटा	15	15	15	
	75 mm	"	29	29	29	
	110 mm	"	38	38	38	
	<b>Bend 87.5 degree with door</b>					
	75 mm	गोटा	143	143	143	
	110 mm	"	249	249	249	
	<b>Single Tee with door</b>					
	75 mm	गोटा	204	204	204	
	110 mm	"	380	380	380	
	<b>Double Tee</b>					
	75 mm	गोटा	332	332	332	
	110 mm	"	525	525	525	
	<b>Double Tee with door</b>					
	75 mm	गोटा	440	440	440	
	110 mm	"	682	682	682	
	<b>Vent cowl</b>					
	75 mm	गोटा	54	54	54	
	110 mm	"	90	90	90	
	<b>Socket plug</b>					
	75 mm	गोटा	68	68	68	
	110 mm	"	111	111	111	
	<b>Single "Y"</b>					
	75 mm	गोटा	173	173	173	
	110 mm	"	374	374	374	
	<b>Single "Y" with door</b>					
	75 mm	गोटा	237	237	237	
	110 mm	"	451	451	451	
	<b>Double "Y"</b>					
	75 mm	गोटा	261	261	261	
	110 mm	"	514	514	514	
	<b>Double "Y" with door</b>					
	75 mm	गोटा	334	334	334	
	110 mm	"	539	539	539	

100
   
 भारत नक्की माफडे
   
 प्रमुख जिल्ला अधिकारी



क्र. नं.	विवरण	मा. र.	व. म. र.			की. म. र.
			2020/2021	2021/2022	2022/2023	
	<b>Cleaning pipe</b>					
	75 mm	"	152	152	152	
	110 mm	"	293	293	293	
	<b>Reducer</b>					
	110x 75 mm	"	135	135	135	
	75x50 mm	"	71	71	71	
	<b>P -Trap</b>					
	125mmx110mm	"	555	555	555	
	110mmx110mm	"	521	521	521	
	75mmx75mm	"	199	199	199	
	<b>Multi-Floor -Trap</b>					
	110mmx75mm	"	288	288	288	
	<b>Nahani-Trap</b>					
	110mmx75mm	"	263	263	263	
	<b>W.C. Connector (bent type)</b>	"	269	269	269	
	<b>Square tile with jali</b>	"	86	86	86	
	<b>Round jali</b>	"	40	40	40	
	<b>End cap 50mm</b>	"	26	26	26	
26.0	<b>G.I Pipe threaded , 6 m. length With Cap</b>					
	<b>a) Light class</b>					
	i. ½" (15 mm)	र.मी	170	170	170	
	ii. ¾" (20 mm)	"	232	232	232	
	iii. 1" (25 mm)	"	322	322	322	
	iv. 1 ¼" (32 mm)	"	411	411	411	
	v. 1 ½" (40 mm)	"	508	508	508	
	vi. 2" (50 mm)	"	641	641	641	
	vii. 2 ½" (65 mm)	"	885	885	885	
	viii. 3" (80 mm)	"	1038	1038	1038	
	ix. 4" (100 mm)	"	1485	1485	1485	
	x. 5" (125 mm)	"	2377	2377	2377	
	xi. 6" (150 mm)	"	2823	2823	2823	
	xii. 8" (200 mm)	"	4051	4051	4051	
	<b>b) Medium class</b>					
	i. ½" (15 mm)	र.मी	181	181	181	
	ii. ¾" (20 mm)	"	225	225	225	
	iii. 1" (25 mm)	"	344	344	344	
	iv. 1 ¼" (32 mm)	"	447	447	447	
	v. 1 ½" (40 mm)	र.मि	514	514	514	
	vi. 2" (50 mm)	"	706	706	706	
	vii. 2 ½" (65 mm)	"	901	901	901	
	viii. 3" (80 mm)	"	1122	1122	1122	
	ix. 4" (100 mm)	"	1680	1680	1680	
	x. 5" (125 mm)	"	2196	2196	2196	
	xi. 6" (150 mm)	"	2656	2656	2656	
	xii. 8" (200 mm)	"	3656	3656	3656	
	<b>c) Heavy duty</b>					
	i. ½" (15 mm)	र.मी				
	ii. ¾" (20 mm)	"				
	iii. 1" (25 mm)	"				
	iv. 1 ¼" (32 mm)	"				
	v. 1 ½" (40 mm)	"				
	vi. 2" (50 mm)	"				

*Handwritten signatures and dates:*  
 20/11/22  
 20/11/22  
 20/11/22



सि.नं.	निर्माण सामग्रीहरूको विवरण	मू.भ.क. (VAT) बाहेक (रु.)	मा.भ.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
vii.	2 1/2" (65 mm)	"	992	992	992	
viii.	3" (80 mm)	"	1285	1285	1285	
ix.	4" (100 mm)	"	2208	2208	2208	
x.	5" (125 mm)	"	2503	2503	2503	
xi.	6" (150 mm)	"	2833	2833	2833	
xii.	8" (200 mm)	"	5083	5083	5083	
27.0	<b>G.I. Pipe fittings ISI or NS Standard</b>					
	<b>a) G.M. Gate valve</b>					
i.	1/2"	गोटा	751	751	751	
ii.	3/4"	"	1050	1050	1050	
iii.	1"	"	1600	1600	1600	
iv.	1 1/4"	"	2350	2350	2350	
v.	1 1/2"	"	3133	3133	3133	
vi.	2"	"	4883	4883	4883	
vii.	2 1/2"	"	8772	8772	8772	
viii.	3"	"	12050	12050	12050	
ix.	4"	"	20590	20590	20590	
	<b>b) G.M Check valve</b>					
i.	1/2"	गोटा	893	893	893	
ii.	3/4"	"	1200	1200	1200	
iii.	1"	"	1775	1775	1775	
iv.	1 1/4"	"	2623	2623	2623	
v.	1 1/2"	"	3035	3035	3035	
vi.	2"	"	5033	5033	5033	
vii.	2 1/2"	"	10225	10225	10225	
viii.	3"	"	13657	13657	13657	
ix.	4"	"	19301	19301	19301	
	<b>c) G.I. Ebow</b>					
i.	1/2"	गोटा	42	42	42	
ii.	3/4"	"	66	66	66	
iii.	1"	"	105	105	105	
iv.	1 1/4"	"	162	162	162	
v.	1 1/2"	"	223	223	223	
vi.	2"	"	344	344	344	
vii.	2 1/2"	"	653	653	653	
viii.	3"	"	880	880	880	
ix.	4"	"	1570	1570	1570	
x.	5"	"	2104	2104	2104	
xi.	6"	"	2524	2524	2524	
	<b>d) G.I. Tee</b>					
i.	1/2"	गोटा	66	66	66	
ii.	3/4"	"	104	104	104	
iii.	1"	"	142	142	142	
iv.	1 1/4"	"	219	219	219	
v.	1 1/2"	"	282	282	282	
vi.	2"	"	492	492	492	
vii.	2 1/2"	"	828	828	828	
viii.	3"	"	1187	1187	1187	
ix.	4"	"	1953	1953	1953	

102

भक्तपुर जिल्ला अधिकाारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	नेपाल सरकार गृह मन्त्रालय जिम्मा प्रशासन कार्यालय भक्तपुर	म.अ.क. (VAT) बाहेक (रु.)			कीफियत
			आ.व.	२०८०/०८१	२०८१/०८२	
x.	5"			2465	2465	2465
xi.	6"			2960	2960	2960
<b>e) G.I Union</b>						
i.	½"	गोटा		113	113	113
ii.	¾"	"		153	153	153
iii.	1"	"		210	210	210
iv.	1 ¼"	"		329	329	329
v.	1 ½"	"		401	401	401
vi.	2"	"		611	611	611
vii.	2 ½"	"		1138	1138	1138
viii.	3"	"		1586	1586	1586
ix.	4"	"		2205	2205	2205
x.	5"	"		2770	2770	2770
xi.	6"	"		3324	3324	3324
<b>f) G.I. Socket</b>						
i.	½"	गोटा		38	38	38
ii.	¾"	"		57	57	57
iii.	1"	"		75	75	75
iv.	1 ¼"	"		115	115	115
v.	1 ½"	"		144	144	144
vi.	2"	"		241	241	241
vii.	2 ½"	"		571	571	571
viii.	3"	"		586	586	586
ix.	4"	"		951	951	951
x.	5"	"		1140	1140	1140
xi.	6"	"		1368	1368	1368
<b>g) C.I. Plug</b>						
i.	½"	गोटा		30	30	30
ii.	¾"	"		40	40	40
iii.	1"	"		49	49	49
iv.	1 ¼"	"		98	98	98
v.	1 ½"	"		124	124	124
vi.	2"	"		149	149	149
vii.	2 ½"	"		214	214	214
viii.	3"	"		437	437	437
ix.	4"	"		838	838	838
<b>h) Hex Nipple</b>						
i.	½"	गोटा		56	56	56
ii.	¾"	"		86	86	86
iii.	1"	"		139	139	139
iv.	1 ¼"	"		217	217	217
v.	1 ½"	"		275	275	275
vi.	2"	"		409	409	409
vii.	2 ½"	"		750	750	750
viii.	3"	"		968	968	968
ix.	4"	"		1484	1484	1484
<b>i) Reducing Tee</b>						
i.	¾"	गोटा		120	120	120
ii.	1"	"		148	148	148
iii.	1 ¼"	"		162	162	162
iv.	1 ½"	"		325	325	325

103
   
 मन्त्रालय/मन्त्री कार्यालय
   
 भक्तपुर जिल्ला
   
 अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकइकाई	मूल मन्त्रालयको (VAT) बाहेक (र.)			कैफियत
			आ.व.	२०८१/०८२	२०८२/०८३	
v.	2"	"	517	517	517	
vi.	2 1/2"	"	918	918	918	
vii.	3"	"	1450	1450	1450	
viii.	4"	"	2750	2750	2750	
x.	5"	"	3300	3300	3300	
xi.	6"	"	3960	3960	3960	
<b>i) Reducing Elbow</b>						
i.	3/4"	गोटा	103	103	103	
ii.	1"	"	160	160	160	
iii.	1 1/4"	"	244	244	244	
iv.	1 1/2"	"	342	342	342	
v.	2"	"	511	511	511	
vi.	2 1/2"	"	883	883	883	
vii.	3"	"	1361	1361	1361	
viii.	4"	"	2410	2410	2410	
x.	5"	"	5878	5878	5878	
xi.	6"	"	7073	7073	7073	
<b>j) Reducing socket</b>						
i.	3/4"	गोटा	80	80	80	
ii.	1"	"	100	100	100	
iii.	1 1/4"	"	150	150	150	
iv.	1 1/2"	"	210	210	210	
v.	2"	"	320	320	320	
vi.	2 1/2"	"	450	450	450	
vii.	3"	"	720	720	720	
viii.	4"	"	1140	1140	1140	
x.	5"	"	1368	1368	1368	
xi.	6"	"	1482	1482	1482	
<b>K) Short bend</b>						
i.	1/2"	गोटा	130	130	130	
ii.	3/4"	"	150	150	150	
iii.	1"	"	190	190	190	
iv.	1 1/4"	"	290	290	290	
v.	1 1/2"	"	400	400	400	
vi.	2"	"	590	590	590	
vii.	2 1/2"	"	1500	1500	1500	
viii.	3"	"	1800	1800	1800	
ix.	4"	"	2500	2500	2500	
<b>l) Cross Tee</b>						
i.	1/2"	गोटा	131	131	131	
ii.	3/4"	"	186	186	186	
iii.	1"	"	293	293	293	
iv.	1 1/4"	"	509	509	509	
v.	1 1/2"	"	611	611	611	
vi.	2"	"	990	990	990	
vii.	2 1/2"	"	1670	1670	1670	
viii.	3"	"	2420	2420	2420	
ix.	4"	"	3268	3268	3268	
<b>M) Tanki nipple</b>						
i.	1/2"	गोटा	154	154	154	
ii.	3/4"	"	214	214	214	
iii.	1"	"	319	319	319	

*[Handwritten signatures and marks]*

भरत सापका पाठक  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मूल्य (VAT) बाहेक (रु.)			कैफियत
			मै २०८०/०८१	जे २०८१/०८२	जे २०८२/०८३	
iv.	1 1/4"	"	480	480	480	
v.	1 1/2"	"	611	611	611	
vi.	2"	"	990	990	990	
vii.	2 1/2"	"	1906	1906	1906	
viii.	3"	"	2538	2538	2538	
ix.	4"	"	3367	3367	3367	
<b>G.I. Nipple Medium Class ISI or NS</b>						
<b>2" Long</b>						
i.	1/2"	गोटा	22	22	22	
ii.	3/4"	"	34	34	34	
iii.	1"	"	44	44	44	
iv.	1 1/4"	"	57	57	57	
v.	1 1/2"	"	71	71	71	
vi.	2"	"	131	131	131	
<b>3" Long</b>						
i.	1/2"	गोटा	34	34	34	
ii.	3/4"	"	47	47	47	
iii.	1"	"	66	66	66	
iv.	1 1/4"	"	85	85	85	
v.	1 1/2"	"	106	106	106	
vi.	2"	"	134	134	134	
vii.	2 1/2"	"	186	186	186	
viii.	3"	"	220	220	220	
<b>4" Long</b>						
i.	1/2"	गोटा	45	45	45	
ii.	3/4"	"	63	63	63	
iii.	1"	"	88	88	88	
iv.	1 1/4"	"	113	113	113	
v.	1 1/2"	"	142	142	142	
vi.	2"	"	179	179	179	
vii.	2 1/2"	"	248	248	248	
viii.	3"	"	204	204	204	
ix.	4"	"	422	422	422	
<b>6" Long</b>						
i.	1/2"	गोटा	68	68	68	
ii.	3/4"	"	94	94	94	
iii.	1"	"	122	122	122	
iv.	1 1/4"	"	132	132	132	
v.	1 1/2"	"	170	170	170	
vi.	2"	"	269	269	269	
vii.	2 1/2"	"	373	373	373	
viii.	3"	"	439	439	439	
ix.	4"	"	633	633	633	
<b>9" Long</b>						
i.	1/2"	गोटा	68	68	68	
ii.	3/4"	"	94	94	94	
iii.	1"	"	122	122	122	
iv.	1 1/4"	"	132	132	132	
v.	1 1/2"	"	170	170	170	
vi.	2"	"	269	269	269	
vii.	2 1/2"	"	373	373	373	
viii.	3"	"	439	439	439	

भारत मणी पाण्डे
   
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.प्र.क. (VAT) बाहेक (र.)	भा.ष.			कैफियत
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
ix.	4"	633	633	633		
	<b>12" Long</b>					
i.	1/2"	136	136	136		
ii.	3/4"	189	189	189		
iii.	1"	265	265	265		
iv.	1 1/4"	340	340	340		
v.	1 1/2"	425	425	425		
vi.	2"	537	537	537		
vii.	2 1/2"	746	746	746		
viii.	3"	877	877	877		
ix.	4"	1266	1266	1266		
	<b>18" Long</b>					
i.	1/2"	227	227	227		
ii.	3/4"	280	280	280		
iii.	1"	378	378	378		
iv.	1 1/4"	614	614	614		
v.	1 1/2"	755	755	755		
vi.	2"	1136	1136	1136		
vii.	2 1/2"	1536	1536	1536		
viii.	3"	2249	2249	2249		
ix.	4"	2743	2743	2743		
	<b>G.I./G.I. Flange</b>					
i.	1 1/4"	964	964	964		
ii.	1 1/2"	1186	1186	1186		
iii.	2"	1453	1453	1453		
iv.	2 1/2"	1699	1699	1699		
v.	3"	1892	1892	1892		
vi.	4"	2348	2348	2348		
vii.	5"	3358	3358	3358		
viii.	6"	3488	3488	3488		
ix.	8"	6948	6948	6948		
	<b>G.I./HDP Flange</b>					
i.	1 1/4"	1038	1038	1038		
ii.	1 1/2"	1322	1322	1322		
iii.	2"	1562	1562	1562		
iv.	2 1/2"	1824	1824	1824		
v.	3"	1950	1950	1950		
vi.	4"	2406	2406	2406		
vii.	5"	3358	3358	3358		
viii.	6"	3505	3505	3505		
ix.	8"	7627	7627	7627		
	<b>HDP/HDP Flange set with adaptor</b>					
i.	1 1/4"	1038	1038	1038		
ii.	1 1/2"	1322	1322	1322		
iii.	2"	1562	1562	1562		
iv.	2 1/2"	1824	1824	1824		
v.	3"	1950	1950	1950		
vi.	4"	2406	2406	2406		
vii.	5"	3814	3814	3814		
viii.	6"	3505	3505	3505		
ix.	8"	7627	7627	7627		
	<b>Brass tap 1/2"</b>					

*Handwritten signatures and notes in Nepali script.*

**भारत मण्डल प्रमुख जिल्ला अधिकारी**



नेपाल सरकार  
मन्त्रपरिषद्  
जिल्ला प्रशासन कार्यालय  
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.व.क. (VAT) बाहेक (रु.)			कैफियत
			आ.ष.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
i.	½" (Wt. 400 gm)	गोटा	750	750	750	
ii.	½" ordinary	गोटा	205	205	205	
<b>Globe Valve (GM)</b>						
i.	½"	गोटा	924	924	924	
ii.	¾"	"	1505	1505	1505	
iii.	1"	"	1859	1859	1859	
iv.	1 ¼"	"	2953	2953	2953	
v.	1 ½"	"	3716	3716	3716	
vi.	2"	"	4640	4640	4640	
vii.	2 ½"	"	9114	9114	9114	
viii.	3"	"	15060	15060	15060	
ix.	4"	"	24350	24350	24350	
<b>Float Valve</b>						
i.	½"	गोटा	1134	1134	1134	
ii.	¾"	"	1283	1283	1283	
iii.	1"	"	1556	1556	1556	
iv.	1 ¼"	"	2690	2690	2690	
v.	1 ½"	"	4042	4042	4042	
vi.	2"	"	5381	5381	5381	
<b>C.I. Air valve (Heavy)</b>						
i.	½"	गोटा	2500	2500	2500	
ii.	¾"	"	5182	5182	5182	
iii.	1"	"	5746	5746	5746	
<b>Brass Union with Adopter</b>						
i.	½"	गोटा	150	150	150	
ii.	¾"	"	270	270	270	
iii.	1"	"	345	345	345	
iv.	1 ¼"	"	530	530	530	
v.	1 ½"	"	675	675	675	
vi.	2"	"	940	940	940	
<b>Saddle Ferrule</b>						
i.	1 ½"	गोटा	185	185	185	
ii.	2"	"	242	242	242	
iii.	2 ½"	"	272	272	272	
iv.	3"	"	301	301	301	
v.	4"	"	480	480	480	

*Handwritten signatures and notes in Nepali script.*

भक्तपुर  
भरत मणी पाण्डे  
प्रमुख जिल्ला अधिकारी



क्र.नं.	निर्माण सामग्रीहरूको विवरण	म.प्र.क. (VAT) बाहेक (र.)	आ.प.			कैफियत
			२०८१/०८२	२०८२/०८३	२०८२/०८३	
	<b>Flow Regulating Valve (G.M.)</b>					
	i. 1/2"	गोटा	1322	1322	1322	
	<b>C.I Sluice Valve</b>					
	i. 1 1/2"	गोटा	6846	6846	6846	
	ii. 2"	"	7000	7000	7000	
	iii. 2 1/2"	"	8450	8450	8450	
	iv. 3"	"	10500	10500	10500	
	v. 4"	"	14000	14000	14000	
	v. 5"	"	17500	17500	17500	
	v. 6"	"	21000	21000	21000	
	v. 8"	"	30000	30000	30000	
	<b>Brass Ferrule Cock</b>					
	i. 1/2"	गोटा	600	600	600	
	ii. 3/4"	"	1372	1372	1372	
	iii. 1"	"	2015	2015	2015	
	<b>Ball valve</b>					
	a) 15mm	गोटा	514	514	514	
	b) 20 mm	"	650	650	650	
	c) 25 mm	"	872	872	872	
	d) 32 mm	"	1051	1051	1051	
	e) 40 mm	"	2035	2035	2035	
	f) 50 mm	"	3341	3341	3341	
28.0	Supplying of Rcc ring for construction of well					
28.1	<b>Ring</b>					
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	615	615	615	
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	762	762	762	
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	886	886	886	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1173	1173	1173	
28.2	Supplying & fixing of metal frame and Rcc cover					
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1858	1858	1858	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2460	2460	2460	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2699	2699	2699	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	3224	3224	3224	
29.1	ईनार खन्को लागि R.C.C. रिङ आपूर्ति गरि माटो खन्ने आवश्यक फील्डर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२० देखि २५फीट सम्म को गहीराइमा डक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	4253	4253	4253	
	ii) 36" dia. R.C.C. Ring	"	5397	5397	5397	
	iii) 42" dia. R.C.C. Ring	"	6282	6282	6282	
	iv) 48" dia. R.C.C. Ring	"	7750	7750	7750	
29.2	२५ फीट देखि माथीको गहीराइ भएमा					
	ईनार खन्को लागि R.C.C. रिङ आपूर्ति गरि माटो					
	i) 28" dia. R.C.C. Ring	र.मी	5707	5707	5707	
	ii) 36" dia. R.C.C. Ring	"	9650	9650	9650	
	iii) 42" dia. R.C.C. Ring	"	11681	11681	11681	
	iv) 48" dia. R.C.C. Ring	"	14033	14033	14033	

*[Handwritten signatures and marks]*

*[Handwritten signature]*  
 भारत मन्त्री प्रमुख  
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
		आ.ब.	२०८१/०८२	२०८२/०८३	
30.0	Sanitary Tools				
a	Adjustable spanner				
	10"	Pc	255	255	255
	12"	Pc	482	482	482
	15"	Pc	1388	1388	1388
	18"	Pc	1643	1643	1643
b	Blow Torch				
	1/2 pint	Pc	1433	1433	1433
	1 pint	Pc	1767	1767	1767
c	Building Trowel	Pc	79	79	79
d	Chain Pipe wrench				
	50mm	Pc	1643	1643	1643
	75mm	Pc	1954	1954	1954
	100mm	Pc	2294	2294	2294
	150mm	Pc	3229	3229	3229
	200mm	Pc	5495	5495	5495
e	Chain Pulley in Ton				
	3 ton	Pc	17562	17562	17562
	5 ton	Pc	29005	29005	29005
f	Stone Chisel 1"x12"	Pc	368	368	368
g	Die teeth oil with cane (250 ml size)	Pc	283	283	283
h	Smooth steel file half round				
	8"	Pc	538	538	538
	10"	Pc	1031	1031	1031
i	Flat file 10"	Pc	538	538	538
10.0	Hacksaw Blade				
	Single	Pc	5	5	5
	double	Pc	9	9	9
j	Hacksaw Frame 6mm	Pc	193	193	193
k	Handle die set				
	25 mm	Pc	3201	3201	3201
	50 mm	Pc	3626	3626	3626
	60 mm	Pc	9631	9631	9631
l	Heating Plate				
	80 mm	Pc	963	963	963
	100 mm	Pc	1105	1105	1105
	125 mm	Pc	1416	1416	1416
	150 mm	Pc	1688	1688	1688
	200 mm	Pc	2731	2731	2731
	250 mm	Pc	3308	3308	3308
	300 mm	Pc	3864	3864	3864
m	Iron Brush 12"	Pc	74	74	74
n	Iron Pan (madium)	Pc	261	261	261
o	Pick Axe 1.7 Kg.	Pc	431	431	431
p	Pipe Cutter				
	15-50 mm	Pc	2039	2039	2039
	65-80 mm	Pc	3172	3172	3172
	100 mm	Pc	5099	5099	5099
	125 mm	Pc	5665	5665	5665
	150 mm	Pc	10084	10084	10084
q	Pipe Jack Machine (Heavy)	Pc	32291	32291	32291
r	Pipe Vice				
	2"	Pc	2493	2493	2493
	3"	Pc	3626	3626	3626
	4"	Pc	5467	5467	5467
	5"	Pc	10140	10140	10140
s	Pipe Wrench				
	10"	Pc	317	317	317

*Handwritten signatures and notes in Nepali script.*

*Handwritten signatures and official stamps.*  
 १०/१२/२०७७  
 भारत मण्डल पाण्डे  
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	इकाई	म.अ.क. (VAT) बाहेक (र.)			कीफियत
			आ.व.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	12"	Pc	589	589	589	
	14"	Pc	702	702	702	
	18"	Pc	1116	1116	1116	
	24"	Pc	1541	1541	1541	
	36"	Pc	5438	5438	5438	
	48"	Pc	9631	9631	9631	
t	Plumb Bob Line	Pc	91	91	91	
u	Ratchet Die Set					
	1/2"-1"	Pc	4305	4305	4305	
	11/4" -2"	Pc	8044	8044	8044	
	21/2"-3"	Pc	17562	17562	17562	
v	Round File 10"	Pc	368	368	368	
w	Screw Driver 12"	Pc	204	204	204	
x	Shovel 1.5 Kg	Pc	368	368	368	
y	Slide wrench					
	10"	Pc	363	363	363	
	12"	Pc	487	487	487	
	15"	Pc	1422	1422	1422	
z	Spade	Pc	442	442	442	
A	Spare Die Teeth					
	15 mm	Pc	589	589	589	
	20 mm	Pc	589	589	589	
	25 mm	Pc	589	589	589	
	32 mm	Pc	935	935	935	
	40 mm	Pc	1598	1598	1598	
	50 mm	Pc	1615	1615	1615	
	65 mm	Pc	1869	1869	1869	
	80 mm	Pc	2096	2096	2096	
B	Teflon Cover					
	5'x5'	Pc	312	312	312	
	7'x7'	Pc	425	425	425	
C	Teflon Cloth	m	3427	3427	3427	
D	Teflon Tape 10 mm roll	Roll	17	17	17	
E	Thermochrome Crayon					
	Indian	Pc	765	765	765	
	Germany	Pc	1530	1530	1530	
F	Tool Box (14"x8"x22")	Pc	2102	2102	2102	
<b>31 PVC-O pipes and fittings</b>						
1	Class 500 PVC-O pipes-PN 12.5					
	90 mm	र.मि	730	730	583	
	110 mm	र.मि	1050	1050	865	
	125 mm	र.मि	1450	1450	1250	
	140 mm	र.मि	1750	1750	1662	
	160 mm	र.मि	2200	2200	2090	
	200 mm	र.मि	3500	3500	3325	
	225 mm	र.मि	4400	4400	4180	
	250 mm	र.मि	5200	5200	4940	
	315 mm	र.मि	8500	8500	8075	
	355 mm	र.मि	10800	10800	10260	
	400 mm	र.मि	13778	13778	13089	
	450 mm	र.मि	19000	19000	19000	
	500 mm	र.मि	22700	22700	22700	
	630 mm	र.मि	36000	36000	36000	
	800 mm	र.मि	58000	58000	58000	
	1000 mm	र.मि	110000	110000	110000	
	1200 mm	र.मि	150000	150000	150000	
2	Class 500 PVC-O pipes-PN 16					
	90 mm	र.मि	854	854	738	
	110 mm	र.मि	1260	1260	1197	

*[Handwritten signatures and initials]*

*[Handwritten signatures and initials]*  
 भारत सपनी पाण्डे  
 प्रमुख जिल्ला अधिकारी



नेपाल सरकार  
गणतन्त्र नेपाल

जिल्ला प्रशासन कार्यालय  
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (र.)	आ.ब.			वैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	125 mm	र.मि	1550	1550	1472	
	140 mm	र.मि	1950	1950	1852	
	160 mm	र.मि	2600	2600	2470	
	200 mm	र.मि	4000	4000	3800	
	225 mm	र.मि	4950	4950	4805	
	250 mm	र.मि	6300	6300	5985	
	315 mm	र.मि	9600	9600	8800	
	355 mm	र.मि	12700	12700	12065	
	400 mm	र.मि	15147	15147	13089	
	450 mm	र.मि	20131	20131	20131	
	500 mm	र.मि	24591	24591	24591	
	630 mm	र.मि	38412	38412	38412	
	800 mm	र.मि	59382	59382	59382	
3	Class 500 PVC-O pipes-PN 25					
	90 mm	र.मि	1700	1700	1700	
	110 mm	र.मि	2500	2500	2500	
	125 mm	र.मि	2700	2700	2700	
	140 mm	र.मि	3100	3100	3100	
	160 mm	र.मि	3800	3800	3800	
	200 mm	र.मि	5397	5397	5397	
	250 mm	र.मि	7688	7688	7688	
	315 mm	र.मि	10895	10895	10895	
	355 mm	र.मि	14040	14040	14040	
	400 mm	र.मि	19420	19420	19420	
	450 mm	र.मि	25705	25705	25705	
	500 mm	र.मि	31256	31256	31256	
	630 mm	र.मि	48179	48179	48179	
	<b>PVC-O Fittings</b>					
	<b>Elbow 11.25° (PN 16)</b>					
	110 mm	गोटा	6969	6969	5141	
	160 mm	गोटा	14997	14997	10568	
	200 mm	गोटा	27545	27545	16365	
	250 mm	गोटा	41943	41943	25053	
	315 mm	गोटा	79624	79624	50416	
	400 mm	गोटा	147185	147185	84200	
	<b>Elbow 22.5° (PN 16)</b>					
	110 mm	गोटा	7248	7248	5734	
	160 mm	गोटा	15830	15830	10089	
	200 mm	गोटा	28647	28647	16365	
	250 mm	गोटा	43621	43621	25053	
	315 mm	गोटा	82809	82809	50416	
	400 mm	गोटा	153073	153073	84200	
	<b>Elbow 45° (PN 16)</b>					
	110 mm	गोटा	8018	8018	6286	
	160 mm	गोटा	17382	17382	12894	
	200 mm	गोटा	31504	31504	17997	
	250 mm	गोटा	51671	51671	30641	
	315 mm	गोटा	90799	90799	55282	
	400 mm	गोटा	174184	174184	95816	
	<b>Elbow 90° (PN 16)</b>					
	110 mm	गोटा	11279	11279	7227	
	160 mm	गोटा	22597	22597	14700	
	200 mm	गोटा	40639	40639	23213	
	250 mm	गोटा	67038	67038	40142	
	315 mm	गोटा	103403	103403	71142	
	400 mm	गोटा	207281	207281	114021	
	<b>COUPLER (PN 16)</b>					
	110	गोटा	6954	6954	5171	
	160 mm	गोटा	12283	12283	8913	
	200 mm	गोटा	17754	17754	12891	

*[Handwritten signatures and marks]*

*[Handwritten signature]*  
भरत मणी सापुंडे  
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	प्रशासन एम्प्लीफिकेड	म.भ.क. (VAT) माहक (र.)			कीमियत
			आ.व.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	250 mm	गोटा	33230	33230	21711	
	315 mm	गोटा	62383	62383	39787	
	400 mm	गोटा	136927	136927	68127	
	<b>SLIDING COUPLER (PN 16)</b>					
	110 mm	गोटा	6954	6954	5171	
	160 mm	गोटा	12283	12283	8913	
	200 mm	गोटा	17754	17754	12891	
	250 mm	गोटा	33230	33230	21711	
	315 mm	गोटा	62383	62383	39787	
	400 mm	गोटा	136927	136927	68127	
	<b>REDUCING COUPLER (PN 16)</b>					
	110 to 90	गोटा	8688	8688	5499	
	160 to 110	गोटा	14126	14126	9197	
	200 to 160	गोटा	14167	14167	13958	
	250 to 200	गोटा	24436	24436	20211	
	315 to 250	गोटा	54056	54056	35625	
	<b>2. HDPE DOUBLE -WALL CORRUGATED PIPES (DWC)(SN 8)</b>					
1	100mm dia.	मिटर	556.00	556	556	
2	150mm dia.	मिटर	1112.00	1112	1112	
3	200mm dia.	मिटर	1668.00	1668	1668	
4	250mm dia.	मिटर	2113.00	2113	2113	
5	300mm dia.	मिटर	3515.00	3515	3515	
6	400mm dia.	मिटर	4527.00	4527	4527	
7	500mm dia.	मिटर	5406.00	5406	5406	
8	600mm dia.	मिटर	9310.00	9310	9310	
9	800mm dia.	मिटर	14985.00	14985	14985	
10	1000mm dia.	मिटर	22572.00	22572	22572	
	<b>Water Filter Media and Automatic Components</b>					
<b>A</b>	<b>Water Treatment Components</b>					
<b>a</b>	<b>Pump</b>					
1	Vessel Pump- 5Hp High head(40-55M head) Centrifugal Pump.	pc	123500	123500	123500	
2	Vessel Pump- 7.5Hp High head(40-55M head) Centrifugal Pump.	Pc	104500	104500	104500	
<b>b</b>	<b>Motorized Actuator Butterfly Valve with CI Materials</b>	Pc				
1	6" Dia	pc	118000	118000	118000	
2	4" Dia	pc	68500	68500	68500	
3	3" Dia	pc	57500	57500	57500	
4	2.5" Dia	pc	42000	42000	42000	
5	2" Dia	pc	37500	37500	37500	
<b>c</b>	<b>Vessel Strainer Top and Bottom (2 pieces= 1 set)</b>					
1	40m <sup>3</sup> /Hour	set	26125	26125	26125	
2	25m <sup>3</sup> /Hour	set	21375	21375	21375	

*[Handwritten signatures and initials]*

*[Handwritten signature]*  
 भारत नक्सी प्रमुख  
 प्रमुख जिल्ला अधिकारी



नेपाल सरकार

सि.नं.	निर्माण सामग्रीहरूको विवरण	मापन एकाइ	म.अ.क. (VAT) माहक (रु.)			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
3	15m <sup>3</sup> /Hour	set	14250	14250	14250	
4	9m <sup>3</sup> /Hour	set	8550	8550	8550	
<b>d</b>	<b>Air Release And Vacuum Breaker valve( 1 unit per Vessel)</b>					
1	1" Small	Pc	2185	2185	2185	
2	1" Big	Pc	3325	3325	3325	
3	2" Big	Pc	8075	8075	8075	
<b>e</b>	<b>Rotameter</b>					
1	Small(upto 5m <sup>3</sup> /h in 3/4" or 1" Male or Female Thread)	Pc	7600	7600	7600	
2	Medium(upto 10m <sup>3</sup> /h in 1.5" or 2" Male or Female Thread)	Pc	19000	19000	19000	
3	Big(40m <sup>3</sup> -60m <sup>3</sup> /h in 3" Thread or Flange type)	Pc	26125	26125	26125	
<b>f</b>	<b>Pressure Gauze(Glycerenine/Liquid Filled)</b>					
1	Pressure Range 0-7Kg or 0-21Kg/ Side or Buttom Thread	Pc	1250	1250	1250	
<b>g</b>	<b>Automatic Vessel Control Panel</b>					
1	Semi Scada Control Panel with GSM/GPRS-Support features(MASTER)	pcs	150000	150000	150000	
2	Semi Scada Control Panel (Slave)	pcs	100000	100000	100000	
<b>h</b>	<b>FRP Water Filter Vessels</b>					
1	14" Dia x 65" Height T/B 4"/Threaded	Pc	21850	21850	21850	
2	16" Dia x 65" Height T/B 4"/ Threaded	Pc	22800	22800	22800	
3	18" Dia x 65" Height T/B 4"/ Threaded	Pc	26125	26125	26125	
4	24" Dia x 72" Height T/B 4"/ Threaded	Pc	52250	52250	52250	
5	30" Dia x 72" Height T/B 4"/ Threaded	Pc	104500	104500	104500	
6	36" Dia x 72" Height T/B 4"/ Threaded	Pc	116850	116850	116850	
7	42" Dia x 72" Height T/B 6"/Flange	Pc	152000	152000	152000	
8	42" Dia x 72" Height T/B 6"/Threaded	Pc	190000	190000	190000	
9	48" Dia x 72" Height T/B 6"/ Threaded	Pc	213750	213750	213750	
10	48" Dia x 72" Height T/B 6"/Flange	Pc	242250	242250	242250	
<b>i</b>	<b>Chemical Dosing Pump and Components</b>					
1	eDose or Equivalent(4LPH at 4Kg pressure)	Pc	21375	21375	21375	
2	Solenoid Valve 3/4" to 1" Normally open/close 220V AC (plastic, Brass or SS materials)	Pc	5225	5225	5225	
3	Flaot switch Heavy with 16A wire/ 3 meter	Pc	2375	2375	2375	
4	100Ltrs Poly tank as Chemical tank	Pc	1425	1425	1425	
<b>B</b>						
1	Zeolite Sand( Zeosorb Germany)/ 30 ltrs/ 25Kgs	sac	16650	16650	16650	
2	Zeolite Sand( ZeoLuc- China)/ 40 ltrs/ 30Kgs	Sac	12150	12150	12150	
3	Mangnese Dioxide(MnO <sub>2</sub> )/India or China/50 Kgs	sac	5940	5940	5940	
4	Calcite(USA)/ 20 Kgs	sac	6300	6300	6300	
5	Anthracite/ 40Kgs/ India or China	sac	5550	5550	5550	
6	Local Gravel(1.5" + 1" + 1/2" + 1/4" )/35Kgs	sac	650	650	650	
7	Katlox lite (Germany)/ 28.3 ltrs/30Kgs		20250	20250	20250	
8	Catalytic Carbon/Germany / 30Kgs/Ltrs	sac	54000	54000	54000	
9	Titansorb/ 60Kgs Drum	Drum	162000	162000	162000	

Handwritten signatures and initials.

Handwritten signature and stamp: प्रमुख जिल्ला अधिकारी



**Electrical Works**

सि.नं	वर्क वि.नं	निर्माण सामग्रीहरूको विवरण	मु.व.क. -VAT बाहेक ( रु. )			कैफियत
			आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३	
1		<b>SWITCH SOCKET</b>				
	1	One Gang one way switch	सेट 60	60	60	
	2	One Gang two way switch	सेट 71	71	71	
	3	One way bell switch	सेट 74	74	74	
	4	Two gang one way switch	" 99	99	99	
	5	Two gang one way switch with one bell push	" 108	108	108	
	6	Two gang Full two way switch	" 110	110	110	
	7	Three Gang one way switch	" 131	131	131	
	8	Four gang one way switch	" 166	166	166	
	9	Six gang one way switch ( 3x5 )	" 261	261	261	
	10	Eight gang one way switch	" 313	313	313	
	11	Dimmer single 300 watt	" 318	318	318	
	12	Dimmer single 750 watt	" 473	473	473	
	13	5 Step humming free dimmer	" 419	419	419	
	14	16Amp 3 Pin Plug Top	" 125	125	125	
	15	1 switch with dimmer	" 379	379	379	
	16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	" 156	156	156	
	17	6/16 Amp , Power sockets with switch , indicator & safety shutter	" 174	174	174	
	18	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	" 382	382	382	
	19	32A D.P. switch with fuse & indicator Surface Mounting	" 212	212	212	
	20	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट 629	629	629	
	21	Blanking plate single	" 41	41	41	
	22	Telephone socket single	" 122	122	122	
	23	Telephone socket Double	" 174	174	174	
	24	Angle / bottom holder	" 36	36	36	
	25	Ceiling Rose	" 36	36	36	
	26	Buzzer	" 100	100	100	
	27	Musical bell	" 229	229	229	
	28	T.V.antena single Socket	" 84	84	84	
	29	6A 2/3 Pin unshuttered multi switch socket	" 132	132	132	
	30	RJ 45 Computer Socket for modem	" 241	241	241	
	31	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	" 36	36	36	
	32	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	" 65	65	65	
	33	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	" 101	101	101	
	34	Switch / socket outlet, Plate series having round switch buttons & white sorrounding plate, suitable to fix on box size 3"x3" .				
	1	10A 1gang 1way Switch	Set 85	85	85	
	2	10A 2gang 1way Switch	Set 168	168	168	
	3	10A 3gang 1way Switch	" 222	222	222	
	4	10A 4gang 1way Switch	" 361	361	361	
	5	10A 5gang 1way Switch	" 382	382	382	
	6	10A 6gang 1way Switch	" 636	636	636	
	7	10A 1gang 2way Switch	" 148	148	148	
	8	10A 2gang 2way Switch	" 286	286	286	
	9	10A 3gang 2way Switch	" 419	419	419	
	10	10A 4gang 2way Switch	" 631	631	631	
	11	T V Socket outlet	" 308	308	308	
	12	Telephone Socket	" 276	276	276	
	13	13A Universal socket outlet	" 478	478	478	
	14	13A Socket	" 281	281	281	
	15	15A switched Socket outlet	" 456	456	456	
	16	5A Socket	" 350	350	350	
	17	RJ 45 8way Computer Socket	" 849	849	849	

14
   
 प्रमुख बिस्का अधिकारी



सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT माहक ( रु. )			कैफियत
		आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व २०८२/०८३	
18	TV and Telephone Socket	610	610	610	
19	7+2 PIN SOCKET OUTLET	955	955	955	
20	3+2 PIN SOCKET OUTLET	594	594	594	
21	X5 2+2 - 2 PIN SOCKET OUTLET	806	806	806	
22	SCHUKO SOCKET WITH ONE SWITCH	520	520	520	
23	Bell Press	244	244	244	
24	Blank Plate	96	96	96	
25	400W Light Dimmer W/ Switch	933	933	933	
26	400W Fan Controller / Multi Step Dimmer	945	945	945	
27	5 Step Fan Controller	923	923	923	
28	2 Pin Socket W/ Switch	467	467	467	
29	13A Twin Socket	700	700	700	
1.2	<b>White Plate series modular type(polycarbonate) SWITCH SOCKET power pack</b>				
1	One Gang one way switch	सेट 103	103	103	
2	One Gang two way switch	सेट 115	115	115	
3	One way bell switch	सेट 115	115	115	
4	Two gang one way switch	॥ 137	137	137	
5	Two gang one way switch with one bell push	॥ 150	150	150	
6	Two gang Full two way switch	॥ 163	163	163	
7	Three Gang one way switch	॥ 172	172	172	
8	Four gang one way switch	॥ 208	208	208	
9	Six gang one way switch	॥ 316	316	316	
10	Eight gang one way switch	॥ 385	385	385	
11	Dimmer single 300 watt	॥ 501	501	501	
15	1 switch with dimmer	॥ 514	514	514	
16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	॥ 268	268	268	
17	6/13 Amp , Power sockets with switch , indicator	॥ 271	271	271	
18	20 A D.P. switch with fuse & indicator Surface Mounting	॥ 365	365	365	
19	4 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट 403	403	403	
20	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट 488	488	488	
21	Blanking plate single	॥ 64	64	64	
22	Telephone socket single	॥ 157	157	157	
23	Telephone socket Double	॥ 256	256	256	
24	T.V. antenna single Socket	॥ 146	146	146	
25	RJ 45 Computer Socket for modem	॥ 212	212	212	
26	CAT-6 Computer Socket for modem	॥ 331	331	331	
2	<b>Modular Type Switch Socket set</b>				
1	1P - 6A/10A 1 way switch	No. 143	143	143	
2	1P - 16A/20A 1 way switch	॥ 230	230	230	
3	1P - 25A 1 way switch	॥ 336	336	336	
4	1P - 6A/10A 2 way switch	॥ 172	172	172	
5	1P - 16A/20A 2 way switch	॥ 261	261	261	
6	1P - 6A push button	॥ 190	190	190	
7	1 gang blanking module	॥ 44	44	44	
8	2 gang blanking module	॥ 89	89	89	
9	<b>FAN REGULATOR / DIMMER</b>				
10	Step type fan regulator	No. 657	657	657	
11	60 - 500 W dimmer	॥ 821	821	821	
12	1000 W dimmer	॥ 1570	1570	1570	
	<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>				
13	6A - multi socket 5 pin	No. 247	247	247	
14	6/16A twin socket 3 pin (flushed)	॥ 342	342	342	
15	6/16A twin socket 3 pin (projected)	॥ 342	342	342	
16	25A 3 pin socket	॥ 413	413	413	
17	13A 3 pin socket	॥ 278	278	278	

115
   
 भारत मण्डल पाण्डे
   
 प्रमुख जिल्ला अधिकारी



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	नेपाल सरकार गृह मन्त्रालय कैफियत भक्तपुर	मु.अ.क. -VAT बाहेक ( रु. )			कैफियत
				आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३	
	18	RJ 11 telephone jack	"	164	164	164	
	19	RJ 45 cat.6e computer socket	"	574	574	574	
	20	TV socket	"	166	166	166	
<b>HOSPITALITY RANGE</b>							
	21	250V/110V shaver socket	No.	4486	4486	4486	
	22	Indicator (DO NOT DISTUURB)	"	185	185	185	
	23	LED yellow night lamp	"	577	577	577	
	24	LED Blue night lamp	"	577	577	577	
<b>FRONT PLATE (COMPATIBLE TO MARKET BOXES)</b>							
<b>(White)</b>							
	25	1 module front plate	No.	74	74	74	
	26	2 module front plate	"	79	79	79	
	27	3 module front plate	"	87	87	87	
	28	4 module front plate	"	92	92	92	
	29	6 module front plate	"	167	167	167	
	30	8 module front plate(4+4)	"	224	224	224	
	31	8 module front plate (Horizontal)	"	179	179	179	
	32	12 module front plate	"	268	268	268	
	33	18 module front plate	"	361	361	361	
<b>2.2 Modular Type Switch Socket</b>							
<b>Seperate Module for Modular Switch &amp; Socket</b>							
	1	1P – 6A/10A 1 way switch	No.	90	90	90	
	3	1P – 16A/20A 1 way switch	"	148	148	148	
	7	1P – 6A/10A 2 way switch	"	138	138	138	
	8	1P – 16A/20A 2 way switch	"	180	180	180	
	9	1P – 6A push button	"	138	138	138	
	11	1 gang blanking module	"	42	42	42	
	12	2 gang blanking module	"	80	80	80	
<b>FAN REGULATOR / DIMMER</b>							
	13	Step type fan regulator	No.	721	721	721	
	14	60 – 500 W dimmer	"	615	615	615	
<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>							
	16	6A – multi socket 5 pin	No.	191	191	191	
	17	6/16A twin socket 3 pin (flushed)	"	297	297	297	
	18	6/16A twin socket 3 pin (projected)	"	297	297	297	
	20	13A 3 pin socket	"	191	191	191	
	21	RJ 11 telephone jack	"	148	148	148	
	22	RJ 45 cat.6e computer socket	"	244	244	244	
	23	TV socket	"	148	148	148	
	40	1 module front plate	No.	116	116	116	
	41	2 module front plate	"	116	116	116	
	42	3 module front plate	"	152	152	152	
	43	4 module front plate	"	170	170	170	
	44	6 module front plate	"	234	234	234	
	45	8 module front plate(4+4)	"	314	314	314	
	46	8 module front plate (Horizontal)	"	322	322	322	
	47	12 module front plate	"	374	374	374	
		18 module front plate	"	467	467	467	
<b>Flush mounting galvanized Metal box for modular type switch &amp; socket</b>							
	1	1module metal box having L x B x Depth =(78x78x45)mm	सेट	54	54	54	
	2	2 module " " " =(78x78x45)mm	"	54	54	54	
	3	3 gang " " " =(78x100x45)mm	"	58	58	58	
	4	4 gang " " " =(78x140x50)mm	"	70	70	70	
	5	5 gang " " " =(78x205x50)mm	"	138	138	138	
	6	6 gang " " " =(78x205x50)mm	"	140	140	140	

116
   
 भारत प्रजा गणतन्त्र नेपाल
   
 प्रमुख जिल्ला अधिकारी



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	नेपाल सरकार गृह मन्त्रालय जिन्ना प्रशासन कार्यालय भक्तपुर	यु.अ.क. -VAT बाहेक ( रु. )			कैफियत	
				आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व २०८२/०८३		
3	7	8 module metal box (4+4) =(78x230x60)mm	"	186	186	186		
	8	8 module metal box (Horizontal) =(135x120x60)mm	"	186	186	186		
	9	12 module metal box =(135x120x60)mm	"	238	238	238		
	10	TV socket metal box	"	54	54	54		
	11	Telephone socket metal box	"	54	54	54		
	<b>METAL Junction BOX</b>							
	1	4"x4"	गोटा	103	103	103		
	2	4"x6"	"	155	155	155		
	3	6"x8"	"	244	244	244		
	4	8"x10"	"	359	359	359		
	5	8"x12"	"	359	359	359		
4	<b>PVC Junction Box</b>							
	1	4"x4"	गोटा	35	35	35		
	2	4"x6"	"	32	32	32		
	3	6"x8"	"	47	47	47		
	4	8"x10"	"	69	69	69		
	5	8" x12"	"	133	133	133		
		Junction box cover	"	148	148	148		
5	<b>PVC Listy Double Lock { 6'length =1 no.(गोटा)}</b>							
	1	1/2" breadth	गोटा	32	32	32		
	2	3/4"	"	47	47	47		
	3	1"	"	69	69	69		
	4	1 1/2"	"	133	133	133		
	5	2"	"	148	148	148		
6	<b>PVC Conduit Pipe</b>							
	1	1/2" diameter	र.सी	32	32	32		
	2	3/4"	"	47	47	47		
	3	1"	"	69	69	69		
7	<b>Listy Pipe Accessories</b>							
	1	1/2"-2" size Saddle	र.सी	8	8	8		
	2	Grips (Denmark)	गोटा	6	6	6		
	3	Steel screws	गोटा	2	2	2		
	4	PVC Tape	गोटा	15	15	15		
8	<b>Distribution board (DB)</b> With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated sheet steel							
	1	4 way SPN DB Double Cover	सेट	1114	1114	1114		
	2	6 way SPN DB " "	"	1169	1169	1169		
	3	8 way SPN DB " "	"	1458	1458	1458		
	4	12 way SPN DB " "	"	1729	1729	1729		
	5	16 way SPN DB " "	"	1849	1849	1849		
	6	3-4 way TPN DB Double Cover	"	2748	2748	2748		
	7	6 way TPN " " " "	"	3088	3088	3088		
	8	8 way TPN " " " Vertical	"	5973	5973	5973		
	9	12 way TPN " " " Vertical	"	7959	7959	7959		
	10	50 Pair Telephone D.B.with crown tag	"	5609	5609	5609		
	<b>PVC Box for MCB</b>							
	1	1-pole PVC box GPS	सेट	83	83	83		
	2	2- pole PVC " " "	"	83	83	83		
	3	3 and 4-pole PVC " " "	"	134	134	134		
	10	<b>10.1 Miniature Circuits Breaker (MCB) ,</b>						
		1	6-32 amp MCB SP (single pole)	गोटा	212	212	212	
2		6-32 amp MCB DP (Double pole)	"	1061	1061	1061		
3		6-32 amp MCB TP (Triple pole)	"	1761	1761	1761		
4		32 amp MCB TPN	"	2546	2546	2546		
5		40-63 amp MCB DP	"	1697	1697	1697		
6		40-63 amp MCB TP	"	2716	2716	2716		
7		40-63 amp MCB TPN	"	3252	3252	3252		

भारत रुपी पाण्डे
   
 प्रमुख जिल्ला अभियन्ता



सि.नं	सामग्रीहरूको विवरण	गोटा	मु.अ.क. -VAT बाहेक ( रु. )			कैफियत
			आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३	
10.2	<b>Miniature Circuits Breaker (MCB)</b>					
1	0.5-5 amp MCB SP (single pole)	गोटा	266	266	266	
2	6-32 amp MCB SP (single pole)	"	170	170	170	
3	6-32 amp MCB DP (Double pole)	"	637	637	637	
4	6-32 amp MCB TP (Triple pole)	"	1273	1273	1273	
5	32 amp MCB TPN	"	1539	1539	1539	
6	40-63 amp MCB DP	"	1008	1008	1008	
7	40-63 amp MCB TP	"	1433	1433	1433	
8	40-63 amp MCB TPN	"	1910	1910	1910	
	<b>Residual Current Circuit Breaker (RCCB)</b>					
11	1 25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	2834	2834	2834	
	2 63A 30mA DP RCCB	"	3376	3376	3376	
	3 63A 100mA DP RCCB	"	3104	3104	3104	
	4 63A 300mA DP RCCB	"	3156	3156	3156	
	5 25A to 40A ,(30mA,100,300mA) FP RCCB	"	3478	3478	3478	
	6 63A 30mA Four Pole RCCB	"	3817	3817	3817	
	7 63A 100mA Four Pole RCCB	"	3817	3817	3817	
	8 63A 300mA Four Pole RCCB	"	3817	3817	3817	
	<b>Moulded Case Circuit Breaker</b>					
	16AMP- 63AMP TP MCCB 16KA		5835	5835	5835	
	80AMP TP MCCB 16KA		5835	5835	5835	
	100AMP TP MCCB 16KA		6578	6578	6578	
	125AMP TP MCCB 16KA		8487	8487	8487	
	160AMP TP MCCB 16KA		10079	10079	10079	
	16AMP- 63AMP TP MCCB 25KA		6578	6578	6578	
	80AMP TP MCCB 25KA		7256	7256	7256	
	100AMP TP MCCB 25KA		7256	7256	7256	
	125AMP TP MCCB 25KA		11670	11670	11670	
	160AMP TP MCCB 25KA		13792	13792	13792	
	200AMP TP MCCB 25KA(Adjustable)		21748	21748	21748	
	200AMP TP MCCB 36KA(Adjustable)		23870	23870	23870	
	250AMP TP MCCB 36KA(Adjustable)		28114	28114	28114	
	400AMP TP MCCB 50KA(Adjustable)		36601	36601	36601	
	630AMP TP MCCB 50KA(Adjustable)		49862	49862	49862	
	800AMP TP MCCB 50KA(Adjustable)		65882	65882	65882	
12	<b>Manual Changeover Panel Type</b>					
	63 Amp FP	"	11967	11967	11967	
	80 Amp FP	"	13240	13240	13240	
	100 Amp FP	"	18756	18756	18756	
	125 Amp FP	"	19775	19775	19775	
	160 Amp FP	"	25970	25970	25970	
	200 Amp FP	"	26819	26819	26819	
	250 Amp FP	"	28517	28517	28517	
	315 Amp FP	"	36071	36071	36071	
13	<b>Dome light</b>					
i	6" Milky type decorative dome light	सेट	185	185	185	
ii	6 " Brass base decorative dome light	"	758	758	758	
iii	8"Milky type decorative dome light	"	234	234	234	
iv	8 " Brass base decorative dome light	"	902	902	902	
v	8" Silver cast Milky base Decorative Dome Light	"	1140	1140	1140	
vi	6) 8" Silver cast Black Base base Decorative Dome Light	"	584	584	584	
vii	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	"	1249	1249	1249	
viii	<u>Wall bracket/spout light/mirror light bulk head ordinary</u>	"	239	239	239	
ix	Wall bracket/spot light/mirror light /bulk head medium decorative.	"	372	372	372	

भक्तपुर जिल्ला - अधिकाारी



सि.नं	विवरण	मु.अ.क. -VAT बाहेक ( रु. )			कैफियत	
		आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व २०८२/०८३		
X	Wall bracket/spout light/mirror light / <b>बुल्ल/बुल्ल/बुल्ल</b> best quality with 11/13W CFL	849	849	849		
xi	1 x 11/13 watt CFL <b>DOWN LIGHT</b> with reflector & diffuser (conceal light) Complete	997	997	997		
xii	1 x 18 watt CFL <b>Down light</b> with reflector & diffuser (conceal light) Complete Set	1559	1559	1559		
xiii	Dining lamp.	1751	1751	1751		
xiv	Chandlers 6-8 lamp Medium	15543	15543	15543		
xv	Chandlers 3-5 lamp Medium	11087	11087	11087		
xvi	Mirror Light Euro Light Wipro WRF21111	478	478	478		
xvii	Picture light Euro Light POO2	690	690	690		
xviii	Wall spot Light E27 60W Euro or eqv.	372	372	372		
xix	Exit Light safety sign(8.24)	849	849	849		
<b>Post top Lanterns</b>						
xx	Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	2652	2652	2652		
xxi	Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	3183	3183	3183		
xxii	Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	3580	3580	3580		
xxiii	8" Globe type Post top Lamp complete set	1458	1458	1458		
14 .	xxiv	10" Globe type Post top Lamp complete set	2785	2785	2785	
<b>Roadway light luminaires</b>						
	XXV	1 x 36 W FTL <b>street light</b> fixture with acrylic diffuser complete set	2716	2716	2716	
	XXVI	2 x 36 W FTL street light fixture with acrylic diffuser complet set	3984	3984	3984	
	XXVII	300/500 watt halogen weather proof <b>FLOOD LIGHT</b> with glass cover Complete set	1591	1591	1591	
	XXVII	1000 watt halogen weather proof flood light with glass cover Complete set	3183	3183	3183	
	XXIV	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	9548	9548	9548	
	XXVI	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	11723	11723	11723	
	xxvii	Single Piece deep drawn aluminum POT optics <b>road light luminaires</b> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories.	5411	5411	5411	
	xxviii	2X18W CFL-4 Pin street light fixture with acrylic diffuser	2339	2339	2339	
	xxix	1X125W HPSV <b>street light</b> fixture with acrylic diffuser	5273	5273	5273	
	xxx	2X60/100W GLS <b>aviation light</b> fixture all complete set	5857	5857	5857	
<b>CEILING FANS &amp; EXHAUST Fans,</b>						
15	a	36" size ceiling Fan	2228	2228	2228	
	b	42" size " "	2334	2334	2334	
	c	48" size " "	2388	2388	2388	
	d	56" size " "	2652	2652	2652	
	e	6" Exhaust Fan	1539	1539	1539	
	f	9" Exhaust Fan	1857	1857	1857	
	g	16" size wall fan	2918	2918	2918	
	h	12" size exhaust fan	2652	2652	2652	
<b>BELL INDICATOR</b>						
16	a	4 way bell indicator with plate	1293	1293	1293	
	b	6 way " " " "	2110	2110	2110	
	c	8 way " " " "	2937	2937	2937	
	d	12 way " " " "	4527	4527	4527	

119
   
 भक्तपुर जिल्ला अधिकाारी



क्र.सं.	सब क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT बाहेक ( रु. )			वैक्यता
				आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३	
		<b>Materials For Earthing &amp; Lightening Protection (sp.gr. copper =8930kg/m<sup>3</sup>)</b>					
	a	Copper plate	के.जी	945	945	945	
	b	Copper Strip (25 x 3)mm (Approx 60"=1kg)	के.जी	1114	1114	1114	
	c	Copper Strip (20mm breadth x 3mm thick)	के.जी	1114	1114	1114	
	d	Copper Strip (12 x 3)mm	के.जी	1114	1114	1114	
	e	Lightning rod copper conductor Air termination set	गोटा	2812	2812	2812	
17	f	8 SWG bare copper wire	र. मी	148	148	148	
	g	29 mm Diameter GI Pipe of 1m length	र. मी	260	260	260	
	h	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	637	637	637	
	i	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15	15	15	
	j	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	202	202	202	
	k	Funnel with wire mesh	गोटा	372	372	372	
	l	Charcoal	म्याग	318	318	318	
	m	Salt	के.जी	12	12	12	
18		<b>STEEL TUBELAR POLE / WOODEN POLE</b>					
		Steel Tubular Poles with welded plate on top and bottom ( medium Gauge non Galvanized with folding System and accessories )					
	a	7 Mtr. ( Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	12419	12419	12419	
	b	9 Mtr. ( Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	13367	16936	16936	
	c	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom ( medium Gauge non Galvanized with welded joints )	No	12859	12859	12859	
	d	7 mtr.length Wooden Pole	No	5146	5146	5146	
	e	9 mtr.length Wooden Pole	No	7002	7002	7002	
19		<b>Modular ceiling Luminaries</b>					
		Fluorescent Tube light (FTL) set including Tube,condenser,starter , lamp holder,channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block .					
	a	1x20 watt FTL (Patti fittings)	नेट	478	478	478	
	b	1x40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	..	798	798	798	
	c	1x20 watt FTL	..	902	902	902	
	d	1x40 watt FTL with attractive & functional decorative battens	..	1051	1051	1051	
	e	1x40 watt FTL box fittings	..	1194	1194	1194	
	f	2x40 watt FTL box fittings	..	1804	1804	1804	
	g	1x40 watt FTL Industrial channel	..	1835	1835	1835	
	h	2x40 watt FTL Industrial channel	..	2356	2356	2356	
	i	1x40 watt FTL, opalite with opal Arcylic dissuser .	..	1910	1910	1910	
	j	2x40 watt FTL, oplite with opal Arcylic dissuser WCF51240	..	3183	3183	3183	
	k	4x20 watt FTL, oplite WCF 93418	..	5572	5572	5572	
	l	4x20 watt FTL mirror optic, surface/recessed mounting	..	5572	5572	5572	

120
   
 भारत मुक्ति मोर्चा
   
 प्रमुख जिल्ला अध्यक्ष



समान मूल्य  
निम्न प्रशासन कार्यालय  
भक्तपुर नगरपालिका

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मु.ब.फ. -VAT बाहेक ( रु. )			वैफियत
			आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३	
	m	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting	3661	3661	3661	
	n	2x40 watt FTL mirror optic. surface/recessed mounting with electronic choke	4456	4456	4456	
	o	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 louver Complete set	9664	9664	9664	
	p	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	8492	8492	8492	
20	q	Compact Fluorescent Lamp (CFL) based Luminaries set all complete . 2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set	2758	2758	2758	
	r	1 x11 W CFL mirror Optic surface/recessed mounting complete set	1888	1888	1888	
	s	2 x11 W CFL mirror Optic Surface mounting complete set	2334	2334	2334	
	t	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with louver Complete set	6249	6249	6249	
	u	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set	7029	7029	7029	
	v	Recess mounting Direct Indirect LED luminaire	11139	11139	11139	
	w	Recess mounting Direct Indirect LED luminaire	14482	14482	14482	
	x	Recess Surface mounted LED luminate	13739	13739	13739	
	y	High efficiency circular LED Down Lighter	3342	3342	3342	
	z	Designer LED Streetlight with pressure die cast housing suitable for secondary roads	15038	15038	15038	
	a	IP20 and IP 65 non intragal flexible LED Strip Light	1114	1114	1114	
	b	Circular LED wall/Dome Light suitable for true ceiling	3342	3342	3342	
	c	Square LED Wall/Dome light suitable for true ceiling	3342	3342	3342	
	d	Recess mounted indirect and direct luminaires	6313	6313	6313	
	e	2x36 Watt CFL Surface Mirror Optic	6313	6313	6313	
21	20.1	<b>Down Light Fiam Make</b>				
	1.1	FDL004 SMD7W-CW	1337	1337	1337	
	1.2	FDL004 SMD9W-WWH (145*90)	1337	1337	1337	
	1.3	FDL004 SMD9W-CW	1913	1913	1913	
	1.4	FDL004 SMD15W-WWH (175*90)	1913	1913	1913	
	1.5	FDL004 SMD15W-CW	2913	2913	2913	
	1.6	FDL004 SMD30W-WWH (200MM)	2913	2913	2913	
	1.7	FDL004 SMD30W-CW	5244	5244	5244	
	1.8	FDLO12 COB5W-WWH (90MM)	5244	5244	5244	
	1.9	FDLO12 COB5W-CW	1340	1340	1340	
	2	FDLO12 COB10W-WWH (120MM)	1340	1340	1340	
	2.1	FDLO12 COB10W-CW	2038	2038	2038	
	2.2	FDLO12 COB15W-WWH (140MM)	2038	2038	2038	
	2.3	FDLO12 COB15W-CW	5244	5244	5244	
	2.4	FDLO12 COB25W-WWH (175MM)	5244	5244	5244	
	2.5	FDLO12 COB25W-CW	6991	6991	6991	
	2.6	FDLO12 COB30W-WWH (200MM)	6991	6991	6991	
	2.7	FDLO12 COB30W-CW	8737	8737	8737	
	2.8	FDLO07 SMD12W-WWH (130*110)	8737	8737	8737	
	2.9	FDLO07 SMD12W-CW	4310	4310	4310	
	3	FDLO07 SMD18W-WWH (165*145)	4310	4310	4310	
	3.1	FDLO07 SMD18W-CW	6291	6291	6291	
	3.2	FDLO07 SMD24W-WWH (195*175)	6291	6291	6291	
	3.3	FDLO07 SMD24W-CW	7864	7864	7864	
	3.4	FDLO01 HP5W FBK-WWH (95*110)	7864	7864	7864	
	3.5	FDLO01 HP5W FBK-CW	3262	3262	3262	
	3.6	FDLO01 HP5W FWH-WWH (80*120)	3262	3262	3262	
	3.7	FDLO01 HP5W FWH-CW	3262	3262	3262	

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.



सि.नं	सम सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT बाहेक ( रु. )			वैफियत
			आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३	
3.8		FDL005 SMD7W-WWH (123MM)	3262	3262	3262	
3.9		FDL005 SMD7W-CW	1340	1340	1340	
4		FDL005 SMD12W-WWH (165MM)	1340	1340	1340	
4.1		FDL005 SMD12W-CW	1747	1747	1747	
4.2		FDL005 SMD20W-WWH (200MM)	1747	1747	1747	
4.3		FDL005 SMD20W-CW Taiwan chip	3204	3204	3204	
4.4		FM3161 HP 18W-WWH	3204	3204	3204	
4.5		FM3161 HP 18W-CW	6991	6991	6991	
4.6		HD-5010-13-WWH (86*75)	6991	6991	6991	
4.7		HD-5010-13-CW	2157	2157	2157	
4.8		HD-5010-14-WWH (115*105)	2157	2157	2157	
4.9		HD-5010-14-CW	3262	3262	3262	
5		HD-5010-14-WWH (140*125)	3262	3262	3262	
5.1		HD-5010-14-CW	4078	4078	4078	
5.2		HD-5010-18-WWH (215*200)	4078	4078	4078	
5.3		HD-5010-18-CW	8096	8096	8096	
5.4		LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W	8096	8096	8096	
5.5		LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W	2525	2525	2525	
5.6		WHITE OPAL	2525	2525	2525	
5.7		BLACK OPAL	1857	1857	1857	
5.8		WHITE OPAL	1857	1857	1857	
5.9		BLACK OPAL	1857	1857	1857	
6		WHITE OPAL	1857	1857	1857	
6.1		BLACK OPAL	2228	2228	2228	
6.2		WHITE OPAL	2228	2228	2228	
6.3		BLACK OPAL	2228	2228	2228	
6.4		WHITE OPAL	2228	2228	2228	
6.5		BLACK OPAL	2228	2228	2228	
6.6		BULKHEAD WHITE OPAL	2228	2228	2228	
6.7		BULKHEAD BLACK OPAL	1857	1857	1857	
6.8		VE BULKHEAD WHITE OPAL	1857	1857	1857	
6.9		VE BULKHEAD BLACK OPAL	2600	2600	2600	
7		HL BULKHEAD WHITE OPAL	1857	1857	1857	
7.1		HL BULKHEAD BLACK OPAL	1857	1857	1857	
7.2		WHITE OPAL	1857	1857	1857	
7.3		BLACK OPAL	2228	2228	2228	
7.4		VE WHITE OPAL	2228	2228	2228	
7.5		VE BLACK OPAL	2228	2228	2228	
7.6		HL WHITE OPAL	2228	2228	2228	
7.7		HL BLACK OPAL	2228	2228	2228	
7.8		BLACK OPAL	2228	2228	2228	
7.9		MINI1L BLACK OPAL	7426	7426	7426	
8		1L WHITE OPAL	6684	6684	6684	
8.1		WHITE OPAL E27	6684	6684	6684	
8.2		BLACK OPAL E27	2971	2971	2971	
8.3		WHITE OPAL E27	2971	2971	2971	
8.4		BLACK OPAL E27	2971	2971	2971	
8.5		WHITE OPAL E27	2971	2971	2971	
8.6		BLACK OPAL E27	2971	2971	2971	
8.7		WHITE OPAL E27	2971	2971	2971	
8.8		BLACK OPAL E27	3342	3342	3342	
8.9		WHITE OPAL E27	3342	3342	3342	
9		BLACK OPAL E27	3342	3342	3342	
9.1		BLACK WITH OPAL DIFFUSER	3342	3342	3342	
9.2		BLACK W/OPAL DIFFUSER	3713	3713	3713	
9.3		LANTERN BLACK W/OPAL DIFFUSER	3713	3713	3713	
9.4		BLACK OPAL GX53 LED LAMP 3W	3342	3342	3342	
9.5		System Sensor Product	7426	7426	7426	
1		Photo Electric Smoke Detector	1931	1931	1931	
2		Rate of Rise Heat Detector	1931	1931	1931	
3		Fixed temperature Detector	2356	2356	2356	

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp on the right side.



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मु.ब.क. -VAT बाहेक ( रु. )			वैक्यत
			आ.ब २०८०/०८१	आ.ब २०८१/०८२	आ.ब. २०८२/०८३	
		4 Base	382	382	382	
		5 Conv. MCP, Red, with LED, 470 Ohm,	1527	1527	1527	
		6 Wall mount Horn+Strobe	4244	4244	4244	
		7 Ceiling mount Horn+Strobe	4244	4244	4244	
		Exit Light				
		1 MODEL SLM 18	12731	12731	12731	
		2 MODEL ELS 28	12731	12731	12731	
		3 MODEL ETL 210H-4LA	12731	12731	12731	
22		<b>LUMINARIES Accessories</b>				
	a	500 watt halogen rod	सोटा	239	239	239
	b	1000 watt halogen rod	"	286	286	286
	c	70Watt SON Lamp (Sodium Vapour)	"	859	859	859
	d	150 watt sodium vapour bulb	"	1337	1337	1337
	e	250 watt sodium vapour bulb	"	1751	1751	1751
	f	20-40 watt FTL rod	"	82	82	82
	g	20-40 watt FTL Copper chowk.	"	266	266	266
	h	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	424	424	424
	i	Acryle cover for 4x20 FTL	"	1019	1019	1019
	j	FTL starter	"	20	20	20
	k	8 W to 11W, C.F.L.Direct fit	"	239	239	239
	l	13 to 22W, C.F.L.Direct fit	"	308	308	308
	m	15-100 watt bulb.( ISI )	सोटा	27	27	27
	n	PL-S 9W/86 (CFL)	"	170	170	170
	o	PL-S 11W/86 (CFL)	"	180	180	180
	p	PL-L 36W/86 (CFL)	"	430	430	430
	q	125W HPL-N (Mercury Vapour)	"	382	382	382
	r	250W HPL-N	"	902	902	902
		<b>Solar LED bulb</b>				
	s	12V/2W LED bulb	"	372	372	372
	t	12V/3W LED bulb	"	424	424	424
	u	12V/4W LED bulb	"	478	478	478
23	22.1	<b>COPPER CONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked</b>	"			
	1	1/18 size p.v.c. insulated copper wire/ cable	स्वायत	976	976	976
	2	3/22 " " " "	"	1167	1167	1167
	3	3/20 " " " "	"	1857	1857	1857
	4	7/22 " " " "	"	2600	2600	2600
	5	7/20 " " " "	"	4244	4244	4244
	6	7/18 " " " "	"	6684	6684	6684
	7	7/16 " " " "	"	13792	13792	13792
	8	19/18 " " " "	"	18566	18566	18566
	9	19/16 " " " "	"	37132	37132	37132
	10	2/20 " " " "	"	1411	1411	1411
	11	2/22 " " " "	"	955	955	955
	23.2	<b>Multistrand Flexible wire for house wiring (90meter per coil ) NS marked Eqv.</b>				
	1	1.0 mm PVC insulated Copper wire	स्वायत	1061	1061	1061
	2	1.5 mm PVC insulated Copper wire	"	1697	1697	1697
	3	2.5 mm PVC insulated Copper wire	"	2494	2494	2494
	4	4.0 mm PVC insulated Copper wire	"	4031	4031	4031
	5	6.0 mm PVC insulated Copper wire	"	6365	6365	6365
	6	10.0mm PVC insulated Copper wire	"	10609	10609	10609
24		<b>Concentric cable NS marked Eqv.</b>				
	1	4mm size concentric cable	र.मी	24	24	24
	2	6mm size " "	र.मी	27	27	27
	3	10mm size concentric cable	र.मी	40	40	40
	4	16mm size " "	र.मी	69	69	69
	5	25mm size " "	र.मी	92	92	92
	6	RG6 Coaxial cable	र.मी	24	24	24

23
   
 भारत मुम्बई प्रमुख जिल्ला अधिकारी



सि.नं	विवरण	मु.अ.क. -VAT माहक ( रु. )	कैफियत		
			आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३
	7 RG59 Coaxial cable	र.मी	27	27	27
	8 UTP cat -5 networking cable	र.मी	27	27	27
25	Telephone Drop wire/pair cable NS marked Eqv.				
	1 <sup>2</sup> / <sub>70</sub> Telephone drop wire	क्यावल	1019	1019	1019
	2 <sup>2</sup> / <sub>72</sub> - - -	क्यावल	690	690	690
	3 2- pair cable wire (2x2x0.45) mm Heavy	र.मी	14	14	14
	4 3- pair cable wire (3x2x0.45) mm Heavy	..	21	21	21
	5 5- pair cable wire (5x2x0.45) mm Heavy	..	33	33	33
	6 10- pair cable wire (10x2x0.45) mm Heavy	..	64	64	64
	7 15- pair cable wire (15x2x0.45) mm Heavy	..	94	94	94
	8 20- pair cable wire (20x2x0.45) mm Heavy	..	123	123	123
	9 1mm drop wire	..	10	10	10
	10 1-4 Line EPABX, with 1set programmable master telephone set of corresponding brand	सेट	7877	7877	7877
	11 2-6 Line EPABX "	..	18963	18963	18963
	12 3-8 Line EPABX "	..	21154	21154	21154
	13 4-12 Line EPABX "	..	37928	37928	37928
	14 6-16 Line EPABX "	..	51056	51056	51056
	15 8-24 Line EPABX "	..	87524	87524	87524
	16 8-48 Line EPABX "	..	93651	93651	93651
	17 8-72 Line EPABX "	..	100207	100207	100207
	<b>Other Accessories</b>				
	1 6" size Dome light glass	गोटा	67	67	67
	2 8" size " " "	..	78	78	78
	3 wall bracket glass	..	67	67	67
	4 Fan regulator	..	279	279	279
26	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link ) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .)				
	a 60/75/100 AMP, 9"x36"x48" size	सेट	22056	22056	22056
	b 60/75/100 AMP "12x36"x48" size	..	26258	26258	26258
	c 60/75/100 AMP 9"x48"x60" size	..	36761	36761	36761
	d 60/75/100 AMP 12"x49"x60" size	..	43763	43763	43763
	e 150/200 AMP 9"x38"x52" size	..	24507	24507	24507
	f 150/200 AMP 12"x38"x52" size	..	24507	24507	24507
	g 150/200 AMP 9"x42"x56" size	..	27291	27291	27291
	h 150/200 AMP 12"x42"x56" size	..	29024	29024	29024
	i 250/300AMP 12"x48"x60" size	..	35540	35540	35540
	j 250/300AMP 12"x52"x62" size	..	39785	39785	39785
	k 400 AMP 12"x52"x66" size	..	42352	42352	42352
27	Panel Board measurement instrument				
	a 0-500 volt meter	पिस	1054	1054	1054
	b 60/100 Amp meter .	..	1008	1008	1008
	c Panel Indicator	..	244	244	244
	d 2 Amp glass fuse with holder 12 mm size	..	138	138	138
	e AMP meter selector switch	..	668	668	668
	f volt meter selector switch	..	732	732	732
	g 60/100 Amp C.T. coil per set 3 Pcs	..	1475	1475	1475
	h 150-200AMP C.T coil. 3 PC / Set	गोटा	1835	1835	1835
	i 250-300 AMP " " "	..	2494	2494	2494
	j 400/500/600AMP " " "	..	3661	3661	3661
	k Kilo watt hour energy meter single phase	पिस	2339	2339	2339
	l Kilo watt hour energy meter 3 phase direct	..	10535	10535	10535
28	Trailing Protected Industrial Plug IP44				



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मिटरमा	मु.अ.क. -VAT माहेक ( रु. )			कैफियत
				आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व २०८२/०८३	
29	a	16A 3P+E 400V Industrial plug	सेट	557	557	557	
	b	32 A 3p +N+E " Plug	सेट	827	827	827	
	c	32 A 3P+N+E water tight Plug IP67	सेट	1591	1591	1591	
		Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	21218	21218	21218	
		Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door	सेट	14322	14322	14322	
30		<b>CABLE SHOE</b>					
	a	16 sq.mm cable shoe	गोटा	66	66	66	
	b	25 sq.mm " "	"	85	85	85	
	c	35 sq.mm " "	"	66	66	66	
	d	50 sq.mm " "	"	77	77	77	
	e	70 sq.mm " "	"	95	95	95	
	f	95 sq.mm " "	"	147	147	147	
	g	150 sq.mm " "	"	221	221	221	
	h	195 sq.mm " "	"	314	314	314	
	i	250 sq.mm " "	"	500	500	500	
31		<b>Copper Conductor Armoured Power Cables NS marked or eqv.</b>					
		<b>a) 2 Core</b>					
	1	1.5 mm2	र.मी	106	106	106	
	2	2.5 mm2	"	143	143	143	
	3	4.0 mm2	"	197	197	197	
	4	6.0 mm2	"	254	254	254	
	5	10.0 mm2	"	382	382	382	
	6	16.0 mm2	"	509	509	509	
	7	25.0 mm2	"	743	743	743	
	8	35.0 mm2	"	987	987	987	
	9	50.0 mm2	"	1379	1379	1379	
		<b>b) 3 Core</b>					
	1	1.5 mm2	"	133	133	133	
	2	2.5 mm2	"	185	185	185	
	3	4.0 mm2	"	266	266	266	
	4	6.0 mm2	"	340	340	340	
	5	10.0 mm2	"	509	509	509	
	6	16.0 mm2	"	711	711	711	
	7	25.0 mm2	"	1083	1083	1083	
	8	35.0 mm2	"	1433	1433	1433	
	9	50.0 mm2 Copper Conductor Armoured	"	1963	1963	1963	
	10	70.0 mm2	"	2758	2758	2758	
	11	95.0 mm2	"	3713	3713	3713	
	12	120.0 mm2	"	4668	4668	4668	
	13	150.0 mm2	"	5729	5729	5729	
		<b>c) 3.5 Core</b>					
	1	25.0 mm2	र.मी	1295	1295	1295	
	2	35.0 mm2	"	1645	1645	1645	
	3	50.0 mm2	"	2312	2312	2312	
	4	70.0 mm2	"	3183	3183	3183	
	5	95.0 mm2	"	4244	4244	4244	
	6	120.0 mm2	"	5570	5570	5570	
	7	150.0 mm2	"	6578	6578	6578	
	8	185.0 mm2	"	8169	8169	8169	
	9	240.0 mm2	"	10715	10715	10715	
	10	300.0 mm2	"	13580	13580	13580	
	11	400.0 mm2	"	17823	17823	17823	
		<b>d) 4 Core</b>					

Handwritten signatures and stamps at the bottom of the page, including a circular stamp with the number 125 and a rectangular stamp with Nepali text: 'भक्तपुर जिल्ला अदिकारको' (Bhaktapur District Office).



सि.नं	विवरण	एकक	मु.अ.क. -VAT बाहेक ( रु. )			वैधियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
1	1.5 mm <sup>2</sup>	र.मी	160	160	160	
2	2.5 mm <sup>2</sup>	"	228	228	228	
3	4.0 mm <sup>2</sup>	"	329	329	329	
4	6.0 mm <sup>2</sup>	"	424	424	424	
5	10.0 mm <sup>2</sup>	"	637	637	637	
6	16.0 mm <sup>2</sup>	"	928	928	928	
7	25.0 mm <sup>2</sup>	"	1379	1379	1379	
8	35.0 mm <sup>2</sup>	"	1857	1857	1857	
9	50.0 mm <sup>2</sup>	"	2652	2652	2652	
10	70.0 mm <sup>2</sup>	"	3607	3607	3607	
11	95.0 mm <sup>2</sup> Copper Conductor Armoured	"	4880	4880	4880	
12	120.0 mm <sup>2</sup>	"	6153	6153	6153	
13	150.0 mm <sup>2</sup>	"	7638	7638	7638	
14	185.0 mm <sup>2</sup>	"	9336	9336	9336	
15	240.0 mm <sup>2</sup>	"	12731	12731	12731	
16	300.0 mm <sup>2</sup>	"	15277	15277	15277	
17	400.0 mm <sup>2</sup>	"	20688	20688	20688	
32	<b>Copper Conductor Unarmoured Power Cables NS marked or Eqv.</b>					
	<b>a) 1-core</b>					
1	10 sq. mm.	र.मी	44	44	44	
2	16 sq. mm.	"	67	67	67	
3	25 sq. mm.	"	78	78	78	
4	35 sq. mm.	"	94	94	94	
5	50 sq. mm.	"	125	125	125	
6	70 sq. mm.	"	163	163	163	
7	95 sq. mm.	"	220	220	220	
8	120 sq. mm.	"	268	268	268	
9	150 sq. mm.	"	317	317	317	
	<b>b) 2-core</b>					
1	1.5 sq.mm Copper Conductor Unarmoured	र.मी	74	74	74	
2	2.5 sq.mm	"	106	106	106	
3	4 sq.mm	"	148	148	148	
4	6 sq.mm	"	202	202	202	
5	10 sq.mm	"	318	318	318	
6	16 sq.mm	"	440	440	440	
7	25 sq.mm	"	679	679	679	
8	35 sq.mm	"	923	923	923	
9	50 sq.mm	"	1273	1273	1273	
10	70 sq.mm	"	1273	1273	1273	
11	95 sq.mm	"	2388	2388	2388	
12	120 sq.mm	"	3130	3130	3130	
13	150 sq.mm	"	3925	3925	3925	
	<b>c) 3-core</b>					
1	1.5 sq.mm. 3- core copper conductor	र.मी	96	96	96	
2	2.5 sq.mm	"	138	138	138	
3	4 sq.mm	"	202	202	202	
4	6 sq.mm	"	286	286	286	
5	10 sq.mm	"	451	451	451	
6	16 sq.mm	"	658	658	658	
7	25 sq.mm	"	1008	1008	1008	
8	35 sq.mm	"	1358	1358	1358	
9	50 sq.mm	"	1910	1910	1910	
10	70 sq.mm	"	2652	2652	2652	
11	95 sq.mm	"	3607	3607	3607	
12	120 sq.mm	"	4562	4562	4562	
13	150 sq.mm	र.मी	5623	5623	5623	
	<b>d) 3.5 core</b>					
1	25 sq.mm	र.मी	1241	1241	1241	
2	35 sq.mm Copper Conductor Unarmoured	"	1591	1591	1591	

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten initials]*

भरत मगर  
प्रमुख जिल्ला अधिकारी



नेपाल सरकार  
वि.सं. २०७२/०७३

सि.नं	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क. -VAT माहक ( रु. )			कैफियत
			आ.प २०८०/०८१	आ.प २०८१/०८२	आ.प. २०८२/०८३	
3	50 sq.mm	"	2228	2228	2228	
4	70 sq.mm	"	3103	3103	3103	
5	95 sq.mm	"	4191	4191	4191	
6	120 sq.mm	"	5517	5517	5517	
7	150 sq.mm	"	6525	6525	6525	
<b>e) 4-core Copper Conductor Unarmoured</b>						
1	1.5 sq.mm	र.मी	116	116	116	
2	2.5 sq.mm	"	175	175	175	
3	4 sq.mm	"	260	260	260	
4	6 sq.mm	"	361	361	361	
5	10 sq.mm	"	573	573	573	
6	16 sq.mm	"	870	870	870	
7	25 sq.mm	"	1358	1358	1358	
8	35 sq.mm	"	1825	1825	1825	
9	50 sq.mm	"	2546	2546	2546	
10	70 sq.mm	"	3555	3555	3555	
11	95 sq.mm	"	4828	4828	4828	
12	120 sq.mm	"	6101	6101	6101	
13	150 sq.mm	"	7586	7586	7586	
14	185 sq.mm	"	9336	9336	9336	
15	240 Sq. mm	"	12625	12625	12625	
16	300 Sq. mm	"	15277	15277	15277	
17	400 Sq. mm	"	20688	20688	20688	
33	<b>Aluminum conductor Armoured (Power) cable NS marked or eqv.</b>					
<b>a) 2-core</b>						
1	1.5 sq.mm	र.मी				
2	2.5 sq.mm	र.मी	96	96	96	
3	4 sq.mm	"	122	122	122	
4	6 sq.mm	"	138	138	138	
5	10 sq.mm	"	165	165	165	
6	16 sq.mm	"	185	185	185	
7	25 sq.mm	"	222	222	222	
8	35 sq.mm	"	254	254	254	
9	50 sq.mm	"	329	329	329	
10	70 sq.mm	"	409	409	409	
11	95 sq.mm	"	520	520	520	
<b>b) 3-core</b>						
1	2.5 sq.mm. Aluminum conductor Armoured	र.मी	111	111	111	
2	4 sq.mm	"	138	138	138	
3	6 sq.mm	"	153	153	153	
4	10 sq.mm	"	185	185	185	
5	16 sq.mm	"	212	212	212	
6	25 sq.mm Aluminum conductor Armoured	"	286	286	286	
7	35 sq.mm	"	345	345	345	
8	50 sq.mm	"	440	440	440	
9	70 sq.mm	"	557	557	557	
10	95 sq.mm	"	509	509	509	
11	120 sq.mm	"	859	859	859	
12	150 sq.mm	"	1034	1034	1034	
13	185 sq.mm	"	1273	1273	1273	
14	240 sq.mm	"	1559	1559	1559	
15	300 sq.mm	"	1910	1910	1910	

भारत सपना सच है  
 प्रमुख जिल्ला अधिकारी



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT माहक ( रु. )			वैक्यत
				आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३	
16		400 sq.mm	..	2388	2388	2388	
		<b>c) 3.5 core</b>					
1		25 sq.mm.	र.मी	329	329	329	
2		35 sq.mm	..	382	382	382	
3		50 sq.mm	..	504	504	504	
4		70 sq.mm	..	647	647	647	
5		95 sq.mm	..	827	827	827	
6		120 sq.mm Aluminum conductor Armoured	..	1008	1008	1008	
7		150 sq.mm	र.मी	1209	1209	1209	
8		185 sq.mm	..	1464	1464	1464	
9		240 sq.mm	..	1825	1825	1825	
10		300 sq.mm	..	2281	2281	2281	
11		400 sq.mm	..	2864	2864	2864	
		<b>d) 4-core</b>					
1		2.5 sq.mm	र.मी	128	128	128	
2		4 sq.mm	..	160	160	160	
3		6 sq.mm	..	185	185	185	
4		10 sq.mm	..	202	202	202	
5		16 sq.mm	..	260	260	260	
6		25 sq.mm	..	350	350	350	
7		35 sq.mm	..	414	414	414	
8		50 sq.mm	..	564	564	564	
9		70 sq.mm	..	721	721	721	
10		95 sq.mm	..	928	928	928	
11		120 sq.mm	..	1114	1114	1114	
12		150 sq.mm	..	1411	1411	1411	
13		185 sq.mm	..	1676	1676	1676	
14		240sq.mm	..	2100	2100	2100	
15		300 sq.mm Aluminum conductor Armoured	..	2600	2600	2600	
16		400sq.mm	..	3289	3289	3289	
34		<b>Aluminium conductor unarmoured (power) cable NS marked or eqv.</b>					
		<b>a) 1-core</b>					
1		16 sq.mm	र.मी	54	54	54	
2		25 sq.mm	..	74	74	74	
3		35 sq.mm	..	91	91	91	
4		50 sq.mm	..	116	116	116	
5		70 sq.mm	..	148	148	148	
6		95 sq.mm	..	202	202	202	
7		120 sq.mm	..	244	244	244	
8		150 sq.mm	..	403	403	403	
9		185 sq.mm	..	372	372	372	
10		240 sq.mm	..	456	456	456	
11		300 sq.mm	..	552	552	552	
		<b>b) 2-core Aluminium conductor unarmoured</b>					
1		2.5 sq.mm	र.मी	54	54	54	
2		4 sq.mm	..	64	64	64	
3		6 sq.mm	र.मी	79	79	79	
4		10 sq.mm	..	101	101	101	
5		16 sq.mm	..	106	106	106	
6		25 sq.mm	..	148	148	148	
7		35 sq.mm	..	191	191	191	
8		50 sq.mm	..	244	244	244	
9		70 sq.mm	..	308	308	308	
10		95 sq.mm 2 core	..	414	414	414	
		<b>c) 3-core</b>					
1		2.5 sq.mm	र.मी	64	64	64	
2		4 sq.mm	..	74	74	74	
3		6 sq.mm	..	91	91	91	
4		10 sq.mm	..	128	128	128	

भक्तपुर जिल्ला प्रशासनिक कार्यालय  
 प्रमुख/सहायक प्रमुख/अधिकाारी



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	काई	मु.अ.क. -VAT मातृक ( रु. )			कैफियत
				आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३	
	5	16 sq.mm	"	148	148	148	
	6	25 sq.mm	"	212	212	212	
	7	35 sq.mm	"	266	266	266	
	8	50 sq.mm	"	350	350	350	
	9	70 sq.mm	"	467	467	467	
	10	95 sq.mm	"	615	615	615	
	11	120 sq.mm	"	764	764	764	
	12	150 sq.mm	"	913	913	913	
	13	185 sq.mm	"	1145	1145	1145	
	14	240 sq.mm	"	1421	1421	1421	
	15	300 sq.mm Aluminium conductor unarmoured	"	1804	1804	1804	
		d) 3.5-core					
	1	25 sq.mm	र.मी	266	266	266	
	2	35 sq.mm	"	318	318	318	
	3	50 sq.mm	"	424	424	424	
	4	70 sq.mm	"	584	584	584	
	5	95 sq.mm	"	764	764	764	
	6	120 sq.mm	"	955	955	955	
	7	150 sq.mm	"	1145	1145	1145	
	8	185 sq.mm	"	1433	1433	1433	
	9	240 sq.mm	"	1804	1804	1804	
	10	300 sq.mm	"	2228	2228	2228	
		e) 4-core core aluminium unarmoured					
	1	2.5 sq.mm	र.मी	74	74	74	
	2	4 sq.mm	"	84	84	84	
	3	6 sq.mm	"	101	101	101	
	4	10 sq.mm	"	138	138	138	
	5	16 sq.mm	र.मी	202	202	202	
	6	25 sq.mm	"	297	297	297	
	7	35 sq.mm	"	361	361	361	
	8	50 sq.mm	"	499	499	499	
	9	70 sq.mm 4	"	658	658	658	
	10	95 sq.mm	"	870	870	870	
	11	120 sq.mm	"	1061	1061	1061	
	12	150 sq.mm	"	1327	1327	1327	
	13	185 sq.mm	"	1645	1645	1645	
	14	240 sq.mm	"	2069	2069	2069	
	15	300 sq.mm	"	2546	2546	2546	

भारत मणी पाण्डे
   
 प्रमुख जिल्ला अधिकारी



सि.नं	विवरण	यु.अ.क. -VAT बाहेक (र.)	कैफियत		
			आ.व. २०८०/०८१	आ.व. २०८१/०८२	आ.व. २०८२/०८३
35	<b>General Lightig</b>				
i	1 x 40 W FTL Patti fitting	सेट 260	260	260	
ii	1 x 20 W FTL Patti fitting	सेट 239	239	239	
iii	1 x 40 W FTL Box Fitting	सेट 440	440	440	
iv	1 x 20 W FTL Box fitting	सेट 430	430	430	
v	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट 366	366	366	
36	<b>PVC Conduit</b>				
	<b>RK Range</b>				
1	16 mm medium rigid conduit DX 25 316	Mtr. 91	91	91	
2	20 mm medium rigid conduit DX 25 320	" 128	128	128	
3	25 mm medium rigid conduit DX 25 325	" 180	180	180	
4	32 mm medium rigid conduit DX 25 332	" 260	260	260	
5	40 mm medium rigid conduit DX 25 340	" 355	355	355	
6	50 mm medium rigid conduit DX 25 350	" 546	546	546	
7	63 mm medium rigid conduit DX 25 363	" 1029	1029	1029	
8	16 mm heavy rigid conduit DX 25 716	" 170	170	170	
9	20 mm heavy rigid conduit DX 25 720	" 222	222	222	
10	25 mm heavy rigid conduit DX 25 725	" 297	297	297	
11	32 mm heavy rigid conduit DX 25 732	" 446	446	446	
12	40 mm heavy rigid conduit DX 25 740	" 605	605	605	
13	50 mm heavy rigid conduit DX 25 750	" 817	817	817	
14	63 mm heavy rigid conduit DX 25 763	" 1533	1533	1533	
15	16 mm polymer cable gland GW 52 043 with fixing nut and screws	" 202	202	202	
16	20 mm polymer cable gland GW 52 044 with fixing nut and screws	" 254	254	254	
17	25 mm polymer cable gland GW 52 045 with fixing nut and screws	" 387	387	387	
18	32 mm polymer cable gland GW 52 046 with fixing nut and screws	" 642	642	642	
19	40 mm polymer cable gland GW 52 047 with fixing nut and screws	" 769	769	769	
20	50 mm polymer cable gland GW 52 048 with fixing nut and screws	" 992	992	992	
21	63 mm polymer cable gland GW 52 049 with fixing nut and screws	" 1236	1236	1236	
22	16 mm shockproof polymer saddle collar clip GW 50 605	" 32	32	32	
23	20 mm shockproof polymer saddle collar clip GW 50 606	" 37	37	37	
24	25 mm shockproof polymer saddle collar clip GW 50 607	" 42	42	42	
25	32 mm shockproof polymer saddle collar clip GW 50 608	" 64	64	64	
26	40 mm shockproof polymer saddle collar clip GW 50 630	" 101	101	101	
27	50 mm shockproof polymer saddle collar clip GW 50 631	" 122	122	122	
28	16 mm conduit coupler DX 40 016	" 37	37	37	
29	20 mm conduit coupler DX 40 020	" 47	47	47	
30	25 mm conduit coupler DX 40 025	" 59	59	59	
31	32 mm conduit coupler DX 40 032	" 106	106	106	
32	40 mm conduit coupler DX 40 040	" 143	143	143	
33	50 mm conduit coupler DX 40 050	" 249	249	249	
34	63 mm conduit coupler DX 40 063	" 472	472	472	
35	16 mm tight bend DX 40 116	" 59	59	59	
36	20 mm tight bend DX 40 120	" 84	84	84	
37	25 mm tight bend DX 40 125	" 133	133	133	
38	32 mm tight bend DX 40 132	" 244	244	244	
39	40 mm tight bend DX 40 140	" 345	345	345	
40	50 mm tight bend DX 40 150	" 621	621	621	
41	63 mm tight bend DX 40 163	" 2430	2430	2430	
42	4 way junction box DX 45 004	" 690	690	690	
43	7 way junction box DX 45 007	" 827	827	827	
44	10 way junction box DX 45 010	" 1051	1051	1051	

भक्तपुर जिल्ला प्रशासनिक कार्यालय
   
 भक्तपुर
   
 भारत भूमि पाण्डे
   
 प्रमुख जिल्ला अधिकारी



सि.नं	विवरण	मू.अ.क. -VAT बाहेक ( रु. )	आ.व.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
45	Closing cap for junction box DX 47 000	"	122	122	122	
46	16 mm inspectionable T bend DX 40216	"	122	122	122	
47	20 mm inspectionable T bend DX 40220	"	153	153	153	
48	25 mm inspectionable T bend DX 40225	"	202	202	202	
49	32 mm inspectionable T bend DX 40232	"	244	244	244	
50	16 mm inspectionable bend DX 40 316	"	101	101	101	
51	20 mm inspectionable bend DX 40 320	"	122	122	122	
52	25 mm inspectionable bend DX 40 325	"	160	160	160	
53	32 mm inspectionable bend DX 40 332	"	191	191	191	
37	<b>Cable Tray with Cover and Accessories</b>					
1	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Fl.	844	844	844	
2	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	1002	1002	1002	
3	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1209	1209	1209	
4	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1358	1358	1358	
5	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1586	1586	1586	
6	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1761	1761	1761	
7	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2201	2201	2201	
8	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2588	2588	2588	
9	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3183	3183	3183	
10	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3379	3379	3379	
11	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	1014	1014	1014	
12	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1214	1214	1214	
13	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1337	1337	1337	
14	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1512	1512	1512	
15	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1713	1713	1713	
16	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1915	1915	1915	
17	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2344	2344	2344	
18	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2737	2737	2737	
19	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3560	3560	3560	
20	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3861	3861	3861	
21	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4722	4722	4722	
22	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1352	1352	1352	
23	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2186	2186	2186	
24	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2864	2864	2864	
25	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3968	3968	3968	
26	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4981	4981	4981	
27	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5612	5612	5612	
28	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1539	1539	1539	
29	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2339	2339	2339	
30	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	2971	2971	2971	

13.
   
 भारत मण्डल पाण्डे
   
 प्रमुख जिला अधिकारी



सि.नं	विवरण	मात्रा	मु.अ.क. -VAT माहक (र.)			कैफियत
			आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३	
31	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	4276	4276	4276	
32	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	5166	5166	5166	
38	<b>Intrusion Detection System Make Honeywell or equivalent</b>					
	<b>Main Controller</b>					
i	CONTROL, FIRE/BURG Smoke & Heat Detector	सेट	40017	40017	40017	
ii	Wireless Smoke and Head Detector	सेट	10861	10861	10861	
	<b>Door Contact</b>					
iii	Wireless Door Contact with transmitter	सेट	2758	2758	2758	
	<b>Motion Detector</b>					
iv	Wireless Passive Infrared, Pet Immune Motion Detector	सेट	4303	4303	4303	
	<b>Panic Switch</b>					
v	Wireless Panic Transmitter	सेट	5069	5069	5069	
	<b>Key</b>					
vi	Wireless Key to Arm and Disarm the System	सेट	4923	4923	4923	
	<b>Window Contact</b>					
vii	Wired door Contact with transmitter slim	सेट	2896	2896	2896	
	<b>Earth Quake Detector</b>					
	<b>Quake Alarm</b>	पिस	3709	3709	3709	
	<b>Automatic Motor Operator for water motor</b>					
i	Upto 1/2 HP single phase motor	सेट	4244	4244	4244	
ii	Upto 1 HP single phase motor	सेट	5835	5835	5835	
iii	Upto 5 HP three phase motor	सेट	9548	9548	9548	
39	<b>Electrical Equipments</b>					
i	Earthing Materials (ISI or other International Standard)					
a	6 mm thick 600mm× 600 mm G.I. Plate					
c	Funneling Mechanism with cover (mild steel)	No.	2914	2914	2914	
d	3.2 mm thick 600mm× 600 mm Copper Plate	set	637	637	637	
e	Copper wire (10 SWG)	No.	9803	9803	9803	
ii	Service wire (Al)	Mtr.	160	160	160	
a.	2.5 mm <sup>2</sup>	Mtr.	19	19	19	
b.	4.0 mm <sup>2</sup>	"	23	23	23	
c.	6.0 mm <sup>2</sup>	"	29	29	29	
iii	<b>Lightening Arrestor for 3 Phase</b>					
a.	0.5 KV	Set	1273	1273	1273	
b.	11 KV	Set	4456	4456	4456	
c.	Cross Arms V Channel.	No	3183	3183	3183	
iv	<b>Stay set with accessories.</b>					
a.	GI wire	No	1217	1217	1217	
b.	GI Plate	"	1221	1221	1221	
c.	Gay Insulator.	"	58	58	58	
d	Elbow		106	106	106	
e	Rod , Nut	No	458	458	458	
f	Grip	"	50	50	50	
v	<b>Overhead Insulators (0.4KV)</b>					
a.	Sackle Insulator					
b.	D-Iron	No	32	32	32	
c.	Nut Bolt (3" with 8 mm Ø)	"	96	96	96	
d.	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	15	15	15	
vi	<b>Overhead Insulators with fixing accessories (11KV)</b>	"	24	24	24	
a.	Pin Insulator					
b.	Disc Insulator	No	191	191	191	
c.	Cross Arms V Channel.	"	1019	1019	1019	
vii	Sqarrel ACSR conductor 20mm <sup>2</sup>	"	2801	2801	2801	
viii	weasel ACSR conductor 30 mm <sup>2</sup>	Rm.	18	18	18	
ix	Rabbit ACSR conductor 50 mm <sup>2</sup>	"	26	26	26	

*[Handwritten signatures and marks]*

*[Handwritten signatures and stamps]*  
 भारत/भारत सरकार  
 प्रमुख निरीक्षण अधिकारी



सि.नं	विवरण	मु.अ.क.	-VAT बाहेक ( रु. )			वैफियत
			आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व २०८२/०८३	
x	Dog ACSR conductor 100 mm <sup>2</sup>	"	42	42	42	
xi	Supply of aluminium ABC cable	"	84	84	84	
	25mm square 4 core ABC cable					
	50 mm square 4 core ABC cable	Rm.	160	160	160	
	95 mm square 4 core ABC cable	"	266	266	266	
xii	Alternator 3 Phase Brush less with compounded Excitation. (KEL)	"	520	520	520	
40	<b>C AMF with ATS palel</b>					
i	5KVA AMF with ATS palel	set	23340	23340	23340	
ii	7.5KVA AMF with ATS palel	"	29705	29705	29705	
iii	10KVA AMF with ATS palel	"	37132	37132	37132	
iv	15KVA AMF with ATS palel	"	47741	47741	47741	
v	20KVA AMF with ATS palel	"	68959	68959	68959	
vi	25KVA AMF with ATS palel	"	79568	79568	79568	
vii	30KVA AMF with ATS palel	"	95481	95481	95481	
41	<b>MCB/ISOLATOR</b>					
	B CURVE MCB SP 6A-32A					
	B CURVE MCB SP 40A	pole	246	246	246	
	B CURVE MCB SP 50A-63A	pole	289	289	289	
	C CURVE MCB SP 0.5-4A	pole	289	289	289	
	C CURVE MCB SP 6-32A	pole	289	289	289	
	C CURVE MCB SP 40A	pole	246	246	246	
	C CURVE MCB SP 50-63A	pole	459	459	459	
	C CURVE MCB SPN 0.5-4A	pole	459	459	459	
	C CURVE MCB SPN 6-32A	pole	493	493	493	
	C CURVE MCB SPN 40A	pole	528	528	528	
	C CURVE MCB SPN 50-63A	pole	578	578	578	
	C CURVE MCB DP 0.5-4A	pole	578	578	578	
	C CURVE MCB DP 6-32A	pole	636	636	636	
	C CURVE MCB DP 40A	pole	581	581	581	
	C CURVE MCB DP 50-63A	pole	636	636	636	
	C CURVE MCB TP 0.5-4A	pole	636	636	636	
	C CURVE MCB TP 6-32A	pole	953	953	953	
	C CURVE MCB TP 40A	pole	872	872	872	
	C CURVE MCB TP 50-63A	pole	953	953	953	
	C CURVE MCB TPN 0.5-4A	pole	953	953	953	
	C CURVE MCB TPN 6-32A	pole	1242	1242	1242	
	C CURVE MCB TPN 40A	pole	1136	1136	1136	
	C CURVE MCB TPN 50-63A	pole	1242	1242	1242	
	C CURVE MCB FP 0.5-4A	pole	1242	1242	1242	
	C CURVE MCB FP 6-32A	pole	1329	1329	1329	
	C CURVE MCB FP 40A	pole	1215	1215	1215	
	C CURVE MCB FP 50-63A	pole	1329	1329	1329	
	ISOLATOR DP 40A	pole	1329	1329	1329	
	ISOLATOR DP 63A	pole	568	568	568	
	ISOLATOR DP 80-100A	pole	568	568	568	
	ISOLATOR DP 125A	pole	593	593	593	
	ISOLATOR FP 40A	pole	629	629	629	
	ISOLATOR FP 63A	pole	929	929	929	
	ISOLATOR FP 80-100A	pole	929	929	929	
	ISOLATOR FP 125A	pole	1028	1028	1028	
	RCCB DP 25A 30mA	pole	1028	1028	1028	
	RCCB DP 40A 30mA	pole	3653	3653	3653	
	RCCB DP 63A 30mA	pole	3653	3653	3653	
	RCCB DP 25A 100mA	pole	3653	3653	3653	
	RCCB DP 40A 100mA	pole	3445	3445	3445	
	RCCB DP 63A 100mA	pole	3445	3445	3445	
	RCCB DP 25A 300mA	pole	3445	3445	3445	
	RCCB DP 40A 300mA	pole	3445	3445	3445	
	RCCB DP 63A 300mA	pole	3445	3445	3445	
	RCCB FP 25A 30mA	pole	3445	3445	3445	

भारत सपना पाठक
   
 प्रमुख जिल्ला/अधिकारी



क्र. सं.	विवरण	मात्रा	दु.म.क. -VAT दर (₹)			कीमत
			आ.द. 2022/23	आ.द. 2021/22	आ.द. 2020/21	
	RCCB FP 40A 30mA	pole	4280	4280	4280	
	RCCB FP 63A 30mA	pole	4280	4280	4280	
	RCCB FP 25A 100mA	pole	4280	4280	4280	
	RCCB FP 40A 100mA	pole	4124	4124	4124	
	RCCB FP 63A 100mA	pole	4124	4124	4124	
	RCCB FP 25A 300mA	pole	4124	4124	4124	
	RCCB FP 40A 300mA	pole	4124	4124	4124	
	RCCB FP 63A 300mA	pole	4124	4124	4124	




  
 13/11/22  
 भारत मणी पाण्डे  
 प्रमुख जिला अधिकारी